



SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 2005




VOLUME I ANNUAL VITAL STATISTICS SERIES

**Division of Biostatistics
Office of Public Health Statistics and Information Services
South Carolina Department of Health and Environmental Control
Columbia, South Carolina 29201**

SOUTH CAROLINA COUNTIES AND PUBLIC HEALTH REGIONS



SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 2005



VOLUME I ANNUAL VITAL STATISTICS SERIES

**Division of Biostatistics
Office of Public Health Statistics and Information Services
South Carolina Department of Health and Environmental Control
Columbia, South Carolina 29201**

Contributors

Division of Biostatistics SC DHEC

Shae Sutton, Director

Yang Wang, Assistant Director

Biostatistics and Data Quality Branch

Daniela Nitcheva, Manager

Mary Glover, Assistant Manager

Fushun Zhang, Statistician

Ryan Lewis, Statistician

Calandra McLeod, Statistical and Research Analyst

We gratefully acknowledge the dedicated assistance of the Bureau of Disease Control and the SC Budget and Control Board Office of Research and Statistics on this publication.

This report is available in CD format as well as in printed format. This and other reports on South Carolina vital statistics are available on the internet at the web address listed below. Click on the Health tab to the right of DHEC Home. Then click on the Public Health Statistics and Information Services link in the green column on the left. Then click on the Publications & Reports in the green column under Information.

Please forward any suggestions, comments or requests concerning this report to:

South Carolina Department of Health and Environmental Control
Office of Public Health Statistics and Information Services
Division of Biostatistics
2600 Bull Street
Columbia, South Carolina 29201
803-898-3649 phone 803-898-3661 fax

<http://www.scdhec.gov>

INTRODUCTION

This report contains vital statistics data for South Carolina events that occurred in 2005. The purpose of this report is to provide basic reference data for a variety of users. Vital Statistics certificates filed with the Office of Public Health Statistics and Information Services of the South Carolina Department of Health and Environmental Control are the primary source of data presented in this report. These records include certificates of live births, deaths, marriages, divorces and annulments, and reports of fetal deaths and abortions. Data are presented for South Carolina and its 46 counties. Live births, fetal deaths, terminations and deaths occurring out-of-state to South Carolina residents are also included in this report. Event information is re-allocated to the state of residence through an agreement of interstate exchange.

In South Carolina fetal death and death certificates are filed by hospitals, physicians, coroners, midwives and funeral directors in the county health department where the event occurred. Each county health department forwards the certificates weekly to the Registration Branch within the Division of Biostatistics. In 2004, South Carolina established the WebBirth system. This allows hospitals to file all birth certificate information via secured internet connection. In 2005, South Carolina implemented an electronic death registration system, WebDeath. Marriage and divorce certificates are mailed to this office from the County Probate Court and Clerk of Court, respectively.

Population estimates for the intercensal years were prepared by the Office of Research and Statistics of the South Carolina Budget and Control Board under the Federal-State Cooperative Program of population estimation for local areas. The Division of Acute Epidemiology and the Division of STD/HIV of the South Carolina Department of Health and Environmental Control furnished the morbidity data.

This report is available in CD format as well as in printed format. This and other reports on South Carolina vital statistics are available on the internet at the web address listed below. Click on the Health tab to the right of DHEC Home. Then click on the Public Health Statistics and Information Services link in the green column on the left. Then click on the Publications & Reports in the green column under Information.

Requests for more detailed statistical data pertaining to vital events, suggestions and comments may be submitted to:

South Carolina Department Health and Environmental Control
Office of Public Health Statistics and Information Services
Division of Biostatistics
2600 Bull Street
Columbia, South Carolina 29201
Phone: (803) 898-3649
Fax: (803) 898-3661

<http://www.scdhec.gov>

TABLE OF CONTENTS

Section A.	Summary of Vital Events.....	1
Section B.	Population	12
Section C.	Birth.....	16
	Fertility Patterns.....	23
	Gender Ratio.....	24
	Multiple Births.....	24
	Attendant at Birth.....	36
	Age of Mother.....	43
	Live Births to Unmarried Mothers.....	50
	Live Births by Birthweight.....	55
	Low Weight Live Births.....	62
	Very Low Weight Live Births and Percent by Race of Mother.....	67
	Live Births and Number of Mothers Who Smoked by Race of Mother.....	68
	Live Births and Number of Births with Congenital Anomalies.....	69
	Live Births by Gestational Age.....	70
	Live Births to Mothers who Breastfed by Race.....	73
	Live Births to Hispanic Mothers by Race.....	74
	Live Births to Mothers with Infectious Diseases.....	75
	Number of Mothers who received WIC Services during Pregnancy.....	78
	Live Births by Payment Source.....	79
Section D.	Teen Pregnancy.....	82
	Age 10-19.....	82
	Age 10-14.....	85
	Age 14-17.....	88
	Age 15-17.....	91
	Age 18-19.....	94
Section E.	Abortion.....	97
	By County of Residence.....	98
	By County of Occurrence.....	101
Section F.	Perinatal.....	102
	Infant Mortality.....	103
	Neonatal Mortality.....	108
	Postneonatal Mortality.....	111
	Fetal Mortality.....	114
	Perinatal Mortality.....	118
	Cause of Maternal Death.....	119
Section G.	Deaths.....	121
	Leading Causes of Death.....	123
	Race and Age at Death.....	125
	Malignant Neoplasms by Site and Gender.....	129
	Accidental Deaths by Gender.....	130
	Death Rates by Race.....	131
	Deaths by Burial Disposition.....	135

TABLE OF CONTENTS (continued)

	Deaths by Certifier.....	138
	Major Causes of Accidental Deaths.....	140
	Deaths Due to Suicide.....	142
	Multiple Causes of Death.....	144
	Multiple Causes of Death by County.....	151
	Deaths by Cause, Age, Race and Gender.....	243
	Years of Potential Life Lost (YPLL).....	256
Section H.	Marriages and Divorces.....	260
Section I.	Morbidity.....	273
Section J.	Technical Notes.....	276
	Registration of Vital Events.....	276
	Revision of Certificates.....	277
	Allocation of Events by Residence or Occurrence.....	278
	Definitions of Terms.....	279
	Interpretation of Data.....	281
	Summary of Adequacy of Kotelchuck Index.....	284
	Implementation of the International Classification of Diseases (ICD).....	285
	Formulae.....	286
	Grams Weight Conversion Chart.....	287
	Symbols used in Tables.....	287
Section K .	Appendix.....	

Figures

Figure A-1.	Life Expectancy for South Carolina Residence by Age and Gender.....	7
Figure B-1.	South Carolina Census Population by County, 2005.....	12
Figure C-1.	Live Birth Rates by County: South Carolina, 2005 (Residence Data).....	16
Figure C-2.	Live Birth Rates by Race of Mother: South Carolina, 1981-2005 (Residence Data).....	17
Figure C-3.	Percent of Live Births to Women Age 30 and Over by Race: South Carolina, 1996-2005 (Residence Data).....	43
Figure C-4.	Percent Distribution of Live Births to Unmarried Mothers by Age: South Carolina, 2005 (Residence Data).....	50
Figure C-5.	Percent Distribution of Live Births by Birthweight (in grams) and Race of Mother: South Carolina, 2005 (Residence Data).....	55
Figure C-6.	Percent of Births Less than 2,500 Grams, by Age and Race of Mother: South Carolina, 2005 (Residence Data).....	62
Figure E-1.	Abortion Rates by Race : South Carolina, 1996-2005 (Residence Data).....	97
Figure F-1.	Three-Year Infant Mortality Rates by County: South Carolina, 2003-2005 (Residence Data).....	102
Figure F-2.	Infant Mortality Rates by Race: South Carolina, 1981-2005 (Residence Data).....	103

TABLE OF CONTENTS (continued)

Figure F-3.	Percent of Infant Deaths by Age at Death: South Carolina, 2005 (Residence Data).....	104
Figure G-1.	Death Rates by County: South Carolina, 2005 (Residence Data).....	121
Figure G-2.	Death Rates by Race: South Carolina, 1981-2005 (Residence Data).....	122
Figure G-3.	Percent Distribution for Each of the Ten Leading Causes of Death by Gender, South Carolina, 2005 (Residence Data).....	123
Figure H-1.	Marriage and Divorce Rates: South Carolina, 1981-2005 (Residence Data).....	260
Figure H-2.	Marriage Rates by Race: South Carolina, 1981-2005 (Occurrence Data).....	262
Figure H-3.	Divorce Rates by Race: South Carolina, 1981-2005 (Occurrence Data).....	269

Vital Events

Table A-1.	Population, Live Births, Deaths, Marriages and Divorces with Rates by Race: South Carolina, 1986-2005 (Residence Data).....	3
Table A-2.	Live Births to Unmarried Mothers, Low Weight Births, Fetal Deaths, Infant Deaths Under One Year and Under 28 Days and Maternal Deaths with Rates by Race: South Carolina, 1986-2005 (Residence Data).....	4
Table A- 3.	Live Births: South Carolina and Each County, 1995-2005 (Residence Data).....	5
Table A-4.	Deaths: South Carolina and Each County, 1995-2005 (Residence Data).....	6
Table A-5.	Life Expectancy for South Carolina Residence by Race, 1989-1991	8
Table A-6.	Life Expectancy for South Carolina Residence by Race and Gender 1989-1991.....	10

Population

Table B-1.	Percent of Population by Age Group: South Carolina, 1990 and 2000.....	13
Table B-2.	Population, Live Births, Deaths and Natural Increase: South Carolina, 1984-2005 (Residence Data).....	14
Table B-3.	Estimated Population and Percents by Race South Carolina and Each County, 2005	15

Births

Table C-1.	Live Births and Birth Rates by Race of Mother: South Carolina, 1981-2005 (Residence Data).....	17
Table C-2.	Live Births and Percent of Live Births by Marital Status, Age and Race of Mother: South Carolina, 2005 (Residence Data).....	18
Table C-3.	Live Births and Births Rates by Race of Mother: South Carolina and Each County, 2005 (Residence Data)	19
Table C-4.	Live Births and Births Rates by Race of Mother: South Carolina and Each County, 2005 (Occurrence Data)	20
Table C-5.	Live Births by Race of Mother and Gender: South Carolina and Each County, 2005 (Residence Data).....	21
Table C-6.	Live Births by Race of Mother and Gender: South Carolina and Each County, 2005 (Occurrence Data).....	22
Table C-7.	Fertility Rates by Race: South Carolina, 1991-2005 (Residence Data).....	23
Table C-8.	Population of Females Age 15-44 by Race: South Carolina, 1991-2005 (Residence Data).....	23
Table C-9.	Gender Ratio of Males per 100 Females: South Carolina, 2001-2005 (Residence Data).....	24
Table C-10.	Live Births by County of Occurrence by County of Residence: South Carolina, 2005.....	25
Table C-11.	Live Births by Number of Prenatal Care Visits: South Carolina and Each County, 2005 (Residence Data).....	27
Table C-11A.	Live Births by Number of Prenatal Care Visits and Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	28
Table C-12.	Live Births by Kotelchuck Index: South Carolina and Each County, 2005 (Residence Data).....	30
Table C-12A.	Live Births by Kotelchuck Index and Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	31
Table C-13.	Live Births by Education of Mother: South Carolina and Each County, 2005 (Residence Data).....	33
Table C-13A.	Live Births by Education and Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	34
Table C-14.	Live Births by Attendant by Place of Delivery: South Carolina and Each County, 2005 (Residence Data).....	36
Table C-15.	Percent of Births Occurring in Hospitals by Race of Mother: South Carolina, 1996-2005 (Residence Data).....	36

TABLE OF CONTENTS (continued)

Table C-16.	Live Births by Attendant: South Carolina and Each County, 2005 (Residence Data).....	37
Table C-16A.	Live Births by Attendant and Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	38
Table C-17.	Live Births by Attendant: South Carolina and Each County, 2005 (Occurrence Data).....	40
Table C-17A.	Live Births by Attendant and Race of Mother: South Carolina and Each County, 2005 (Occurrence Data).....	41
Table C-18.	Percent Distribution of Live Births by Age of Mother: South Carolina, 2001-2005 (Residence Data).....	43
Table C-19.	Live Births by Age of Mother: South Carolina and Each County, 2005 (Residence Data).....	44
Table C-19A.	Live Births by Age and Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	45
Table C-20	Live Births to Mothers Less than 20 Years Old: South Carolina and Each County, 2005 (Residence Data).....	47
Table C-20A.	Live Births to Mothers Less than 20 Years Old by Race of Mother South Carolina and Each County, 2005 (Residence Data).....	48
Table C-21	Percent Distribution of Live Births to Unmarried Mothers by Age: South Carolina, 2001-2005 (Residence Data).....	50
Table C-22.	Live Births and Percent of Live Births to Unmarried Mothers by Race of Mother: South Carolina and Each County 2005 (Residence Data).....	51
Table C-23.	Live Births to Unmarried Mothers by Age Group: South Carolina and Each County, 2005 (Residence Data).....	52
Table C-23A.	Live Births to Unmarried Mothers by Age Group and Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	53
Table C-24.	Live Births by Birthweight Groups by Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	55
Table C-25.	Live Births by Birthweight, Age and Race of Mother: South Carolina, 2005 (Residence Data).....	56
Table C-26.	Live Births by Birthweight and Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	57
Table C-27.	Percent of Births Less than 2,500 Grams by Age and Race of Mother: South Carolina, 2005 (Residence Data).....	62
Table C-28.	Low Weight Live Births and Percent of Low Weight Live Births by Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	63

TABLE OF CONTENTS (continued)

Table C-29.	Low Weight Live Births by Age of Mother: South Carolina and Each County, 2005 (Residence Data).....	64
Table C-29A.	Low Weight Live Births by Age and Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	65
Table C-30.	Very Low Weight Live Births and Percent of Very Low Weight Live Births by Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	67
Table C-31.	Live Births and Number of Mothers who Smoked During Pregnancy by Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	68
Table C-32.	Live Births and Number of Births with Congenital Anomalies by Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	69
Table C-33.	Live Births by Gestational Age South Carolina and Each County, 2005 (Residence Data).....	70
Table C-33A.	Live Births by Gestational Age by Race of Mother South Carolina and Each County, 2005 (Residence Data).....	71
Table C-34.	Live Births to Mothers who Brestfed by Race South Carolina and Each County, 2005 (Residence Data).....	73
Table C-35.	Live Births to Hispanic Mothers by Race South Carolina and Each County, 2005 (Residence Data).....	74
Table C-36.	Live Births to Mothers with Infectious Dieases South Carolina and Each County, 2005 (Residence Data).....	75
Table C-36A.	Live Births to Mothers with Infectious Dieases by Race of Mother South Carolina and Each County, 2005 (Residence Data).....	76
Table C-37.	Number of Mothers who received WIC Services during Pregnancy by Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	78
Table C-38.	Live Births by Payment Source South Carolina and Each County, 2005 (Residence Data).....	79
Table C-38A.	Live Births by Payment Source by Race of Mother South Carolina and Each County, 2005 (Residence Data).....	80

Teen Pregnancy

Table D-1.	Reported Teen Pregnancy for Females Age 10-19, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina, 2005 (Residence Data).....	82
Table D-1A.	Reported Teen Pregnancy for Females Age 10-19, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race: South Carolina, 2005 (Residence Data).....	83

TABLE OF CONTENTS (continued)

Table D-2.	Reported Teen Pregnancy for Females Age 10-14, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina, 2005 (Residence Data).....	85
Table D-2A.	Reported Teen Pregnancy for Females Age 10-14, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race: South Carolina, 2005 (Residence Data).....	86
Table D-3.	Reported Teen Pregnancy for Females Age 14-17, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina, 2005 (Residence Data).....	88
Table D-3A.	Reported Teen Pregnancy for Females Age 14-17, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race: South Carolina, 2005 (Residence Data).....	89
Table D-4.	Reported Teen Pregnancy for Females Age 15-17, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina, 2005 (Residence Data).....	91
Table D-4A.	Reported Teen Pregnancy for Females Age 15-17, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race: South Carolina, 2005 (Residence Data).....	92
Table D-5.	Reported Teen Pregnancy for Females Age 18-19, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina, 2005 (Residence Data).....	94
Table D-5A.	Reported Teen Pregnancy for Females Age 18-19, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race: South Carolina, 2005 (Residence Data).....	95

Abortions

Table E-1.	Abortions and Abortion Rates by Race: South Carolina, 1996-2005 (Residence Data).....	97
Table E-2.	Abortions by Age Group: South Carolina and Each County, 2005 (Residence Data).....	98
Table E-2A.	Abortions by Age Group and Race of Woman: South Carolina and Each County, 2005 (Residence Data).....	99
Table E-3.	Abortions by Age Group and Race: South Carolina and Selected Counties, 2005 (Occurrence Data).....	101

Perinatal

Table F-1.	Infant Mortality and Infant Mortality Rates by Race: South Carolina, 1981-2005 (Residence Data)	103
Table F-2.	Leading Causes of Infant Death by Age at Death: South Carolina, 2005 (Residence Data).....	104
Table F-3.	Infant Mortality and Infant Mortality Rates: South Carolina and Each County, 2005, 2003-2005, 2000-2002 (Residence Data).....	105
Table F-3A.	Infant Mortality and Infant Mortality Rates by Race: South Carolina and Each County, 2005, 2003-2005, 2000-2002 (Residence Data).....	106
Table F-4.	Neonatal Mortality and Neonatal Mortality Rates: South Carolina and Each County, 2005, 2003-2005, 2000-2002 (Residence Data).....	108
Table F-4A.	Neonatal Mortality and Neonatal Mortality Rates by Race: South Carolina and Each County, 2005, 2003-2005, 2000-2002 (Residence Data).....	109
Table F-5.	Postneonatal Mortality and Postneonatal Mortality Rates: South Carolina and Each County, 2005, 2003-2005, 2000-2002 (Residence Data).....	111
Table F-5A.	Postneonatal Mortality and Postneonatal Mortality Rates by Race: South Carolina and Each County, 2005, 2003-2005, 2000-2002 (Residence Data).....	112
Table F-6.	Fetal Mortality and Fetal Mortality Rates by Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	114
Table F-7.	Fetal Deaths by Age of Mother: South Carolina and Each County, 2005 (Residence Data).....	115
Table F-7A.	Fetal Deaths by Age and Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	116
Table F-8.	Perinatal Mortality and Perinatal Mortality Rates by Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	118
Table F-9.	Causes of Maternal Death by Age Group of Mother: South Carolina and Each County, 2005 (Residence Data).....	119
Table F-9A.	Causes of Maternal Deaths by Age Group and Race of Mother: South Carolina and Each County, 2005 (Residence Data).....	120

Deaths

Table G-1.	Deaths and Death Rates by Race: South Carolina, 1981-2005 (Residence Data).....	122
Table G-2.	Mortality from Ten Leading Causes of Death by Race: South Carolina, 2005 (Residence Data).....	122
Table G-2A.	Mortality from Ten Leading Causes of Death by Race and Gender: South Carolina, 2005 (Residence Data).....	124
Table G-3.	Mortality from Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 2005 (Residence Data).....	125
Table G-3A.	Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Gender: South Carolina, 2005 (Residence Data).....	126
Table G-4.	Percent Distribution of Deaths by Race and Age: South Carolina, 1985, 1995 and 2005 (Residence Data).....	128
Table G-5.	Deaths from Major Cardiovascular Diseases: South Carolina, 2005 (Residence Data).....	128
Table G-6.	Distribution of Malignant Neoplasms by Site and Gender: South Carolina, 2005 (Residence Data).....	129
Table G-7.	Types of Accidental Deaths by Gender: South Carolina, 2005 (Residence Data).....	130
Table G-8.	Methods of Suicidal Deaths by Gender: South Carolina, 2005 (Residence Data).....	130
Table G-9.	Methods of Homicidal Deaths by Gender: South Carolina, 2005 (Residence Data).....	130
Table G-10.	Deaths and Death Rates by Race: South Carolina and Each County, 2005 (Residence Data)	131
Table G-11.	Deaths and Death Rates by Race: South Carolina and Each County, 2005 (Occurrence Data)	132
Table G-12.	Deaths by Race and Gender: South Carolina and Each County, 2005 (Residence Data).....	133
Table G-13.	Deaths by Race and Gender: South Carolina and Each County, 2005 (Occurrence Data).....	134
Table G-14.	Deaths by Burial Disposition: South Carolina and Each County, 2005 (Occurrence Data).....	135
Table G-14A.	Deaths by Burial Disposition and Race: South Carolina and Each County, 2005 (Occurrence Data).....	136
Table G-15.	Death by Certifier: South Carolina and Each County, 2005 (Occurrence Data).....	138

Deaths

Table G-15A.	Death by Certifier and Race: South Carolina and Each County, 2005 (Occurrence Data).....	139
Table G-16.	Major Causes of Accidental Death: South Carolina and Each County, 2005 (Residence Data).....	140
Table G-17.	Major Causes of Accidental Death: South Carolina and Each County, 2005 (Occurrence Data).....	141
Table G-18.	Deaths due to Suicide by Method: South Carolina and Each County, 2005 (Residence Data).....	142
Table G-19.	Deaths due to Homicide by Method: South Carolina and Each County, 2005 (Residence Data).....	143
Table G-20.	Total Times Mentioned Versus Times Selected as Underlying Cause of Death: South Carolina, 2005 (Residence Data).....	145
Table G-21.	Deaths and Death Rates from Selected Causes by Race and Gender South Carolina, 2005 (Residence Data).....	147
Table G-21A.	Deaths and Death Rates from Selected Causes by Race and Gender South Carolina, 2005 (Residence Data).....	148
Table G-22.	Deaths by Cause, Age, Race and Gender South Carolina, 2005 (Residence Data).....	243
Table G-23.	Years of Potential Life Lost Before Age 65 and Before Age 75 For Selected Causes of Death South Carolina, 2005 (Residence Data).....	257
Table G-23A.	Years of Potential Life Lost Before Age 65 and Before Age 75 For Selected Causes of Death by Race South Carolina, 2005 (Residence Data).....	258

Marriages, Divorces and Annulments

Table H-1.	Marriages by Race of Bride and Race of Groom: South Carolina, 2005 (Residence Data).....	261
Table H-2.	Marriages and Marriage Rates by Race: South Carolina, 1981-2005 (Residence Data).....	262
Table H-3.	Marriages by Age of Bride and Age of Groom: South Carolina, 2005 (Occurrence Data).....	263
Table H-4.	Marriages by Race, Residential Status and Age of Bride: South Carolina, 2005 (Occurrence Data).....	264
Table H-5.	Marriages by Race, Residential Status and Age of Groom: South Carolina, 2005 (Occurrence Data).....	265
Table H-6.	Marriages by County in Which License Was Issued by Residential Status: South Carolina and Each County, 2005.....	266
Table H-7.	Marriages by Residential Status and County of Marriage: South Carolina, 2005 (Occurrence Data).....	267

TABLE OF CONTENTS (continued)

Table H-8.	Divorces by Age Group and Race: South Carolina, 2005 (Residence Data).....	268
Table H-9.	Divorces and Divorce Rates by Race: South Carolina, 1971-2005 (Residence Data).....	269
Table H-10.	Divorces by Duration of Marriage, Plaintiff and Legal Grounds of Decree: South Carolina, 2005 (Residence Data).....	270
Table H-11.	Divorces by Plaintiff and Legal Grounds of Decree: South Carolina and Each County, 2005.....	271
Table H-12.	Divorces and Annulments by Number of Children Involved and Race: South Carolina and Each County, 2005.....	272

Morbidity

Table I-1.	Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 2005 (Occurrence Data).....	273
Table I-2.	Reported Cases of Sexually Transmitted Diseases: South Carolina and Each County, 2005 (Occurrence Data).....	275


SUMMARY OF VITAL EVENTS

“The State Flag”



Officially adopted by the General Assembly in 1861

On an Average Day in South Carolina, 2005



DID YOU KNOW THAT IN 2005:

The Most Common First Names by Gender and Race for South Carolina

Male			Female		
All Races	White	Black & Other	All Races	White	Black & Other
William	William	Jordan	Emily	Emily	Jada
Jacob	Jacob	Joshua	Madison	Emma	Destiny
James	James	Jeremiah	Emma	Madison	Makayla
Joshua	John	Jaylen	Hannah	Hannah	Jasmine
John	Ethan	Christopher	Abigail	Abigail	Trinity
Christopher	Matthew	Jayden	Olivia	Sarah	Nevaeh
Michael	Andrew	Christian	Sarah	Anna	Madison
Ethan	Joshua	Elijah	Anna	Elizabeth	Taylor
Matthew	Michael	Cameron	Elizabeth	Olivia	Kayla
Andrew	Christopher	Michael	Taylor	Savannah	Jayla
Tyler	Jackson	Anthony	Savannah	Mary	Aaliyah
Daniel	Thomas	Isaiah	Alexis	Caroline	Gabrielle
Thomas	Tyler	James	Mary	Chloe	Morgan
Joseph	Daniel	Justin	Chloe	Alexis	Angel
David	David	Tyler	Brianna	Isabella	Aniyah

BIRTHS

The month with the most births: August (5,245) Least Births: February (4,328)
 Youngest Mother: 11 years old Oldest Mother: 51 years old

DEATHS

The month with the most deaths: March (3,797) Least deaths: August (2,942)
 The oldest person that died: 111 years old

MARRIAGES

The youngest bride: 14 years old The youngest groom: 16 years old
 The oldest bride: 90 years old The oldest groom: 91 years old
 The month with the most marriages: May (3,861) Least marriages: January (1,619)

DIVORCES

The youngest bride to divorce: 15 years old The youngest groom to divorce: 17 years old
 The oldest bride to divorce: 97 years old The oldest groom to divorce: 89 years old
 The month with the most divorces: March (1,171) Least divorces: December (940)
 Greatest number of divorces for bride: 9 For groom: 9

Table A-1.
Population¹, Live Births, Deaths, Marriages², and Divorces³, with Rates⁴ by Race⁵
South Carolina, 1986-2005
(Residence Data)

YEAR	RACE	POPULATION	RESIDENT BIRTHS		RESIDENT DEATHS		MARRIAGES		DIVORCES	
			NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
1986	TOTAL	3,417,611	51,726	15.1	28,122	8.2	53,974	15.8	13,431	3.9
	WHITE	2,334,192	31,202	13.4	19,098	8.2	40,934	17.5	11,011	4.7
	NONWHITE	1,083,419	20,524	18.9	9,024	8.3	13,040	12.0	2,420	2.2
1987	TOTAL	3,423,400	52,774	15.4	28,470	8.3	53,396	15.6	13,835	4.0
	WHITE	2,341,400	31,982	13.7	19,437	8.3	39,916	17.0	11,229	4.8
	NONWHITE	1,082,000	20,792	19.2	9,033	8.3	13,480	12.5	2,606	2.4
1988	TOTAL	3,519,770	55,090 *	15.7	29,397 *	8.4	54,615 *	15.5	14,672	4.2
	WHITE	2,398,070	33,100	13.8	19,951	8.3	40,839	17.0	11,824	4.9
	NONWHITE	1,121,700	21,986	19.6	9,443	8.4	13,775	12.3	2,848	2.5
1989	TOTAL	3,518,760	57,239 *	16.3	29,576 *	8.4	54,693 *	15.5	15,115 *	4.3
	WHITE	2,400,650	34,153	14.2	20,032	8.3	41,704	17.4	12,173	5.1
	NONWHITE	1,118,110	23,076	20.6	9,544	8.5	12,985	11.6	2,889	2.6
1990	TOTAL	3,486,703	58,461 *	16.8	29,621 *	8.5	55,754	15.8	16,182 *	4.6
	WHITE	2,414,178	35,491	14.7	20,192	8.4	42,314	17.5	12,858	5.3
	BLACK/OTHER	1,072,525	22,963	21.4	9,427	8.8	13,440	12.5	3,257	3.0
1991	TOTAL	3,559,600	57,517 *	16.2	29,851 *	8.4	53,747	15.1	15,187	4.3
	WHITE	2,457,300	34,560	14.1	20,364	8.3	41,004	16.7	12,233	5.0
	BLACK/OTHER	1,102,300	22,949	20.8	9,482	8.6	12,743	11.6	2,954	2.7
1992	TOTAL	3,603,430	56,102 *	15.6	30,565 *	8.5	53,320 *	14.8	15,365 *	4.3
	WHITE	2,487,960	33,890	13.6	20,945	8.4	40,726	16.4	12,179	4.9
	BLACK/OTHER	1,115,480	22,206	19.9	9,617	8.6	12,592	11.3	3,103	2.8
1993	TOTAL	3,629,550	53,715 *	14.8	31,943 *	8.8	53,223 *	14.7	15,141 *	4.2
	WHITE	2,509,200	32,571	13.0	21,939	8.7	40,655	16.2	11,825	4.7
	BLACK/OTHER	1,120,340	21,134	18.9	10,002	8.9	12,559	11.2	3,275	2.9
1994	TOTAL	3,664,100	51,907 *	14.2	32,223 *	8.8	51,564 *	14.1	15,802 *	4.3
	WHITE	2,533,520	31,899	12.6	22,295	8.8	38,750	15.3	12,404	4.9
	BLACK/OTHER	1,130,580	19,996	17.7	9,927	8.8	12,808	11.3	3,394	3.0
1995	TOTAL	3,669,400	50,913 *	13.9	33,500 *	9.1	45,347	12.4	15,171 *	4.1
	WHITE	2,541,610	31,830	12.5	23,342	9.2	33,812	13.3	11,824	4.7
	BLACK/OTHER	1,127,780	19,068	16.9	10,152	9.0	11,535	10.2	3,346	3.0
1996	TOTAL	3,698,670	51,105 *	13.8	34,035 *	9.2	43,439	11.7	15,319 *	4.1
	WHITE	2,565,340	32,309	12.6	23,585	9.2	32,198	12.6	11,838	4.6
	BLACK/OTHER	1,133,330	18,788	16.6	10,448	9.2	11,241	9.9	3,436	3.0
1997	TOTAL	3,760,180	52,205 *	13.9	33,660 *	9.0	43,411 *	11.5	15,780 *	4.2
	WHITE	2,588,240	33,011	12.8	23,363	9.0	32,290	12.5	12,226	4.7
	BLACK/OTHER	1,171,940	19,192	16.4	10,276	8.8	11,121	9.5	3,483	3.0
1998	TOTAL	3,835,960	53,833 *	14.0	34,781 *	9.1	42,380 *	11.0	15,083 *	3.9
	WHITE	2,645,080	34,065	12.9	24,428	9.2	31,372	11.9	11,653	4.4
	BLACK/OTHER	1,190,880	19,757	16.6	10,333	8.7	11,007	9.2	3,358	2.8
1999	TOTAL	3,885,740	54,706 *	14.1	35,972 *	9.3	43,664 *	11.2	15,115 *	3.9
	WHITE	2,683,590	34,683	12.9	25,432	9.5	32,012	11.9	11,647	4.3
	BLACK/OTHER	1,202,150	20,004	16.6	10,523	8.8	11,645	9.7	3,380	2.8
2000	TOTAL	4,012,010	55,964 *	13.9	38,816 *	9.2	41,592 *	10.4	15,196 *	3.8
	WHITE	2,749,510	35,146	12.8	26,013	9.5	30,858	11.2	11,608	4.2
	BLACK/OTHER	1,262,510	20,803	16.5	10,785	8.5	10,718	8.5	3,519	2.8
2001	TOTAL	4,063,010	55,748 *	13.7	36,576 *	9.0	40,128	9.9	14,657 *	3.6
	WHITE	2,788,650	35,731	12.8	25,781	9.2	30,112	10.8	11,372	4.1
	BLACK/OTHER	1,274,370	20,008	15.7	10,782	8.5	10,016	7.9	3,250	2.6
2002	TOTAL	4,107,180	54,453 *	13.3	37,679	9.2	38,207	9.3	13,956	3.4
	WHITE	2,803,950	35,152	12.5	26,740	9.5	28,303	10.1	10,712	3.8
	BLACK/OTHER	1,303,240	19,294	14.8	10,924	8.4	9,899	7.6	3,250	2.5
2003	TOTAL	4,147,150	55,461 *	13.4	37,920	9.1	37,186	9.0	13,609	3.3
	WHITE	2,823,650	36,001	12.7	27,043	9.6	27,845	9.9	10,535	3.7
	BLACK/OTHER	1,323,500	19,451	14.7	10,865	8.2	9,341	7.1	3,048	2.3
2004	TOTAL	4,198,070	56,543	13.5	37,152	8.8	35,942	8.6	13,839	3.3
	WHITE	2,886,440	36,872	12.8	26,353	9.1	27,224	9.4	10,734	3.7
	BLACK/OTHER	1,311,630	19,616	15.0	10,783	8.2	8,721	6.6	3,055	2.3
2005	TOTAL	4,255,080	57,538	13.5	38,585	9.1	35,357	8.3	12,948	3.0
	WHITE	2,929,360	37,367	12.8	27,755	9.5	26,829	9.2	9,980	3.4
	BLACK/OTHER	1,325,720	20,080	15.1	10,810	8.2	8,527	6.4	2,927	2.2

¹ ACTUAL CENSUS COUNTS FOR 1990, 2000; ESTIMATED POPULATION FOR INTERCENSAL YEARS

² FIGURES REPRESENT ALL REPORTED MARRIAGES WHERE LICENSE WAS ISSUED IN SOUTH CAROLINA BY RACE OF GROOM

³ FIGURES REPRESENT ALL REPORTED DIVORCES AND ANNULMENTS GRANTED IN SOUTH CAROLINA BY RACE OF HUSBAND

⁴ RATE PER 1,000 POPULATION

⁵ BEGINNING IN 1990, "NONWHITE" CHANGED TO "BLACK AND OTHER"

* INCLUDES UNKNOWN RACE

Table A-2.
Live Births to Unmarried Mothers, Low Weight Births, Fetal Deaths, Infant Deaths Under 1 year and Under 28 Days
and Maternal Deaths with Rates by Race¹
South Carolina, 1986-2005
(Residence Data)

YEAR	RACE	LIVE BIRTHS TO UNMARRIED MOTHERS		LOW WEIGHT LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS UNDER 1 YEAR		INFANT DEATHS UNDER 28 DAYS		MATERNAL DEATHS	
		NUMBER	RATE ²	NUMBER	RATE ²	NUMBER	RATE ⁴	NUMBER	RATE ²	NUMBER	RATE ²	NUMBER	RATE ³
1986	TOTAL	13,032	251.9	4,443	85.9	545	10.5	685	13.2	456	8.8	10	1.9
	WHITE	2,722	87.2	1,913	61.3	235	7.5	318	10.2	216	6.9	1	0.3
	NONWHITE	10,310	502.3	2,530	123.3	310	15.1	367	17.9	240	11.7	9	4.4
1987	TOTAL	13,889	263.2	4,533	85.9	562	10.6	673	12.8	455	8.6	8	1.5
	WHITE	3,050	95.4	1,950	61.0	247	7.7	309	9.7	207	6.5	5	1.6
	NONWHITE	10,839	521.3	2,583	124.2	315	15.2	364	17.5	248	11.9	3	1.4
1988	TOTAL	14,944 *	271.3	4,937	89.6	631	11.5	673	12.2	446	8.1	4	0.7
	WHITE	3,305	99.8	2,096	63.3	289	8.7	316	9.5	207	6.3	2	0.6
	NONWHITE	11,638	529.3	2,841	129.2	342	15.6	357	16.2	239	10.9	2	0.9
1989	TOTAL	15,970	279.0	5,266	92.0	631	11.0	731	12.8	466	8.1	6	1.0
	WHITE	3,686	107.9	2,215	64.9	223	6.5	310	9.1	199	5.8	1	0.3
	NONWHITE	12,284	532.3	3,051	132.2	408	17.7	421	18.2		11.6	5	2.2
1990	TOTAL	16,774 *	286.9	5,109	87.4	614	10.5	679	11.6	461	7.9	6	1.0
	WHITE	4,036	113.7	2,179	61.4	267	7.5	291	8.2	200	5.6	1	0.3
	BLACK/OTHER	12,737	554.7	2,930	127.6	347	15.1	388	16.9	261	11.4	5	2.2
1991	TOTAL	17,578	305.6	5,278	91.8	599	10.4	644	11.2	399	6.9	8	1.4
	WHITE	4,191	121.3	2,192	63.4	265	7.7	279	8.1	168	4.9	3	0.9
	BLACK/OTHER	13,387	583.3	3,086	134.5	334	14.6	365	15.9	231	10.1	5	2.2
1992	TOTAL	17,026 *		5,071	90.4	599	10.7	588	10.5	388	6.9	9	1.6
	WHITE	4,167	123.0	2,143	63.2	252	7.4	243	7.2	162	4.8	7	2.1
	BLACK/OTHER	12,857	579.0	2,928	131.9	347	15.6	345	15.5	226	10.2	2	0.9
1993	TOTAL	16,299	303.4	5,020	93.5	585	10.9	544	10.1	368	6.9	4	0.7
	WHITE	4,126	126.7	2,184	67.1	245	7.5	218	6.7	143	4.4	-	0
	BLACK/OTHER	12,173	576.0	2,835	134.1	339	16.0	326	15.4	225	10.6	4	1.9
1994	TOTAL	15,767 *	303.8	4,760	91.7	561*	10.7	486	9.4	336	6.5	5	1.0
	WHITE	4,206	131.9	2,143	67.2	255	7.9	211	6.6	141	4.4	-	0
	BLACK/OTHER	11,559	578.1	2,617	130.9	305	15.0	275	13.8	195	9.8	5	2.5
1995	TOTAL	14,891 *	292.5	4,742*	93.1	497	9.7	480	9.4	328	6.4	4	0.8
	WHITE	4,181	131.4	2,170	68.2	202	6.3	212	6.7	139	4.4	-	0
	BLACK/OTHER	10,709	561.6	2,570	134.8	295	15.5	268	14.1	189	9.9	4	2.1
1996	TOTAL	13,905	272.1	4,704	92.0	521	10.2	424	8.3	286	5.6	4	0.8
	WHITE	3,909	121.0	2,262	70.0	198	6.1	179	5.5	111	3.4	3	0.9
	BLACK/OTHER	9,996	532.0	2,442	130.0	323	17.2	245	13.0	175	9.3	1	0.5
1997	TOTAL	14,249	272.9	4,803	92.0	556*	10.5	494	9.5	352	5.6	4	0.8
	WHITE	4,030	122.1	2,235	67.7	226	6.8	207	6.3	149	4.5	2	0.6
	BLACK/OTHER	10,219	532.5	2,568	133.8	329	16.9	287	15.0	203	10.6	2	1.0
1998	TOTAL	14,802 *	275.0	5,142	95.5	512	9.4	511	9.5	358	6.7	4	0.7
	WHITE	4,360	128.0	2,417	71.0	198	5.8	204	6.0	132	3.9	1	0.3
	BLACK/OTHER	10,441	528.5	2,725	137.9	314	15.6	307	15.5	226	11.4	3	1.5
1999	TOTAL	14,833 *	271.1	5,393	98.6	526	9.5	564	10.3	394	7.2	10	1.8
	WHITE	4,405	127.0	2,506	72.3	207	5.9	236	6.8	154	4.4	2	0.6
	BLACK/OTHER	10,427	521.2	2,887	144.3	319	15.7	328	16.4	240	12.0	8	4.0
2000	TOTAL	15,146 *	270.6	5,412*	96.7	573*	10.1	488	8.7	340	6.1	9	1.6
	WHITE	4,355	123.9	2,539	72.2	246	7.0	192	5.5	135	3.8	4	1.1
	BLACK/OTHER	10,787	518.5	2,872	138.1	324	15.3	296	14.2	205	9.9	5	2.4
2001	TOTAL	14,775	265.0	5,349	96.0	559	9.9	496	8.9	337	6.0	7	1.3
	WHITE	4,468	125.1	2,606	72.9	231	6.4	206	5.8	135	3.8	2	0.6
	BLACK/OTHER	10,307	515.1	2,743	137.1	328	16.1	290	14.5	202	10.1	5	2.5
2002	TOTAL	14,300 *	262.6	5,453	100.1	523*	9.5	507*	9.3	346*	6.4	3	0.6
	WHITE	4,557	129.6	2,651	75.4	243	6.9	208	5.9	134	3.8	2	0.6
	BLACK/OTHER	9,741	504.9	2,802	145.2	279	14.3	298	15.4	211	10.9	1	0.5
2003	TOTAL	14,520 *	261.8	5,586	100.7	537	9.6	463	8.3	328	5.9	6	1.1
	WHITE	4,744	131.8	2,739	76.1	216	6.0	211	5.9	141	3.9	2	0.6
	BLACK/OTHER	9,773	502.4	2,846	146.3	320	16.2	252	13.0	187	9.6	4	2.1
2004	TOTAL	14,771	261.2	5,769	102.0	494	8.7	524	9.3	363	6.4	3	0.5
	WHITE	5,177	140.4	2,837	76.9	211	5.7	236	6.4	165	4.5	1	0.3
	BLACK/OTHER	9,580	488.4	2,924	149.1	281	14.1	288	14.7	198	10.1	2	1.0
2005	TOTAL	14,390	250.1	5,895	102.5	525	9.0	549	9.5	341	5.9	13	2.3
	WHITE	4,863	130.1	2,882	77.1	225	5.9	261	7.0	161	4.3	7	1.9
	BLACK/OTHER	9,495	472.9	2,991	149.0	294	14.4	286	14.2	179	8.9	6	3.0

¹ BEGINNING IN 1990, "NONWHITE" CHANGED TO "BLACK AND OTHER"

² RATE PER 1,000 LIVE BIRTHS

³ RATE PER 10,000 LIVE BIRTHS

⁴ FETAL DEATHS: RATES PER 1,000 LIVE BIRTHS; AS OF 1992 RATES PER 1,000 DELIVERIES (LIVE BIRTHS PLUS FETAL DEATHS)

* INCLUDES UNKNOWN RACE

Table A-3.
Live Births
South Carolina and Each County, 1995-2005
(Residence Data)

County of Residence	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
South Carolina	50,913	51,105	52,205	53,833	54,706	55,964	55,748	54,453	55,461	56,543	57,538
Abbeville	344	337	326	364	339	336	371	322	331	304	269
Aiken	1,874	1,850	1,872	1,797	1,831	1,852	1,889	1,804	1,777	1,895	1,847
Allendale	177	172	160	177	169	174	181	182	162	150	147
Anderson	2,067	2,071	2,103	2,145	2,194	2,217	2,247	2,143	2,235	2,206	2,248
Bamberg	227	215	217	208	222	233	211	187	184	176	191
Barnwell	330	287	356	338	344	330	339	347	327	342	311
Beaufort	1,660	1,558	1,607	1,668	1,746	1,887	1,945	1,970	2,103	2,147	2,244
Berkeley	2,014	1,964	1,961	2,017	2,191	2,114	2,188	2,103	2,104	2,210	2,196
Calhoun	143	175	174	168	166	193	161	178	176	156	167
Charleston	4,133	4,012	4,187	4,403	4,487	4,586	4,575	4,536	4,655	4,764	4,798
Cherokee	664	674	743	686	722	784	692	716	710	639	672
Chester	442	445	476	476	453	514	434	455	416	421	427
Chesterfield	579	569	568	550	579	619	573	526	523	526	534
Clarendon	380	401	370	409	408	440	449	412	403	432	387
Colleton	507	529	536	519	550	589	608	496	508	499	543
Darlington	871	858	956	907	950	953	943	886	842	902	841
Dillon	502	465	467	489	456	519	476	519		479	447
Dorchester	1,213	1,140	1,144	1,152	1,119	1,228	1,231	1,254	1,339	1,469	1,565
Edgefield	259	252	279	265	316	288	278	274	254	252	248
Fairfield	316	318	316	335	307	342	319	286	304	306	309
Florence	1,737	1,760	1,728	1,867	1,886	1,866	1,906	1,844	1,964	1,842	1,952
Georgetown	682	652	770	736	819	770	806	701	746	704	704
Greenville	4,767	4,906	4,920	5,176	5,361	5,388	5,526	5,400	5,538	5,732	5,876
Greenwood	885		915	963	933	954	915	857	849	849	907
Hampton	317	282	287	311	294	302	316	274	298	255	293
Horry	1,989	2,046	2,064	2,324	2,346	2,569	2,588	2,530	2,681	2,800	2,903
Jasper	257	306	289	280	267	284	339	300	301	320	375
Kershaw	611	612	676	665	717	729	694	688	698	703	763
Lancaster	722	759	768	809	800	830	804	778	763	800	759
Laurens	794	780	840	864	870	823	802	798	817	803	770
Lee	257	209	246	258	262	264	284	249	263	262	244
Lexington	2,684	2,892	2,935	3,028	2,969	2,999	2,940	3,024	3,168	3,108	3,170
McCormick	88	93	93	83	78	96	80	78	78	77	77
Marion	485	465	497	478	501	527	497	464	485	495	434
Marlboro	386	422	424	433	434	434	400	356	338	352	366
Newberry	449	421	444	523	476	497	523	473	461	512	516
Oconee	743	775	752	796	796	768	786	772	801	846	788
Orangeburg	1,204	1,194	1,194	1,265	1,366	1,310	1,263	1,214	1,259	1,270	1,354
Pickens	1,248	1,223	1,301	1,379	1,345	1,329	1,356	1,257	1,260	1,265	1,309
Richland	3,977	4,132	4,156	4,286	4,361	4,460	4,247	4,375	4,430	4,605	4,791
Saluda	221	216	257	256	255	257	267	234	213	253	259
Spartanburg	3,251	3,331	3,223	3,288	3,262	3,344	3,443	3,434	3,414	3,481	3,411
Sumter	1,599	1,648	1,641	1,699	1,674	1,744	1,609	1,570	1,652	1,626	1,656
Union	336	392	380	369	396	376	368	384	312	323	317
Williamsburg	537	479	490	502	553	543	540	468	453	515	451
York	1,976	1,949	2,094	2,122	2,136	2,301	2,339	2,334	2,378	2,457	2,701
Unknown	9	4	3	-	-	2	-	1	5	13	1

Table A-4.
Deaths
South Carolina and Each County, 1995-2005
(Residence Data)


County of Residence	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
South Carolina	33,500	34,035	33,660	34,781	35,972	36,816	36,576	37,679	37,920	37,152	38,585
Abbeville	261	259	220	232	235	229	239	271	271	244	218
Aiken	1,146	1,242	1,183	1,233	1,287	1,305	1,426	1,409	1,438	1,390	1,389
Allendale	136	115	129	114	121	109	118	100	132	118	137
Anderson	1,597	1,602	1,521	1,623	1,719	1,693	1,744	1,766	1,833	1,822	1,865
Bamberg	153	178	189	183	186	209	154	177	159	156	194
Barnwell	228	229	222	238	258	222	249	251	255	225	249
Beaufort	789	742	857	819	907	914	969	1051	1,041	1,026	1,055
Berkeley	757	836	816	859	835	877	957	988	961	937	1039
Calhoun	131	125	133	151	156	157	155	165	171	168	163
Charleston	2,368	2,467	2,483	2,414	2,553	2,894	2,682	2,869	2,724	2,686	2,745
Cherokee	465	516	450	485	527	528	560	569	596	619	555
Chester	341	346	329	323	327	338	344	329	351	345	374
Chesterfield	445	420	422	458	456	422	377	442	420	438	472
Clarendon	363	340	309	337	310	329	332	339	342	337	345
Colleton	349	383	341	385	390	386	391	394	414	388	408
Darlington	636	668	732	708	749	738	716	720	746	696	732
Dillon	333	343	322	323	307	315	325	360		358	294
Dorchester	603	659	687	684	716	713	680	725	796	726	739
Edgefield	179	179	189	196	210	197	239	211	202	205	209
Fairfield	294	311	285	249	268	322	248	275	295	283	281
Florence	1,278	1,156	1,311	1,265	1,278	1,325	1,279	1,326	1,266	1,362	1,353
Georgetown	513	498	515	499	552	532	537	584	534	595	599
Greenville	2,946	3,119	2,900	3,102	3,229	3,346	3,365	3,353	3,335	3,148	3,398
Greenwood	652		674	699	658	700	658	680	690	660	700
Hampton	209	190	171	211	181	227	212	191	216	220	185
Horry	1,523	1,655	1,562	1,678	1,803	1,924	1,873	1,918	2,021	1,998	2,211
Jasper	149	167	156	157	190	142	147	184	164	173	181
Kershaw	467	440	433	458	496	518	517	492	512	512	505
Lancaster	517	554	561	563	638	619	572	583	568	571	552
Laurens	638	697	682	695	733	711	713	738	739	722	746
Lee	184	183	179	232	205	188	217	206	227	226	321
Lexington	1,439	1,417	1,435	1,581	1,611	1,692	1,720	1,732	1,840	1,791	1,830
McCormick	114	87	97	130	122	97	115	128	123	115	125
Marion	396	389	373	400	405	416	358	373	373	349	381
Marlboro	363	341	334	377	366	354	349	359	306	304	320
Newberry	367	369	321	365	383	355	411	424	421	386	450
Oconee	601	572	557	606	628	635	618	654	687	684	732
Orangeburg	966	866	929	943	960	932	924	969	975	948	947
Pickens	823	848	815	855	918	895	873	924	910	873	971
Richland	2,311	2,386	2,391	2,412	2,536	2,600	2,505	2,582	2,598	2,450	2,636
Saluda	226	201	179	196	208	201	188	215	216	193	209
Spartanburg	2,422	2,459	2,377	2,420	2,434	2,599	2,610	2,524	2,573	2,613	2,687
Sumter	888	881	828	885	909	945	906	924	942	927	984
Union	349	365	419	366	354	356	334	355	384	378	376
Williamsburg	341	386	386	407	386	360	383	415	424	392	367
York	1,239	1,187	1,251	1,261	1,270	1,236	1,285	1,435	1,370	1,386	1,476
Unknown	5	8	5	4	2	14	2	-	-	9	-

Life Expectancy

Table A-5. presents the average remaining lifetime (i.e., average number of years of life remaining at the beginning of the age interval) for South Carolinians by single year of age for 1989-1991. These tables are based on age specific death rates of South Carolina Residents for 1989-1991. The death rates were calculated using data from the 1990 Census of Population and death occurring in the United States to residents of South Carolina. Presented are tables for the total population by race and gender.

For more detailed information, please refer to the 1998 publication **U.S. Decennial Life Tables for 1989-1991, Volume II, State Life Tables Number 41, South Carolina**. Published by the U.S. Department of Health and Human Services, Center for Disease Control and Prevention, National Center for Health Statistics.

Figure A-1.
Life Expectancy
for South Carolina Residence
by Age, Race and Gender
1989-1991



Source: Centers for Disease Control and Prevention
National Center for Health Statistics.

Table A-5.
Life Expectancy
for South Carolina Residents by Race
1989-1991

Age in Years	Average remaining lifetime			
Period of life between two exact ages stated	Average Number of Years of life remaining at beginning of year of age			
	Total	White	Black	Other
0-1	73.51	75.33	68.82	69.09
1-2	73.40	74.97	69.05	69.30
2-3	72.46	74.03	68.13	68.38
3-4	71.50	73.07	67.18	67.43
4-5	70.54	72.09	66.22	66.47
5-6	69.56	71.12	65.25	65.50
6-7	68.58	70.14	64.27	64.52
7-8	67.60	69.15	63.30	63.54
8-9	66.62	68.17	62.31	62.56
9-10	65.63	67.18	61.33	61.57
10-11	64.64	66.19	60.34	60.59
11-12	63.65	65.20	59.35	59.60
12-13	62.67	64.21	58.37	58.61
13-14	61.68	63.22	57.38	57.63
14-15	60.70	62.24	56.40	56.64
15-16	59.73	61.27	55.43	55.67
16-17	58.77	60.32	54.46	54.71
17-18	57.82	59.37	53.50	53.75
18-19	56.87	58.42	52.55	52.79
19-20	55.93	57.48	51.61	51.85
20-21	54.99	56.54	50.67	50.91
21-22	54.05	55.61	49.73	49.97
22-23	53.12	54.67	48.80	49.04
23-24	52.18	53.73	47.88	48.12
24-25	51.25	52.79	46.97	47.20
25-26	50.32	51.85	46.06	46.29
26-27	49.39	50.91	45.15	45.38
27-28	48.46	49.96	44.25	44.48
28-29	47.53	49.02	43.35	43.57
29-30	46.60	48.08	42.45	42.68
30-31	45.68	47.13	41.56	41.78
31-32	44.75	46.19	40.67	40.89
32-33	43.83	45.25	39.79	40.01
33-34	42.91	44.31	38.91	39.12
34-35	41.99	43.37	38.03	38.24
35-36	41.08	42.44	37.16	37.37
36-37	40.16	41.50	36.29	36.50
37-38	39.25	40.56	35.43	35.64
38-39	38.35	39.63	34.57	34.78
39-40	37.44	38.70	33.72	33.92
40-41	36.54	37.78	32.88	33.07
41-42	35.65	36.85	32.04	32.23
42-43	34.75	35.93	31.21	31.40
43-44	33.86	35.02	30.39	30.57
44-45	32.98	34.10	29.58	29.75
45-46	32.10	33.20	28.78	28.95
46-47	31.23	32.30	27.99	28.15
47-48	30.37	31.41	27.21	27.37
48-49	29.52	30.52	26.45	26.61
49-50	28.67	29.64	25.70	25.85
50-51	27.84	28.77	24.96	25.11
51-52	27.01	27.91	24.23	24.37
52-53	26.19	27.06	23.51	23.64
53-54	25.38	26.22	22.81	22.93
54-55	24.58	25.39	22.11	22.22

Source: Centers for Disease Control and Prevention
National Center for Health Statistics.

Table A-5. (continued)
Life Expectancy
for South Carolina Residents by Race
1989-1991

Age in Years	Average remaining lifetime			
Period of life between two exact ages stated	Average Number of Years of life remaining at beginning of year of age			
	Total	White	Black	Other
55-56	23.80	24.57	21.43	21.53
56-57	23.03	23.76	20.76	20.85
57-58	22.26	22.97	20.10	20.19
58-59	21.51	22.19	19.45	19.54
59-60	20.78	21.42	18.82	18.90
60-61	20.05	20.66	18.20	18.27
61-62	19.34	19.91	17.59	17.66
62-63	18.64	19.18	17.00	17.06
63-64	17.95	18.46	16.41	16.47
64-65	17.27	17.75	15.84	15.90
65-66	16.61	17.05	15.28	15.33
66-67	15.95	16.36	14.74	14.78
67-68	15.31	15.68	14.19	14.24
68-69	14.67	15.01	13.66	13.70
69-70	14.04	14.35	13.15	13.19
70-71	13.44	13.71	12.66	12.69
71-72	12.85	13.09	12.18	12.22
72-73	12.29	12.49	11.73	11.76
73-74	11.74	11.91	11.30	11.33
74-75	11.21	11.35	10.88	10.90
75-76	10.70	10.79	10.47	10.49
76-77	10.19	10.25	10.06	10.08
77-78	9.69	9.72	9.66	9.67
78-79	9.20	9.21	9.26	9.27
79-80	8.72	8.71	8.87	8.88
80-81	8.26	8.22	8.48	8.49
81-82	7.82	7.76	8.12	8.13
82-83	7.40	7.32	7.77	7.78
83-84	6.99	6.90	7.44	7.44
84-85	6.60	6.49	7.12	7.11
85-86	6.22	6.10	6.78	6.77
86-87	5.85	5.73	6.43	6.42
87-88	5.49	5.38	6.07	6.05
88-89	5.14	5.05	5.71	5.69
89-90	4.82	4.74	5.36	5.34
90-91	4.51	4.44	5.04	5.01
91-92	4.22	4.16	4.74	4.71
92-93	3.96	3.91	4.48	4.45
93-94	3.72	3.67	4.25	4.22
94-95	3.50	3.45	4.04	4.00
95-96	3.29	3.25	3.82	3.78
96-97	3.10	3.06	3.62	3.58
97-98	2.93	2.89	3.43	3.39
98-99	2.77	2.73	3.25	3.21
99-100	2.61	2.58	3.08	3.04
100-101	2.46	2.43	2.91	2.87
101-102	2.32	2.29	2.75	2.71
102-103	2.19	2.15	2.59	2.56
103-104	2.05	2.03	2.45	2.42
104-105	1.93	1.90	2.31	2.28
105-106	1.81	1.78	2.17	2.14
106-107	1.70	1.67	2.04	2.01
107-108	1.59	1.56	1.92	1.89
108-109	1.49	1.46	1.80	1.78
109-110	1.39	1.36	1.69	1.66

Source: Centers for Disease Control and Prevention
National Center for Health Statistics.

Table A-6.
Life Expectancy
for South Carolina Residents by Race and Gender
1989-1991

Age in Years Period of life between two exact ages stated	Average remaining lifetime							
	Average Number of Years of life remaining at beginning of year of age							
	Total		White		Black		Other	
	Male	Female	Male	Female	Male	Female	Male	Female
0-1	69.59	77.34	71.62	78.97	64.07	73.35	64.37	73.57
1-2	69.51	77.18	71.30	78.55	64.31	73.55	64.59	73.76
2-3	68.58	76.24	70.36	77.61	63.39	72.63	63.67	72.83
3-4	67.62	75.28	69.40	76.64	62.44	71.68	62.72	71.88
4-5	66.66	74.30	68.43	75.66	61.48	70.71	61.76	70.91
5-6	65.69	73.33	67.46	74.68	60.51	69.73	60.79	69.93
6-7	64.71	72.35	66.48	73.70	59.54	68.76	59.82	68.96
7-8	63.73	71.36	65.50	72.72	58.56	67.78	58.84	67.97
8-9	62.75	70.38	64.51	71.73	57.58	66.79	57.86	66.99
9-10	61.76	69.39	63.52	70.74	56.60	65.81	56.88	66.00
10-11	60.77	68.40	62.54	69.75	55.61	64.82	55.89	65.01
11-12	59.78	67.41	61.54	68.76	54.63	63.83	54.90	64.03
12-13	58.79	66.42	60.55	67.77	53.64	62.84	53.92	63.04
13-14	57.81	65.43	59.57	66.78	52.66	61.85	52.93	62.05
14-15	56.84	64.44	58.60	65.79	51.68	60.87	51.96	61.06
15-16	55.88	63.46	57.64	64.81	50.72	59.88	50.99	60.08
16-17	54.93	62.49	56.69	63.84	49.76	58.90	50.04	59.10
17-18	53.99	61.52	55.76	62.87	48.82	57.92	49.10	58.12
18-19	53.06	60.55	54.83	61.91	47.89	56.95	48.17	57.14
19-20	52.14	59.58	53.91	60.95	46.96	55.98	47.24	56.17
20-21	51.22	58.62	52.99	59.98	46.04	55.01	46.32	55.20
21-22	50.31	57.65	52.07	59.02	45.14	54.04	45.41	54.24
22-23	49.39	56.69	51.15	58.06	44.23	53.09	44.51	53.28
23-24	48.48	55.73	50.23	57.09	43.34	52.13	43.61	52.32
24-25	47.57	54.77	49.31	56.13	42.46	51.18	42.72	51.37
25-26	46.66	53.81	48.39	55.16	41.58	50.24	41.84	50.43
26-27	45.76	52.85	47.46	54.20	40.70	49.29	40.96	49.48
27-28	44.85	51.90	46.54	53.23	39.83	48.36	40.09	48.54
28-29	43.95	50.94	45.62	52.26	38.97	47.42	39.23	47.60
29-30	43.04	49.98	44.69	51.29	38.11	46.48	38.36	46.67
30-31	42.14	49.03	43.77	50.32	37.26	45.55	37.51	45.74
31-32	41.24	48.07	42.85	49.36	36.41	44.62	36.65	44.81
32-33	40.34	47.12	41.92	48.39	35.56	43.70	35.81	43.88
33-34	39.45	46.17	41.00	47.43	34.72	42.77	34.96	42.95
34-35	38.55	45.22	40.08	46.47	33.89	41.85	34.13	42.03
35-36	37.66	44.28	39.16	45.51	33.06	40.93	33.29	41.11
36-37	36.78	43.33	38.25	44.55	32.24	40.02	32.47	40.19
37-38	35.90	42.39	37.33	43.59	31.42	39.10	31.65	39.28
38-39	35.02	41.45	36.42	42.63	30.61	38.19	30.84	38.37
39-40	34.14	40.51	35.51	41.68	29.81	37.29	30.03	37.46
40-41	33.27	39.58	34.60	40.73	29.01	36.39	29.23	36.56
41-42	32.40	38.65	33.70	39.78	28.22	35.50	28.44	35.66
42-43	31.53	37.72	32.80	38.84	27.44	34.61	27.65	34.77
43-44	30.67	36.80	31.90	37.90	26.67	33.73	26.88	33.89
44-45	29.81	35.88	31.01	36.96	25.91	32.86	26.11	33.01
45-46	28.96	34.97	30.12	36.03	25.16	32.00	25.35	32.15
46-47	28.12	34.06	29.24	35.10	24.42	31.15	24.61	31.29
47-48	27.29	33.16	28.37	34.17	23.70	30.31	23.88	30.45
48-49	26.47	32.27	27.51	33.26	22.99	29.48	23.17	29.62
49-50	25.66	31.38	26.66	32.35	22.29	28.67	22.46	28.80
50-51	24.85	30.51	25.81	31.44	21.60	27.87	21.76	28.00
51-52	24.04	29.65	24.97	30.55	20.92	27.08	21.07	27.20
52-53	23.25	28.79	24.14	29.67	20.24	26.31	20.38	26.43
53-54	22.47	27.95	23.32	28.80	19.58	25.55	19.71	25.66
54-55	21.70	27.12	22.51	27.94	18.93	24.80	19.05	24.90

Source: Centers for Disease Control and Prevention
National Center for Health Statistics.


Table A-6. (continued)
Life Expectancy
for South Carolina Residents by Race and Gender
1989-1991

Age in Years	Average remaining lifetime							
Period of life between two exact ages stated	Average Number of Years of life remaining at beginning of year of age							
	Total		White		Black		Other	
	Male	Female	Male	Female	Male	Female	Male	Female
55-56	20.95	26.29	21.72	27.08	18.31	24.05	18.42	24.14
56-57	20.21	25.46	20.95	26.23	17.71	23.29	17.81	23.38
57-58	19.50	24.64	20.19	25.39	17.13	22.54	17.23	22.63
58-59	18.80	23.83	19.44	24.55	16.58	21.80	16.66	21.88
59-60	18.11	23.03	18.72	23.72	16.03	21.07	16.11	21.15
60-61	17.44	22.24	18.01	22.91	15.49	20.37	15.57	20.44
61-62	16.78	21.46	17.31	22.10	14.95	19.69	15.03	19.75
62-63	16.13	20.69	16.63	21.29	14.42	19.02	14.49	19.08
63-64	15.49	19.94	15.96	20.50	13.90	18.37	13.96	18.43
64-65	14.87	19.19	15.30	19.72	13.39	17.73	13.45	17.78
65-66	14.26	18.45	14.65	18.95	12.90	17.10	12.96	17.15
66-67	13.66	17.73	14.02	18.18	12.42	16.47	12.48	16.52
67-68	13.07	17.00	13.40	17.43	11.96	15.85	12.01	15.90
68-69	12.49	16.29	12.79	16.68	11.51	15.24	11.56	15.28
69-70	11.93	15.59	12.19	15.95	11.08	14.64	11.12	14.68
70-71	11.38	14.91	11.60	15.23	10.65	14.07	10.70	14.11
71-72	10.85	14.25	11.04	14.54	10.25	13.53	10.29	13.56
72-73	10.34	13.62	10.50	13.86	9.86	13.01	9.90	13.04
73-74	9.86	13.00	9.97	13.20	9.48	12.51	9.52	12.54
74-75	9.38	12.40	9.47	12.56	9.12	12.03	9.15	12.05
75-76	8.93	11.80	8.98	11.93	8.76	11.55	8.80	11.57
76-77	8.49	11.21	8.52	11.30	8.41	11.08	8.45	11.10
77-78	8.07	10.63	8.07	10.68	8.08	10.60	8.11	10.62
78-79	7.67	10.05	7.65	10.07	7.75	10.14	7.78	10.15
79-80	7.28	9.50	7.24	9.48	7.42	9.68	7.46	9.69
80-81	6.91	8.96	6.85	8.92	7.10	9.24	7.14	9.25
81-82	6.55	8.45	6.47	8.39	6.80	8.82	6.83	8.83
82-83	6.20	7.97	6.11	7.89	6.51	8.42	6.53	8.43
83-84	5.87	7.51	5.77	7.41	6.23	8.05	6.26	8.05
84-85	5.55	7.07	5.44	6.95	5.96	7.68	5.98	7.68
85-86	5.24	6.64	5.13	6.51	5.69	7.30	5.71	7.30
86-87	4.94	6.22	4.83	6.09	5.40	6.91	5.41	6.91
87-88	4.65	5.82	4.55	5.70	5.10	6.50	5.11	6.50
88-89	4.38	5.44	4.29	5.33	4.80	6.11	4.80	6.10
89-90	4.12	5.07	4.05	4.98	4.51	5.72	4.50	5.71
90-91	3.87	4.73	3.82	4.66	4.24	5.36	4.23	5.35
91-92	3.65	4.42	3.61	4.35	4.01	5.03	3.99	5.01
92-93	3.44	4.13	3.40	4.07	3.82	4.73	3.79	4.71
93-94	3.25	3.87	3.21	3.82	3.67	4.46	3.64	4.44
94-95	3.08	3.63	3.04	3.58	3.53	4.21	3.49	4.19
95-96	2.92	3.40	2.88	3.36	3.37	3.97	3.34	3.94
96-97	2.77	3.20	2.73	3.16	3.21	3.74	3.18	3.72
97-98	2.63	3.01	2.59	2.97	3.06	3.53	3.03	3.51
98-99	2.50	2.84	2.46	2.80	2.91	3.33	2.88	3.31
99-100	2.37	2.68	2.33	2.64	2.77	3.15	2.74	3.13
100-101	2.25	2.52	2.21	2.49	2.63	2.97	2.61	2.95
101-102	2.13	2.37	2.10	2.34	2.50	2.80	2.47	2.79
102-103	2.02	2.23	1.99	2.20	2.38	2.64	2.35	2.63
103-104	1.91	2.10	1.88	2.07	2.25	2.49	2.23	2.47
104-105	1.81	1.97	1.78	1.94	2.14	2.34	2.11	2.33
105-106	1.71	1.84	1.68	1.81	2.02	2.20	2.00	2.19
106-107	1.61	1.72	1.58	1.70	1.92	2.07	1.89	2.05
107-108	1.52	1.61	1.49	1.59	1.81	1.94	1.79	1.93
108-109	1.43	1.50	1.41	1.48	1.71	1.82	1.69	1.80
109-110	1.35	1.40	1.32	1.38	1.61	1.70	1.59	1.69

Source: Centers for Disease Control and Prevention
National Center for Health Statistics.

The State Fruit


“ The Peach ”



Officially adopted by the General Assembly in 1984

POPULATION

Figure B-1.
South Carolina Census Population by County
2005



SUMMARY OF POPULATION

The estimated population of South Carolina for 2005 was 4,255,080; an increase of 57,010 from the 2004 estimated population of 4,198,070. The 2005 population showed an increase of 16.0 percent over the 1995 estimated population of 3,669,400.

1990 and 2000 CENSUS OF POPULATION

Population Density: In 1990, the population density (number of person per square mile of land area) of South Carolina was approximately 115.8. Based on the 2000 census count, the population density had increased to 133.2, a 15.0 percent increase. Approximately 67.4 percent of the 46 counties in South Carolina had population densities less than that of the state in 1990, and 7 of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 1990, there were 2,414,178 white and 1,072,525 black and other persons residing in South Carolina. The 2000 census count, modified by race, recorded a 13.9 percent increase in white population and a 17.7 percent increase in the black and other population. In South Carolina, blacks make up 95.8 percent of the black and other population. As shown below, of the ten-year population change from 1990 to 2000, the 45-54 years age group showed the greatest percentage increase. Only three age groups, under 1 year, 20-24 and 25-34 showed a decrease in population from 1990 to 2000. The age distribution and the percent change in the number of residents from 1990 to 2000 are as follows:

Table B-1.
Percent of Population by Age Group
South Carolina 1990 and 2000

Age Groups	1990		2000		Percent Change 1990-2000
	Total	Percent	Total	Percent	
Total	3,486,703	100.0	4,012,012	100.0	15.1
Under 1 Year	55,708	1.6	53,947	1.3	-3.2
1-4 Years	207,448	5.9	210,732	5.3	1.6
5-9 Years	255,303	7.3	285,243	7.1	11.7
10-14 Years	253,035	7.2	290,479	7.2	14.8
15-19 Years	278,416	8.0	295,377	7.3	6.1
20-24 Years	284,400	8.2	281,714	7.0	-0.9
25-34 Years	591,191	16.6	560,831	14.0	-5.1
35-44 Years	521,761	15.0	625,124	15.6	19.8
45-54 Years	352,866	10.1	550,321	13.7	56.0
55-64 Years	292,526	8.4	372,911	9.3	27.5
65-74 Years	244,985	7.0	270,048	6.7	10.2
75 and Over	149,064	4.3	215,285	5.4	44.4

Table B-2.
Population, Live Births, Deaths, and Natural Increase
South Carolina 1984-2005
(Residence Data)

Year	Population	Resident Births		Resident Deaths		Natural Increase
		Number	Rate*	Number	Rate*	(Births minus Death)
1984	3,300,500	50,561	15.3	26,363	8.0	24,198
1985	3,366,521	51,846	15.4	27,077	8.0	24,769
1986	3,417,611	51,726	15.1	28,122	8.2	23,604
1987	3,423,400	52,774	15.4	28,470	8.3	24,304
1988	3,519,770	55,090	15.7	29,397	8.4	25,693
1989	3,518,760	57,239	16.3	29,576	8.4	27,663
1990	3,486,703	58,461	16.8	29,621	8.5	28,840
1991	3,559,600	57,517	16.2	29,851	8.4	27,666
1992	3,603,430	56,102	15.6	30,565	8.5	25,537
1993	3,629,550	53,715	14.8	31,943	8.8	21,772
1994	3,664,100	51,907	14.2	32,223	8.8	19,684
1995	3,669,400	50,913	13.9	33,500	9.1	17,413
1996	3,698,670	51,105	13.8	34,035	9.2	17,070
1997	3,760,180	52,205	13.9	33,659	9.0	18,546
1998	3,835,960	53,833	14.3	34,781	9.1	19,052
1999	3,885,740	54,706	14.1	35,972	9.3	18,734
2000	4,012,012	55,964	13.9	36,816	9.2	19,148
2001	4,063,010	55,748	13.7	36,576	9.0	19,172
2002	4,107,180	54,453	13.3	37,679	9.2	16,774
2003	4,147,150	55,461	13.4	37,920	9.1	17,541
2004	4,198,070	56,543	13.5	37,152	8.8	19,391
2005	4,255,080	57,538	13.5	38,585	9.1	18,953

* Rate per 1,000 population


Table B-3.
Estimated Population and Percents by Race
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total	Modified			
		White		Black and Other	
		Number	Percent	Number	Percent
South Carolina	4,255,080	2,929,360	68.8	1,325,720	31.2
Abbeville	26,130	18,270	69.9	7,860	30.1
Aiken	150,180	108,780	72.4	41,410	27.6
Allendale	10,920	2,970	27.2	7,950	72.8
Anderson	175,510	143,880	82.0	31,640	18.0
Bamberg	15,880	5,900	37.2	9,970	62.8
Barnwell	23,350	13,090	56.1	10,260	43.9
Beaufort	137,850	105,130	76.3	32,720	23.7
Berkeley	151,670	104,760	69.1	46,910	30.9
Calhoun	15,100	8,160	54.0	6,950	46.0
Charleston	330,370	214,650	65.0	115,720	35.0
Cherokee	53,840	42,330	78.6	11,520	21.4
Chester	33,230	20,250	60.9	12,980	39.1
Chesterfield	43,440	28,440	65.5	14,990	34.5
Clarendon	33,360	16,080	48.2	17,280	51.8
Colleton	39,610	22,900	57.8	16,710	42.2
Darlington	67,350	38,610	57.3	28,740	42.7
Dillon	30,970	15,860	51.2	15,120	48.8
Dorchester	112,860	81,370	72.1	31,490	27.9
Edgefield	25,530	14,830	58.1	10,700	41.9
Fairfield	24,050	10,000	41.6	14,050	58.4
Florence	131,100	75,970	57.9	55,120	42.0
Georgetown	60,980	39,240	64.3	21,750	35.7
Greenville	407,380	322,290	79.1	85,090	20.9
Greenwood	67,980	45,140	66.4	22,840	33.6
Hampton	21,330	9,280	43.5	12,050	56.5
Horry	226,990	189,020	83.3	37,970	16.7
Jasper	21,400	10,320	48.2	11,080	51.8
Kershaw	56,490	41,270	73.1	15,210	26.9
Lancaster	63,110	45,640	72.3	17,470	27.7
Laurens	70,290	51,500	73.3	18,790	26.7
Lee	20,640	7,480	36.2	13,170	63.8
Lexington	235,270	197,290	83.9	37,980	16.1
McCormick	10,110	4,850	48.0	5,260	52.0
Marion	34,900	15,010	43.0	19,900	57.0
Marlboro	28,020	12,430	44.4	15,600	55.7
Newberry	37,250	25,070	67.3	12,180	32.7
Oconee	69,580	63,290	91.0	6,290	9.0
Orangeburg	92,170	32,940	35.7	59,230	64.3
Pickens	113,580	103,730	91.3	9,850	8.7
Richland	340,080	170,440	50.1	169,650	49.9
Saluda	18,900	13,460	71.2	5,430	28.7
Spartanburg	266,810	204,470	76.6	62,340	23.4
Sumter	105,520	53,230	50.4	52,290	49.6
Union	28,540	19,340	67.8	9,200	32.2
Williamsburg	35,400	11,440	32.3	23,960	67.7
York	190,100	148,990	78.4	41,110	21.6

Note: Races and Counties may not sum to total due to rounding

The State Bird

“ The Wren”



Officially adopted by the General Assembly in 1948

BIRTH

Figure C-1.
Live Birth Rates* by County
South Carolina, 2005
(Residence Data)




Table C-1.
Live Births and Birth Rates¹ by Race of Mother
South Carolina, 1981-2005
(Residence Data)

Year	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
1981	51,745	16.2	30,542	13.9	21,203	21.2
1982	51,554	15.8	30,652	13.7	20,902	20.5
1983	50,731	15.3	30,448	13.4	20,283	19.5
1984	50,561	15.3	30,607	13.5	19,954	19.2
1985	51,846	15.4	31,543	13.7	20,303	19.1
1986	51,726	15.1	31,202	13.4	20,524	18.9
1987	52,774	15.4	31,982	13.7	20,792	19.2
1988	55,090 *	15.7	33,100	13.8	21,986	19.6
1989	57,239 *	16.3	34,153	14.2	23,076	20.6
1990	58,461 *	16.8	35,491	14.7	22,963	21.4
1991	57,517 *	16.2	34,560	14.1	22,949	20.8
1992	56,102 *	15.6	33,890	13.6	22,206	19.9
1993	53,715 *	14.8	32,571	13.0	21,134	18.9
1994	51,907 *	14.2	31,899	12.6	19,996	17.7
1995	50,913 *	13.9	31,830	12.5	19,068	16.9
1996	51,105 *	13.8	32,309	12.6	18,788	16.6
1997	52,205 *	13.9	33,011	12.8	19,192	16.4
1998	53,883 *	14.0	34,065	12.9	19,757	16.6
1999	54,706 *	14.1	34,683	12.9	20,004	16.6
2000	55,964 *	13.9	35,146	12.8	20,803	16.5
2001	55,748 *	13.7	35,731	12.7	20,008	15.7
2002	54,453 *	13.3	33,152	12.5	19,294	14.8
2003	55,461 *	13.4	36,001	12.7	19,451	14.0
2004	56,543 *	13.5	36,872	12.8	19,616	15.0
2005	57,538 *	13.5	37,367	12.8	20,080	15.1

* Includes unknown race

¹Rate per 1,000 population

Figure C-2
Live Birth Rates by Race of Mother
South Carolina, 1981-2005
(Residence Data)




Table C-2.
Live Births and Percent of Live Births by Marital Status, Age and Race of Mother
South Carolina, 2005
(Residence Data)

Age of Mother	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total Live Births by Age of Mother ¹						
All Ages	57,538 *	100.0	37,367	100.0	20,080	100.0
<15	134	0.2	38	0.1	96	0.5
15-19	7,460 *	13.0	3,856	10.3	3,594	17.9
20-24	16,717 *	29.1	9,763	26.1	6,933	34.5
25-29	15,720 *	27.3	10,720	28.7	4,974	24.8
30-34	11,349 *	19.7	8,418	22.5	2,912	14.5
35-39	5,142 *	8.9	3,889	10.4	1,243	6.2
40-44	969 *	1.7	650	1.7	317	1.6
45+	42	0.1	31	0.1	11	0.1
Not Stated	5 *	0.0	2	0.0	-	0
Live Births by Age of Married Mother						
All Ages	42,995 *	100.0	32,412	100.0	10,531	100.0
<15	15	0.0	11	0.0	4	0.0
15-19	3,630 *	8.4	2,438	7.5	1,191	11.3
20-24	10,883 *	25.3	7,837	24.2	3,034	28.8
25-29	12,830 *	29.8	9,796	30.2	3,017	28.6
30-34	10,115 *	23.5	8,002	24.7	2,099	19.9
35-39	4,657 *	10.8	3,714	11.5	937	8.9
40-44	826 *	1.9	584	1.8	240	2.3
45+	38	0.1	29	0.1	9	0.1
Not Stated	1	0.0	1	0.0	-	0
Live Births by Age of Unmarried Mother						
All Ages	14,390 *	100.0	4,863	100.0	9,495	100.0
<15	119	0.8	27	0.6	92	1.0
15-19	3,807 *	26.5	1,402	28.8	2,396	25.2
20-24	5,780 *	40.2	1,894	38.9	3,879	40.9
25-29	2,850 *	19.8	900	18.5	1,942	20.5
30-34	1,212 *	8.4	404	8.3	804	8.5
35-39	478 *	3.3	171	3.5	303	3.2
40-44	139	1.0	62	1.3	77	0.8
45+	4	0.0	2	0.0	2	0.0
Not Stated	1	0.0	1	0.0	-	0

* Includes unknown race

¹ Includes unknown marital status

Table C-3.
Live Births and Birth Rates¹ by Race of Mother
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	57,538 *	13.5	37,367	12.8	20,080	15.1
Abbeville	269	10.3	183	10.0	86	10.9
Aiken	1,847 *	12.3	1,265	11.6	567	13.7
Allendale	147	13.5	27	9.1	120	15.1
Anderson	2,248 *	12.8	1,817	12.6	430	13.6
Bamberg	191	12.0	53	9.0	138	13.8
Barnwell	311	13.3	147	11.2	164	16.0
Beaufort	2,244 *	16.3	1,630	15.5	607	18.6
Berkeley	2,196 *	14.5	1,546	14.8	649	13.8
Calhoun	167	11.1	80	9.8	87	12.5
Charleston	4,798 *	14.5	2,891	13.5	1,901	16.4
Cherokee	672	12.5	494	11.7	178	15.5
Chester	427	12.9	231	11.4	196	15.1
Chesterfield	534	12.3	315	11.1	219	14.6
Clarendon	387 *	11.6	153	9.5	228	13.2
Colleton	543	13.7	292	12.8	251	15.0
Darlington	841	12.5	440	11.4	401	14.0
Dillon	447	14.4	206	13.0	241	15.9
Dorchester	1,565	13.9	1,103	13.6	462	14.7
Edgefield	248	9.7	131	8.8	117	10.9
Fairfield	309	12.8	99	9.9	210	14.9
Florence	1,952 *	14.9	951	12.5	997	18.1
Georgetown	704	11.5	409	10.4	295	13.6
Greenville	5,876 *	14.4	4,531	14.1	1,336	15.7
Greenwood	907	13.3	578	12.8	329	14.4
Hampton	293	13.7	113	12.2	180	14.9
Horry	2,903 *	12.8	2,254	11.9	646	17.0
Jasper	375 *	17.5	217	21.0	156	14.1
Kershaw	763	13.5	544	13.2	219	14.4
Lancaster	759	12.0	496	10.9	263	15.1
Laurens	770	11.0	539	10.5	231	12.3
Lee	244 *	11.8	64	8.6	179	13.6
Lexington	3,170 *	13.5	2,561	13.0	605	15.9
McCormick	77	7.6	30	6.2	47	8.9
Marion	434 *	12.4	137	9.1	295	14.8
Marlboro	366 *	13.1	124	10.0	241	15.5
Newberry	516	13.9	336	13.4	180	14.8
Oconee	788	11.3	715	11.3	73	11.6
Orangeburg	1,354 *	14.7	414	12.6	938	15.8
Pickens	1,309 *	11.5	1,212	11.7	95	9.6
Richland	4,791 *	14.1	2,105	12.4	2,680	15.8
Saluda	259	13.7	189	14.0	70	12.9
Spartanburg	3,411 *	12.8	2,547	12.5	861	13.8
Sumter	1,656 *	15.7	824	15.5	817	15.6
Union	317	11.1	213	11.0	104	11.3
Williamsburg	451	12.7	115	10.1	336	14.0
York	2,701 *	14.2	2,046	13.7	654	15.9
Unknown	1	0.0	-	0	1	0.0

* Includes unknown race

¹ Rates per 1,000 estimated population

Table C-4.
Live Births and Birth Rates¹ by Race of Mother
South Carolina and Each County, 2005
(Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	55,316 *	13.0	35,669	12.2	19,559	14.8
Abbeville	60	2.3	35	1.9	25	3.2
Aiken	1,110 *	7.4	612	5.6	485	11.7
Allendale	37	3.4	8	2.7	29	3.6
Anderson	1,852 *	10.6	1,449	10.1	402	12.7
Bamberg	88	5.5	38	6.4	50	5.0
Barnwell	5	0.2	2	0.2	3	0.3
Beaufort	2,510 *	18.2	1,717	16.3	785	24.0
Berkeley	4	0.0	2	0.0	2	0.0
Calhoun	1	0.1	-	0	1	0.1
Charleston	8,150 *	24.7	5,202	24.2	2,943	25.4
Cherokee	382	7.1	246	5.8	136	11.8
Chester	-	0	-	0	-	0
Chesterfield	144	3.3	59	2.1	85	5.7
Clarendon	570 *	17.1	280	17.4	275	15.9
Colleton	494	12.5	218	9.5	276	16.5
Darlington	612	9.1	270	7.0	342	11.9
Dillon	279	9.0	90	5.7	189	12.5
Dorchester	1,045 *	9.3	736	9.0	306	9.7
Edgefield	1	0.0	1	0.1	-	0
Fairfield	1	0.0	-	0	1	0.1
Florence	3,144 *	24.0	1,616	21.3	1,524	27.6
Georgetown	955	15.7	659	16.8	296	13.6
Greenville	7,955 *	19.5	6,419	19.9	1,524	17.9
Greenwood	1,563 *	23.0	959	21.2	603	26.4
Hampton	3	0.1	1	0.1	2	0.2
Horry	2,565 *	11.3	1,927	10.2	635	16.7
Jasper	43	2.0	31	3.0	12	1.1
Kershaw	418	7.4	249	6.0	169	11.1
Lancaster	661	10.5	366	8.0	295	16.9
Laurens	387	5.5	262	5.1	125	6.7
Lee	-	0	-	0	-	0
Lexington	2,752 *	11.7	2,059	10.4	690	18.2
McCormick	1	0.1	1	0.2	-	0
Marion	433 *	12.4	146	9.7	286	14.4
Marlboro	144	5.1	30	2.4	114	7.3
Newberry	358	9.6	219	8.7	139	11.4
Oconee	511	7.3	466	7.4	45	7.2
Orangeburg	1,407 *	15.3	386	11.7	1,020	17.2
Pickens	494	4.3	460	4.4	34	3.5
Richland	6,675 *	19.6	3,474	20.4	3,195	18.8
Saluda	1	0.1	1	0.1	-	0
Spartanburg	3,620 *	13.6	2,681	13.1	937	15.0
Sumter	1,422 *	13.5	673	12.6	740	14.2
Union	93	3.3	53	2.7	40	4.3
Williamsburg	150	4.2	24	2.1	126	5.3
York	2,215 *	11.7	1,541	10.3	673	16.4
Unknown	1	0.0	1	0.0	-	0

* Includes Unknown Race

¹ Rates per 1,000 estimated population

Table C-5.
Live Births by Race of Mother and Gender
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	57,538 *	29,443 *	28,095 *	37,367	19,305	18,062	20,080	10,103	9,977
Abbeville	269	132	137	183	92	91	86	40	46
Aiken	1,847 *	958 *	889 *	1,265	678	587	567	274	293
Allendale	147	70	77	27	15	12	120	55	65
Anderson	2,248 *	1,128	1,120 *	1,817	922	895	430	206	224
Bamberg	191	88	103	53	23	30	138	65	73
Barnwell	311	162	149	147	74	73	164	88	76
Beaufort	2,244 *	1,118 *	1,126 *	1,630	810	820	607	302	305
Berkeley	2,196 *	1,147	1,049 *	1,546	815	731	649	332	317
Calhoun	167	90	77	80	45	35	87	45	42
Charleston	4,798 *	2,463 *	2,335 *	2,891	1,482	1,409	1,901	978	923
Cherokee	672	354	318	494	265	229	178	89	89
Chester	427	226	201	231	120	111	196	106	90
Chesterfield	534	266	268	315	160	155	219	106	113
Clarendon	387 *	198 *	189 *	153	80	73	228	116	112
Colleton	543	269	274	292	152	140	251	117	134
Darlington	841	421	420	440	223	217	401	198	203
Dillon	447	232	215	206	106	100	241	126	115
Dorchester	1,565	815	750	1,103	573	530	462	242	220
Edgefield	248	126	122	131	68	63	117	58	59
Fairfield	309	158	151	99	45	54	210	113	97
Florence	1,952 *	991 *	961 *	951	489	462	997	501	496
Georgetown	704	366	338	409	211	198	295	155	140
Greenville	5,876 *	3,059 *	2,817 *	4,531	2,381	2,150	1,336	674	662
Greenwood	907	478	429	578	309	269	329	169	160
Hampton	293	153	140	113	63	50	180	90	90
Horry	2,903 *	1,468	1,435 *	2,254	1,155	1,099	646	313	333
Jasper	375 *	195 *	180 *	217	119	98	156	75	81
Kershaw	763	388	375	544	281	263	219	107	112
Lancaster	759	411	348	496	275	221	263	136	127
Laurens	770	406	364	539	278	261	231	128	103
Lee	244 *	125 *	119	64	33	31	179	91	88
Lexington	3,170 *	1,602 *	1,568 *	2,561	1,318	1,243	605	283	322
McCormick	77	41	36	30	14	16	47	27	20
Marion	434 *	222	212 *	137	66	71	295	156	139
Marlboro	366 *	187 *	179	124	57	67	241	129	112
Newberry	516	238	278	336	148	188	180	90	90
Oconee	788	413	375	715	379	336	73	34	39
Orangeburg	1,354 *	671	683 *	414	218	196	938	453	485
Pickens	1,309 *	682 *	627 *	1,212	635	577	95	46	49
Richland	4,791 *	2,359 *	2,432 *	2,105	1,022	1,083	2,680	1,335	1,345
Saluda	259	130	129	189	95	94	70	35	35
Spartanburg	3,411 *	1,766 *	1,645 *	2,547	1,336	1,211	861	428	433
Sumter	1,656 *	847 *	809 *	824	424	400	817	420	397
Union	317	169	148	213	111	102	104	58	46
Williamsburg	451	246	205	115	60	55	336	186	150
York	2,701 *	1,409 *	1,292	2,046	1,080	966	654	328	326
Unknown	1	-	1	-	-	-	1	-	1

* Includes Unknown Race

Table C-6.
Live Births by Race of Mother and Gender
South Carolina and Each County, 2005
(Occurrence Data)

County of Occurrence	Total			White			Black & Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	55,316 *	28,254 *	27,062 *	35,669	18,396	17,273	19,559	9,826	9,733
Abbeville	60	34	26	35	20	15	25	14	11
Aiken	1,110 *	544 *	566 *	612	308	304	485	231	254
Allendale	37	17	20	8	4	4	29	13	16
Anderson	1,852 *	912	940 *	1,449	723	726	402	189	213
Bamberg	88	43	45	38	19	19	50	24	26
Barnwell	5	3	2	2	1	1	3	2	1
Beaufort	2,510 *	1,263 *	1,247 *	1,717	873	844	785	384	401
Berkeley	4	4	-	2	2	-	2	2	-
Calhoun	1	-	1	-	-	-	1	-	1
Charleston	8,150 *	4,208 *	3,942 *	5,202	2,684	2,518	2,943	1,522	1,421
Cherokee	382	198	184	246	128	118	136	70	66
Chester	-	-	-	-	-	-	-	-	-
Chesterfield	144	73	71	59	32	27	85	41	44
Clarendon	570 *	285 *	285 *	280	141	139	275	140	135
Colleton	494	263	231	218	121	97	276	142	134
Darlington	612	297	315	270	127	143	342	170	172
Dillon	279	144	135	90	50	40	189	94	95
Dorchester	1,045 *	533 *	512 *	736	383	353	306	149	157
Edgefield	1	1	-	1	1	-	-	-	-
Fairfield	1	1	-	-	-	-	1	1	-
Florence	3,144 *	1,598 *	1,546 *	1,616	826	790	1,524	771	753
Georgetown	955	484	471	659	336	323	296	148	148
Greenville	7,955 *	4,136 *	3,819 *	6,419	3,365	3,054	1,524	765	759
Greenwood	1,563 *	812	751 *	959	501	458	603	311	292
Hampton	3	1	2	1	1	-	2	-	2
Horry	2,565 *	1,311	1,254 *	1,927	999	928	635	312	323
Jasper	43	27	16	31	19	12	12	8	4
Kershaw	418	206	212	249	122	127	169	84	85
Lancaster	661	347	314	366	199	167	295	148	147
Laurens	387	205	182	262	135	127	125	70	55
Lee	-	-	-	-	-	-	-	-	-
Lexington	2,752 *	1,389 *	1,363 *	2,059	1,059	1,000	690	329	361
McCormick	1	-	1	1	-	1	-	-	-
Marion	433 *	226	207 *	146	72	74	286	154	132
Marlboro	144	66	78	30	11	19	114	55	59
Newberry	358	175	183	219	107	112	139	68	71
Oconee	511	269	242	466	247	219	45	22	23
Orangeburg	1,407 *	688	719 *	386	199	187	1,020	489	531
Pickens	494	254	240	460	240	220	34	14	20
Richland	6,675 *	3,310	3,365 *	3,474	1,718	1,756	3,195	1,592	1,603
Saluda	1	-	1	1	-	1	-	-	-
Spartanburg	3,620 *	1,898 *	1,722 *	2,681	1,421	1,260	937	476	461
Sumter	1,422 *	740 *	682 *	673	347	326	740	389	351
Union	93	50	43	53	28	25	40	22	18
Williamsburg	150	81	69	24	10	14	126	71	55
York	2,215 *	1,158 *	1,057	1,541	817	724	673	340	333
Unknown	1	-	1	1	-	1	-	-	-

*Includes unknown race

FERTILITY PATTERNS

Though the crude birth rate relates the event of birth to the entire population, it does not measure the population exposed to the chance of having a birth since it is based on both sexes in population. However, the crude birth rate is an index to the relative speed at which additions are being made to a population through childbirth. When the event of birth is related to the population exposed at risk, that is, to females of childbearing ages 15-44, a more specific rate is completed.

Table C-7.
Fertility Rates* by Race: South Carolina, 1991-2005
(Residence Data)

YEAR	TOTAL	WHITE	BLACK & OTHER
1991	69.5	63.0	82.5
1992	67.2	60.7	80.0
1993	64.7	58.7	76.7
1994	61.5	56.0	72.6
1995	58.9	54.3	68.1
1996	57.7	54.0	65.1
1997	57.5	54.3	63.8
1998	60.4	58.4	64.2
1999	60.9	59.0	64.4
2000	61.9	59.9	65.5
2001	63.0	60.7	67.1
2002	62.3	61.0	64.5
2003	60.6	60.5	60.8
2004	63.5	63.5	63.4
2005	64.3	64.1	64.5

* Rate per 1,000 Population of Females Aged 15-44 Years

Table C-8.
Population of Females Age 15-44 by Race
South Carolina, 1991-2005
(Residence Data)

YEAR	TOTAL	WHITE	BLACK & OTHER
1991	856,300	569,580	286,720
1992	866,790	577,100	289,690
1993	873,055	582,103	290,952
1994	881,319	587,647	293,672
1995	881,993	589,105	292,888
1996	888,920	594,535	294,385
1997	864,721	565,567	299,154
1998	879,477	575,366	304,021
1999	884,147	578,968	305,179
2000	884,317	577,081	307,236
2001	895,462	585,292	310,170
2002	898,778	581,382	317,396
2003	884,115	569,269	314,848
2004	889,545	580,266	309,279
2005	894,523	583,394	311,129

GENDER RATIO

Out of the total 57,538 live births occurring to South Carolina residents in 2005, male births numbered 29,443 and female births numbered 28,095 giving a ratio of 104.8 males per 100 females. Table C-9 shows the ratio of males to females for the past five

Table C-9.
Gender Ratio of Males per 100 Females
South Carolina, 2001-2005
(Residence Data)

YEAR	TOTAL	WHITE	BLACK & OTHER
2001	105.0	106.1	103.2
2002	104.2	105.2	102.4
2003	103.6	104.0	102.6
2004	105.3	106.5	103.1
2005	104.8	106.9	101.3

Table C-10
Live Births by County of Occurrence by County of Residence
South Carolina, 2005

COUNTY OF OCCURRENCE	COUNTY OF RESIDENCE																							
	ABBEVILLE	AIKEN	ALLENDALE	ANDERSON	BAMBERG	BARNWELL	BEAUFORT	BERKELEY	CALHOUN	CHARLESTON	CHEROKEE	CHESTER	CHESTERFIELD	CLARENDON	COLLETON	DARLINGTON	DILLON	DORCHESTER	EDGEFIELD	FAIRFIELD	FLORENCE	GEORGETOWN	GREENVILLE	GREENWOOD
Abbeville	50	-	-	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Aiken	1	786	40	-	9	166	-	-	1	-	-	-	-	-	-	-	-	-	68	-	-	-	-	1
Allendale	-	-	20	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anderson	37	-	-	1,587	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	2
Bamberg	-	4	2	-	40	12	-	-	-	-	-	-	-	-	8	-	-	2	-	-	-	-	-	-
Barnwell	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaufort	-	-	6	-	-	-	2,030	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-	1
Berkeley	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calhoun	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charleston	2	-	5	-	-	1	77	1,912	2	4,580	1	-	2	2	146	2	1	969	-	-	14	152	4	-
Cherokee	1	-	-	-	-	-	-	-	-	-	358	-	-	-	-	-	-	-	-	-	-	-	-	-
Chesterfield	-	-	-	-	-	-	-	-	-	-	-	-	118	-	-	3	-	-	-	-	-	-	-	-
Clarendon	-	1	-	-	-	-	-	3	-	-	-	-	-	306	-	-	-	-	-	-	12	3	-	-
Colleton	-	2	31	-	2	2	2	1	-	-	-	-	-	-	331	-	-	21	-	-	-	-	-	-
Darlington	-	-	-	-	-	-	-	-	-	-	-	-	132	-	-	333	-	-	-	-	6	-	-	-
Dillon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	229	-	-	-	2	-	-	-
Dorchester	-	-	-	-	-	-	-	265	-	184	-	-	-	-	34	-	-	542	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Florence	-	-	-	-	-	-	-	1	-	1	-	-	94	36	-	486	120	-	-	-	1,874	13	1	1
Georgetown	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	6	491	-	-
Greenville	5	-	-	577	-	-	-	-	-	1	4	-	-	-	-	-	-	-	1	-	-	-	5,717	10
Greenwood	171	1	-	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38	-	-	-	8	875
Hampton	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horry	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	5	36	-	-
Jasper	-	-	-	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Lancaster	-	-	-	-	-	-	-	-	-	-	-	69	60	-	-	-	-	-	-	9	-	-	-	-
Laurens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	3	
Lexington	-	62	-	-	4	2	-	-	26	2	-	-	-	1	-	-	-	-	2	16	-	1	2	-
Marion	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	91	-	-	-	4	-	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	2	2	-	-	-	-	-	-	-
Newberry	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3
Oconee	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Orangeburg	-	5	26	-	117	60	1	1	97	-	-	-	-	1	9	-	-	21	-	-	-	-	-	1
Pickens	-	-	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	19	-
Richland	-	25	11	3	16	18	5	1	39	7	-	11	3	17	2	9	2	2	2	275	6	4	5	1
Spartanburg	-	-	-	3	-	1	1	1	-	-	286	9	-	-	-	-	-	-	-	-	-	-	72	1
Sumter	-	-	-	-	-	-	-	-	-	-	-	-	3	23	2	3	-	1	-	1	6	-	-	1
Williamsburg	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	14	1	-	-
York	-	-	-	-	-	-	-	-	-	1	4	303	3	-	-	-	-	-	-	3	-	-	-	-
Out-of-State	2	960	5	10	3	39	105	6	1	18	18	35	108	-	1	2	1	6	137	1	3	3	23	4

Table C-10. (continued)
Live Births by County of Occurrence by County of Residence
South Carolina, 2005

COUNTY OF OCCURRENCE	COUNTY OF RESIDENCE																						
	HAMPTON	HORRY	JASPER	KERSHAW	LANCASTER	LAURENS	LEE	LEXINGTON	MCCORMICK	MARION	MARLBORO	NEWBERRY	OONEE	ORANGEBURG	PICKENS	RICHLAND	SALUDA	SPARTANBURG	SUMTER	UNION	WILLIAMSBURG	YORK	OUT-OF-STATE
Abbeville	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Aiken	2	-	1	-	-	-	-	4	1	-	-	-	-	11	-	1	13	-	-	-	-	-	5
Allendale	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Anderson	-	-	-	-	-	1	-	-	1	-	1	-	85	-	51	1	-	2	-	-	-	-	68
Bamberg	1	-	-	-	-	-	-	1	-	-	-	-	-	15	-	2	-	-	-	-	-	-	1
Beaufort	143	-	296	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	23
Charleston	17	50	17	-	-	-	1	2	-	3	-	-	-	106	1	8	-	2	4	2	27	-	38
Cherokee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	2	-	2	10
Chesterfield	-	-	-	-	-	-	-	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-	1
Clarendon	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	3	-	-	188	-	48	-	2
Colleton	97	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Darlington	-	-	-	8	1	-	113	-	-	1	7	-	-	-	-	-	-	-	7	-	-	-	4
Dillon	-	1	-	-	-	-	-	1	-	6	9	-	-	-	-	-	-	-	-	-	-	-	31
Dorchester	3	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	1	-	-	-	3
Edgefield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Florence	-	58	-	4	-	-	59	1	-	111	64	-	-	1	-	4	-	-	38	-	157	-	20
Georgetown	-	366	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	80	-	7
Greenville	-	-	-	1	1	165	1	1	1	1	2	-	203	-	787	1	-	439	-	1	-	3	33
Greenwood	-	-	-	-	-	208	-	4	58	-	-	30	-	-	-	2	130	2	-	-	-	-	8
Hampton	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horry	-	2,370	-	-	-	-	-	2	-	10	2	-	1	-	-	-	-	-	-	-	3	1	131
Jasper	-	-	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Kershaw	-	-	-	367	15	-	19	-	-	-	-	-	-	-	-	5	-	-	9	-	-	-	2
Lancaster	-	-	-	10	491	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	16	5
Laurens	-	-	-	-	-	358	-	-	-	-	-	6	-	-	-	1	-	11	-	-	-	-	-
Lexington	2	-	-	13	-	2	1	1,888	-	-	-	66	-	39	-	536	64	1	8	2	1	2	9
Mccormick	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	-	30	-	-	-	-	-	-	-	298	-	-	-	-	-	1	-	1	-	-	1	-	6
Marlboro	-	-	-	-	-	-	-	-	-	-	131	-	-	-	-	-	-	-	-	-	-	-	-
Newberry	-	-	-	2	-	9	-	9	-	-	-	301	-	-	-	1	25	-	-	3	-	-	2
Oconee	-	-	-	-	-	-	-	-	-	-	-	-	472	-	25	-	-	-	-	-	-	-	3
Orangeburg	8	-	1	1	-	-	-	4	-	1	-	-	-	1,039	-	4	-	-	1	-	1	1	7
Pickens	-	-	-	-	-	-	-	-	-	-	-	-	6	-	441	-	-	1	-	-	-	-	1
Richland	5	8	1	330	11	2	8	1,243	-	3	6	103	-	113	-	4,196	17	5	91	-	2	17	50
Saluda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Spartanburg	-	1	-	-	-	23	-	2	-	-	-	4	2	-	1	2	1	2,917	-	218	-	3	72
Sumter	-	1	-	19	-	-	42	-	-	-	2	-	-	3	-	4	-	1	1,302	-	1	-	7
Union	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	88	-	-	-
Williamsburg	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	128	-	1
York	-	-	-	-	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,736	26
Out-of-State	2	16	38	8	101	2	-	6	15	-	119	2	19	7	2	19	7	19	7	1	2	920	13
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Table C-11.
Live Births by Number of Prenatal Care Visits
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	57,538 *	766	2,781	1,370	17,786	25,078	9,357	400
Abbeville	269	6	17	1	54	127	62	2
Aiken	1,847 *	21	70	47	752	661	293	3
Allendale	147	1	14	3	61	41	26	1
Anderson	2,248 *	13	61	28	685	1,176	280	5
Bamberg	191	-	14	5	73	73	25	1
Barnwell	311	5	17	10	116	117	45	1
Beaufort	2,244 *	83	222	123	942	669	161	44
Berkeley	2,196 *	9	119	41	533	988	453	53
Calhoun	167	1	11	5	58	71	18	3
Charleston	4,798 *	49	180	105	1,408	1,960	1,052	44
Cherokee	672	5	8	9	142	332	175	1
Chester	427	8	56	23	176	143	18	3
Chesterfield	534	7	19	9	134	225	140	-
Clarendon	387 *	2	23	4	65	202	89	2
Colleton	543	5	7	7	129	232	161	2
Darlington	841	9	23	14	156	368	270	1
Dillon	447	2	18	6	75	221	125	-
Dorchester	1,565	14	86	33	346	715	343	28
Edgefield	248	5	14	7	106	85	31	-
Fairfield	309	6	23	9	105	131	28	7
Florence	1,952 *	20	39	36	439	897	520	1
Georgetown	704	6	27	10	270	324	64	3
Greenville	5,876 *	100	285	144	2,440	2,498	394	15
Greenwood	907	13	51	24	217	363	226	13
Hampton	293	8	19	11	102	109	43	1
Horry	2,903 *	46	120	61	738	1,357	568	13
Jasper	375 *	16	38	16	151	106	36	12
Kershaw	763	13	38	23	263	325	96	5
Lancaster	759	6	42	26	414	251	19	1
Laurens	770	8	38	13	210	328	172	1
Lee	244 *	3	14	14	52	96	65	-
Lexington	3,170 *	44	144	55	926	1,540	438	23
McCormick	77	1	7	4	21	31	13	-
Marion	434 *	3	12	4	97	184	132	2
Marlboro	366 *	-	7	2	78	115	162	2
Newberry	516	6	21	6	129	228	122	4
Oconee	788	7	23	11	208	382	156	1
Orangeburg	1,354 *	15	89	52	550	446	190	12
Pickens	1,309 *	17	32	18	359	561	319	3
Richland	4,791 *	66	251	129	1,403	2,250	644	48
Saluda	259	9	15	11	89	106	26	3
Spartanburg	3,411 *	28	89	74	887	1,729	601	3
Sumter	1,656 *	21	119	31	499	760	210	16
Union	317	1	8	8	70	133	97	-
Williamsburg	451	11	31	11	113	191	93	1
York	2,701 *	46	220	87	945	1,231	156	16
Unknown	1	1	-	-	-	-	-	-

* Includes unknown race

Table C-11A.
Live Births by Number of Prenatal Care Visits and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
White

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	37,367	406	1,513	769	11,390	17,291	5,756	242
Abbeville	183	1	12	1	34	91	42	2
Aiken	1,265	10	39	30	533	460	192	1
Allendale	27	-	2	-	9	9	7	-
Anderson	1,817	9	41	22	551	975	214	5
Bamberg	53	-	2	1	28	18	4	-
Barnwell	147	3	2	3	49	62	28	-
Beaufort	1,630	46	139	83	670	537	117	38
Berkeley	1,546	5	75	28	365	734	307	32
Calhoun	80	-	4	2	25	41	8	-
Charleston	2,891	22	91	48	923	1,266	514	27
Cherokee	494	4	7	8	100	249	126	-
Chester	231	2	23	12	93	91	9	1
Chesterfield	315	3	11	5	76	144	76	-
Clarendon	153	-	5	2	27	84	35	-
Colleton	292	5	4	5	51	136	91	-
Darlington	440	4	10	5	64	199	158	-
Dillon	206	1	11	3	31	99	61	-
Dorchester	1,103	8	54	20	242	514	245	20
Edgefield	131	2	6	1	63	40	19	-
Fairfield	99	3	7	2	34	43	9	1
Florence	951	8	11	14	175	472	270	1
Georgetown	409	1	12	3	147	206	37	3
Greenville	4,531	60	190	94	1,887	1,991	295	14
Greenwood	578	4	33	16	126	245	143	11
Hampton	113	2	4	-	52	40	15	-
Horry	2,254	30	93	45	569	1,094	415	8
Jasper	217	6	22	10	90	66	17	6
Kershaw	544	8	19	13	179	257	66	2
Lancaster	496	2	28	14	256	178	17	1
Laurens	539	5	22	9	147	254	102	-
Lee	64	-	2	2	12	30	18	-
Lexington	2,561	34	109	37	732	1,278	354	17
McCormick	30	-	1	-	13	11	5	-
Marion	137	2	6	-	19	64	46	-
Marlboro	124	-	-	1	19	55	48	1
Newberry	336	5	9	4	78	166	71	3
Oconee	715	5	18	8	190	344	149	1
Orangeburg	414	2	17	15	183	147	47	3
Pickens	1,212	17	23	18	334	518	299	3
Richland	2,105	24	88	42	587	1,106	238	20
Saluda	189	9	12	8	66	77	14	3
Spartanburg	2,547	18	65	56	602	1,325	479	2
Sumter	824	4	41	15	214	426	118	6
Union	213	-	4	6	39	98	66	-
Williamsburg	115	1	4	2	26	51	31	-
York	2,046	31	135	56	680	1,000	134	10
Unknown	-	-	-	-	-	-	-	-

Table C-11A. (continued)
Live Births by Number of Prenatal Care Visits and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
Black and Other

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	20,080	357	1,257	600	6,365	7,756	3,592	153
Abbeville	86	5	5	-	20	36	20	-
Aiken	567	11	30	17	214	193	100	2
Allendale	120	1	12	3	52	32	19	1
Anderson	430	3	20	6	134	201	66	-
Bamberg	138	-	12	4	45	55	21	1
Barnwell	164	2	15	7	67	55	17	1
Beaufort	607	37	82	40	271	129	43	5
Berkeley	649	4	44	13	168	254	145	21
Calhoun	87	1	7	3	33	30	10	3
Charleston	1,901	27	89	57	484	691	536	17
Cherokee	178	1	1	1	42	83	49	1
Chester	196	6	33	11	83	52	9	2
Chesterfield	219	4	8	4	58	81	64	-
Clarendon	228	2	16	2	36	116	54	2
Colleton	251	-	3	2	78	96	70	2
Darlington	401	5	13	9	92	169	112	1
Dillon	241	1	7	3	44	122	64	-
Dorchester	462	6	32	13	104	201	98	8
Edgefield	117	3	8	6	43	45	12	-
Fairfield	210	3	16	7	71	88	19	6
Florence	997	12	28	22	262	423	250	-
Georgetown	295	5	15	7	123	118	27	-
Greenville	1,336	40	93	50	548	506	98	1
Greenwood	329	9	18	8	91	118	83	2
Hampton	180	6	15	11	50	69	28	1
Horry	646	15	26	16	168	263	153	5
Jasper	156	10	16	6	60	39	19	6
Kershaw	219	5	19	10	84	68	30	3
Lancaster	263	4	14	12	158	73	2	-
Laurens	231	3	16	4	63	74	70	1
Lee	179	3	11	12	40	66	47	-
Lexington	605	10	34	18	193	260	84	6
McCormick	47	1	6	4	8	20	8	-
Marion	295	1	6	3	78	120	86	1
Marlboro	241	-	7	1	58	60	114	1
Newberry	180	1	12	2	51	62	51	1
Oconee	73	2	5	3	18	38	7	-
Orangeburg	938	13	72	37	367	298	143	8
Pickens	95	-	9	-	24	43	19	-
Richland	2,680	41	162	87	813	1,144	406	27
Saluda	70	-	3	3	23	29	12	-
Spartanburg	861	10	24	18	285	402	121	1
Sumter	817	17	77	16	278	328	91	10
Union	104	1	4	2	31	35	31	-
Williamsburg	336	10	27	9	87	140	62	1
York	654	15	85	31	265	231	22	5
Unknown	1	1	-	-	-	-	-	-

Table C-12.
Live Births By Kotelchuck Index
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	57,538 *	11,061	4,801	15,656	25,299	721
Abbeville	269	45	18	54	150	2
Aiken	1,847 *	322	318	537	661	9
Allendale	147	39	18	36	50	4
Anderson	2,248 *	287	134	856	956	15
Bamberg	191	32	37	52	69	1
Barnwell	311	66	41	88	114	2
Beaufort	2,244 *	624	371	611	584	54
Berkeley	2,196 *	325	131	501	1,137	102
Calhoun	167	36	18	43	65	5
Charleston	4,798 *	796	484	1,124	2,313	81
Cherokee	672	92	21	156	402	1
Chester	427	144	45	140	95	3
Chesterfield	534	96	24	153	260	1
Clarendon	387 *	87	9	51	233	7
Colleton	543	90	23	110	316	4
Darlington	841	125	25	154	534	3
Dillon	447	72	19	61	294	1
Dorchester	1,565	275	77	354	792	67
Edgefield	248	47	41	87	71	2
Fairfield	309	80	25	64	131	9
Florence	1,952 *	323	62	424	1,137	6
Georgetown	704	143	50	204	300	7
Greenville	5,876 *	1,159	679	2,149	1,863	26
Greenwood	907	164	61	176	488	18
Hampton	293	88	27	64	111	3
Horry	2,903 *	626	145	583	1,523	26
Jasper	375 *	115	40	90	112	18
Kershaw	763	125	107	237	289	5
Lancaster	759	114	191	326	125	3
Laurens	770	133	49	193	392	3
Lee	244 *	56	9	54	122	3
Lexington	3,170 *	573	255	1,023	1,292	27
McCormick	77	14	12	17	33	1
Marion	434 *	59	23	97	253	2
Marlboro	366 *	56	17	64	224	5
Newberry	516	87	33	112	279	5
Oconee	788	120	41	221	403	3
Orangeburg	1,354 *	316	187	321	506	24
Pickens	1,309 *	180	82	371	667	9
Richland	4,791 *	1,073	257	1,221	2,162	78
Saluda	259	83	20	62	91	3
Spartanburg	3,411 *	601	205	829	1,766	10
Sumter	1,656 *	368	133	386	738	31
Union	317	53	17	70	177	-
Williamsburg	451	118	20	80	228	5
York	2,701 *	633	200	1,050	791	27
Unknown	1	1	-	-	-	-

* Include unknown race

Table C-12A.
Live Births by Kotelchuck Index and Race of Mother
South Carolina and Each County, 2005
(Residence Data)

White						
County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	37,367	6,086	3,269	11,269	16,329	414
Abbeville	183	25	11	40	105	2
Aiken	1,265	186	237	395	440	7
Allendale	27	4	2	6	14	1
Anderson	1,817	212	107	726	757	15
Bamberg	53	8	12	17	16	-
Barnwell	147	25	18	42	62	-
Beaufort	1,630	410	262	472	441	45
Berkeley	1,546	204	100	367	810	65
Calhoun	80	10	8	24	37	1
Charleston	2,891	406	362	821	1,255	47
Cherokee	494	59	17	113	305	-
Chester	231	59	25	90	56	1
Chesterfield	315	53	15	97	149	1
Clarendon	153	23	3	31	95	1
Colleton	292	38	14	61	178	1
Darlington	440	42	9	84	305	-
Dillon	206	30	9	29	138	-
Dorchester	1,103	179	59	260	556	49
Edgefield	131	17	25	52	37	-
Fairfield	99	25	5	26	42	1
Florence	951	99	31	250	570	1
Georgetown	409	57	30	132	184	6
Greenville	4,531	810	541	1,736	1,424	20
Greenwood	578	91	41	118	313	15
Hampton	113	21	13	35	44	-
Horry	2,254	454	111	494	1,179	16
Jasper	217	58	29	57	64	9
Kershaw	544	70	71	187	214	2
Lancaster	496	72	117	208	97	2
Laurens	539	89	31	146	272	1
Lee	64	11	2	18	33	-
Lexington	2,561	419	212	866	1,044	20
McCormick	30	1	10	8	11	-
Marion	137	16	6	29	86	-
Marlboro	124	15	3	26	79	1
Newberry	336	53	19	77	183	4
Oconee	715	101	40	200	372	2
Orangeburg	414	74	71	116	147	6
Pickens	1,212	157	76	344	628	7
Richland	2,105	367	120	646	946	26
Saluda	189	65	13	52	56	3
Spartanburg	2,547	388	142	653	1,356	8
Sumter	824	124	69	211	409	11
Union	213	29	11	49	124	-
Williamsburg	115	17	8	25	65	-
York	2,046	413	152	833	631	17
Unknown						

Table C-12A. (continued)
Live Births by Kotelchuck Index and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
Black & Other

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	20,080	4,943	1,525	4,376	8,935	301
Abbeville	86	20	7	14	45	-
Aiken	567	131	81	139	214	2
Allendale	120	35	16	30	36	3
Anderson	430	74	27	130	199	-
Bamberg	138	24	25	35	53	1
Barnwell	164	41	23	46	52	2
Beaufort	607	213	108	138	140	8
Berkeley	649	121	31	134	326	37
Calhoun	87	26	10	19	28	4
Charleston	1,901	389	122	302	1,054	34
Cherokee	178	33	4	43	97	1
Chester	196	85	20	50	39	2
Chesterfield	219	43	9	56	111	-
Clarendon	228	61	6	18	137	6
Colleton	251	52	9	49	138	3
Darlington	401	83	16	70	229	3
Dillon	241	42	10	32	156	1
Dorchester	462	96	18	94	236	18
Edgefield	117	30	16	35	34	2
Fairfield	210	55	20	38	89	8
Florence	997	221	31	174	566	5
Georgetown	295	86	20	72	116	1
Greenville	1,336	347	136	413	434	6
Greenwood	329	73	20	58	175	3
Hampton	180	67	14	29	67	3
Horry	646	169	34	89	344	10
Jasper	156	57	10	33	47	9
Kershaw	219	55	36	50	75	3
Lancaster	263	42	74	118	28	1
Laurens	231	44	18	47	120	2
Lee	179	45	7	36	89	2
Lexington	605	152	43	156	247	7
McCormick	47	13	2	9	22	1
Marion	295	42	17	68	167	1
Marlboro	241	40	14	38	145	4
Newberry	180	34	14	35	96	1
Oconee	73	19	1	21	31	1
Orangeburg	938	242	116	205	358	17
Pickens	95	23	6	27	37	2
Richland	2,680	703	136	575	1,215	51
Saluda	70	18	7	10	35	-
Spartanburg	861	213	63	175	408	2
Sumter	817	238	62	173	324	20
Union	104	24	6	21	53	-
Williamsburg	336	101	12	55	163	5
York	654	220	48	217	160	9
Unknown	1	1	-	-	-	-

Table C-13.
Live Births by Education of Mother
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	57,538 *	2,534	11,108	15,109	12,208	4,109	8,485	3,136	649	200
Abbeville	269	6	52	92	61	17	27	11	2	1
Aiken	1,847 *	101	358	557	266	205	245	100	4	11
Allendale	147	6	50	39	30	14	5	1	2	-
Anderson	2,248 *	58	488	683	434	181	281	94	26	3
Bamberg	191	3	46	48	51	17	18	8	-	-
Barnwell	311	8	85	92	62	28	25	8	2	1
Beaufort	2,244 *	139	347	533	543	165	369	115	17	16
Berkeley	2,196 *	76	345	659	554	163	294	84	16	5
Calhoun	167	4	21	42	57	12	24	7	-	-
Charleston	4,798 *	289	764	1,023	887	250	1,028	382	160	15
Cherokee	672	21	206	207	116	41	67	10	4	-
Chester	427	10	121	160	73	31	22	10	-	-
Chesterfield	534	21	132	174	103	40	42	21	-	1
Clarendon	387 *	9	85	127	90	30	25	17	-	4
Colleton	543	20	129	213	109	27	25	17	3	-
Darlington	841	19	214	263	166	64	77	34	4	-
Dillon	447	27	128	159	80	21	22	9	1	-
Dorchester	1,565	25	244	428	379	121	263	88	14	3
Edgefield	248	15	44	83	35	33	23	14	1	-
Fairfield	309	5	77	121	64	14	23	5	-	-
Florence	1,952 *	46	370	566	456	138	261	88	16	11
Georgetown	704	32	123	209	165	45	91	30	9	-
Greenville	5,876 *	386	1,079	1,166	1,189	387	1,169	400	88	12
Greenwood	907	59	207	212	186	76	128	27	7	5
Hampton	293	12	61	98	73	22	19	7	1	-
Horry	2,903 *	153	592	823	640	190	375	97	19	14
Jasper	375 *	38	101	109	62	19	35	5	2	4
Kershaw	763	15	152	220	178	54	93	38	12	1
Lancaster	759	42	185	263	122	56	56	33	2	-
Laurens	770	50	199	239	146	44	66	21	4	1
Lee	244 *	5	72	84	54	12	13	4	-	-
Lexington	3,170 *	149	487	715	762	216	578	214	41	8
McCormick	77	1	13	16	24	8	8	6	-	1
Marion	434 *	11	103	157	82	27	38	10	5	1
Marlboro	366 *	8	123	137	50	20	17	11	-	-
Newberry	516	49	113	132	108	42	47	11	5	9
Oconee	788	25	175	265	117	66	93	42	5	-
Orangeburg	1,354 *	37	301	396	345	99	124	42	4	6
Pickens	1,309 *	45	263	391	255	107	176	67	3	2
Richland	4,791 *	113	660	959	1,218	280	968	459	108	26
Saluda	259	67	40	68	38	16	19	4	-	7
Spartanburg	3,411 *	168	782	812	702	239	493	175	36	4
Sumter	1,656 *	37	325	411	503	137	162	48	10	23
Union	317	6	97	94	63	24	22	10	1	-
Williamsburg	451	10	122	147	107	28	23	8	4	2
York	2,701 *	107	427	717	403	283	506	244	11	3
Unknown	1	1	-	-	-	-	-	-	-	-

* Includes unknown race

Table C-13A.
Live Births by Education and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
White

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	37,367	2,171	6,065	8,565	7,340	3,083	6,956	2,535	548	104
Abbeville	183	4	31	57	44	14	21	10	2	-
Aiken	1,265	77	219	359	174	139	199	87	4	7
Allendale	27	2	8	8	-	5	2	1	1	-
Anderson	1,817	47	359	529	360	159	256	85	20	2
Bamberg	53	2	8	16	10	6	4	7	-	-
Barnwell	147	7	34	41	21	15	19	8	2	-
Beaufort	1,630	135	234	331	354	128	325	96	14	13
Berkeley	1,546	68	230	431	385	123	221	70	16	2
Calhoun	80	4	5	19	20	6	19	7	-	-
Charleston	2,891	251	247	395	433	167	916	336	138	8
Cherokee	494	20	143	144	86	32	56	9	4	-
Chester	231	8	65	73	41	24	15	5	-	-
Chesterfield	315	14	62	95	62	29	32	20	-	1
Clarendon	153	2	26	40	40	22	13	9	-	1
Colleton	292	16	67	106	57	20	13	10	3	-
Darlington	440	12	86	124	89	41	58	27	3	-
Dillon	206	23	47	54	46	13	17	6	-	-
Dorchester	1,103	21	159	263	258	102	221	69	10	-
Edgefield	131	11	14	35	17	24	18	11	1	-
Fairfield	99	2	18	39	17	5	14	4	-	-
Florence	951	31	104	230	223	94	187	65	10	7
Georgetown	409	27	51	87	95	34	82	25	8	-
Greenville	4,531	352	747	791	839	328	1,044	348	74	8
Greenwood	578	51	109	124	108	43	106	27	6	4
Hampton	113	5	26	31	34	6	6	4	1	-
Horry	2,254	140	422	574	504	157	343	89	16	9
Jasper	217	36	67	45	22	14	28	2	2	1
Kershaw	544	15	93	141	131	43	80	30	10	1
Lancaster	496	37	105	153	78	46	49	27	1	-
Laurens	539	43	135	150	97	33	60	16	4	1
Lee	64	3	13	16	13	9	9	1	-	-
Lexington	2,561	136	352	566	583	191	508	181	38	6
McCormick	30	1	2	7	4	7	4	4	-	1
Marion	137	4	27	38	19	16	24	6	3	-
Marlboro	124	4	36	46	20	9	5	4	-	-
Newberry	336	45	53	76	64	34	41	11	5	7
Oconee	715	23	157	244	101	62	86	38	4	-
Orangeburg	414	28	83	108	76	61	44	10	3	1
Pickens	1,212	45	237	364	236	102	162	61	3	2
Richland	2,105	80	155	266	439	147	624	306	85	3
Saluda	189	65	22	36	22	15	19	4	-	6
Spartanburg	2,547	148	509	575	503	192	434	151	33	2
Sumter	824	22	106	162	273	96	113	36	8	8
Union	213	5	65	51	45	18	19	9	1	-
Williamsburg	115	5	23	28	26	14	11	3	4	1
York	2,046	94	304	497	271	238	429	200	11	2
Unknown										

Table C-13A. (continued)
Live Births by Education and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
Black & Other

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	20,080	348	5,030	6,526	4,855	1,019	1,523	599	101	79
Abbeville	86	2	21	35	17	3	6	1	-	1
Aiken	567	16	138	195	91	64	46	13	-	4
Allendale	120	4	42	31	30	9	3	-	1	-
Anderson	430	11	129	154	74	22	25	9	6	-
Bamberg	138	1	38	32	41	11	14	1	-	-
Barnwell	164	1	51	51	41	13	6	-	-	1
Beaufort	607	4	113	200	187	36	43	19	3	2
Berkeley	649	8	115	228	169	40	73	14	-	2
Calhoun	87	-	16	23	37	6	5	-	-	-
Charleston	1,901	38	516	628	453	82	111	46	22	5
Cherokee	178	1	63	63	30	9	11	1	-	-
Chester	196	2	56	87	32	7	7	5	-	-
Chesterfield	219	7	70	79	41	11	10	1	-	-
Clarendon	228	6	54	87	50	8	12	8	-	3
Colleton	251	4	62	107	52	7	12	7	-	-
Darlington	401	7	128	139	77	23	19	7	1	-
Dillon	241	4	81	105	34	8	5	3	1	-
Dorchester	462	4	85	165	121	19	42	19	4	3
Edgefield	117	4	30	48	18	9	5	3	-	-
Fairfield	210	3	59	82	47	9	9	1	-	-
Florence	997	15	264	334	233	44	74	23	6	4
Georgetown	295	5	72	122	70	11	9	5	1	-
Greenville	1,336	33	332	373	348	57	125	50	14	4
Greenwood	329	8	98	88	78	33	22	-	1	1
Hampton	180	7	35	67	39	16	13	3	-	-
Horry	646	13	169	249	136	33	32	8	3	3
Jasper	156	2	34	63	40	5	7	3	-	2
Kershaw	219	-	59	79	47	11	13	8	2	-
Lancaster	263	5	80	110	44	10	7	6	1	-
Laurens	231	7	64	89	49	11	6	5	-	-
Lee	179	1	59	68	41	3	4	3	-	-
Lexington	605	13	134	148	178	25	69	33	3	2
McCormick	47	-	11	9	20	1	4	2	-	-
Marion	295	7	75	119	63	11	14	4	2	-
Marlboro	241	4	87	90	30	11	12	7	-	-
Newberry	180	4	60	56	44	8	6	-	-	2
Oconee	73	2	18	21	16	4	7	4	1	-
Orangeburg	938	9	218	288	269	38	79	32	1	4
Pickens	95	-	26	26	18	5	14	6	-	-
Richland	2,680	32	504	692	779	132	344	153	23	21
Saluda	70	2	18	32	16	1	-	-	-	1
Spartanburg	861	20	273	237	198	47	58	24	3	1
Sumter	817	12	219	245	226	41	48	12	2	12
Union	104	1	32	43	18	6	3	1	-	-
Williamsburg	336	5	99	119	81	14	12	5	-	1
York	654	13	123	220	132	45	77	44	-	-
Unknown	1	1	-	-	-	-	-	-	-	-

ATTENDANT AT BIRTH

Of the 57,538 resident births, physicians attended 94 percent. The term “physician” includes osteopaths, residents, interns and externs. Midwives attended 5.1 percent of the total births, 5.1 percent of the white births, and 4.6 percent of the black and other births. Other and unknown attendant accounted for less than one percent of the total births. The term “other” includes any specific attendant other than physician, midwife or self-attended, such as a friend or relative, EMT, RN, PA, etc. Included in the “unknown” category are not specified or not classifiable attendants.

Table C-14.
Live Births by Attendant by Place of Delivery
South Carolina, 2005
(Residence Data)

Place of Birth	Total Birth	M.D.	D.O.	Certified Nurse/Licensed Midwife	Other Attendant	Unknown
Hospital	57,292	53,462	865	2,840	124	-
Birthing Center	27	1	-	26	-	-
Clinic/Doctors office	1	1	-	-	-	-
Home Birth	185	8	1	86	90	-
Other	33	6	2	3	16	1
Unknown	-	-	-	-	-	-
Total	57,538	53,478	868	2,955	230	1

Table C-15.
Percent of Births Occurring in Hospitals by Race of Mother
South Carolina, 1996-2005
(Residence Data)

Year	Total	White	Black & Other
1996	99.5	99.6	99.4
1997	99.5	99.6	99.4
1998	99.5	99.6	99.3
1999	99.6	99.6	99.5
2000	99.5	99.5	99.5
2001	99.6	99.6	99.5
2002	99.5	99.5	99.6
2003	99.5	99.5	99.5
2004	99.5	99.5	99.6
2005	99.6	99.5	99.7

Table C-16.
Live Births by Attendant
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total Births	Attendant						
		Physician		Certified Nurse/Licensed Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital			
South Carolina	57,538 *	54,327	19	2,840	115	124	106	7
Abbeville	269	267	-	-	1	-	1	-
Aiken	1,847 *	1,826	1	12	2	1	3	2
Allendale	147	143	-	4	-	-	-	-
Anderson	2,248 *	2,224	1	-	6	15	2	-
Bamberg	191	168	-	21	-	2	-	-
Barnwell	311	293	3	14	1	-	-	-
Beaufort	2,244 *	2,237	-	-	2	2	3	-
Berkeley	2,196 *	1,842	-	343	2	5	2	2
Calhoun	167	152	-	14	-	-	1	-
Charleston	4,798 *	4,564	-	212	7	4	10	1
Cherokee	672	658	-	12	-	-	2	-
Chester	427	399	-	27	-	1	-	-
Chesterfield	534	519	-	13	-	1	1	-
Clarendon	387 *	262	-	124	1	-	-	-
Colleton	543	522	-	20	1	-	-	-
Darlington	841	817	-	23	-	-	1	-
Dillon	447	445	-	-	-	2	-	-
Dorchester	1,565	1,376	1	185	1	1	1	-
Edgefield	248	247	1	-	-	-	-	-
Fairfield	309	302	-	4	-	2	1	-
Florence	1,952 *	1,927	-	17	3	2	3	-
Georgetown	704	585	-	118	1	-	-	-
Greenville	5,876 *	5,815	-	9	35	8	9	-
Greenwood	907	905	-	-	1	1	-	-
Hampton	293	286	-	5	1	-	1	-
Horry	2,903 *	2,483	2	409	-	3	6	-
Jasper	375 *	375	-	-	-	-	-	-
Kershaw	763	758	-	4	-	-	1	-
Lancaster	759	710	-	34	-	13	2	-
Laurens	770	758	-	-	4	6	2	-
Lee	244 *	232	-	12	-	-	-	-
Lexington	3,170 *	2,797	1	351	8	3	10	-
McCormick	77	76	-	-	1	-	-	-
Marion	434 *	426	-	6	-	1	-	1
Marlboro	366 *	363	1	-	1	1	-	-
Newberry	516	508	-	5	1	1	1	-
Oconee	788	750	-	-	3	32	3	-
Orangeburg	1,354 *	1,233	1	115	-	-	5	-
Pickens	1,309 *	1,292	-	-	9	4	3	1
Richland	4,791 *	4,630	1	133	7	6	14	-
Saluda	259	241	1	14	-	2	1	-
Spartanburg	3,411 *	3,301	-	89	9	1	11	-
Sumter	1,656 *	1,557	4	89	1	2	3	-
Union	317	313	-	3	1	-	-	-
Williamsburg	451	397	-	51	-	-	3	-
York	2,701 *	2,346	1	348	5	1	-	-
Unknown	1	-	-	-	-	1	-	-

* Includes unknown race

Table C-16A.
Live Births by Attendant and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
White

County of Residence	Total Births	Attendant						
		Physician		Certified Nurse/Licensed Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital			
South Carolina	37,367	35,208	10	1,907	110	79	50	3
Abbeville	183	182	-	-	1	-	-	-
Aiken	1,265	1,245	1	12	2	1	3	1
Allendale	27	27	-	-	-	-	-	-
Anderson	1,817	1,801	1	-	6	8	1	-
Bamberg	53	46	-	7	-	-	-	-
Barnwell	147	138	1	8	-	-	-	-
Beaufort	1,630	1,623	-	-	2	2	3	-
Berkeley	1,546	1,312	-	229	2	3	-	-
Calhoun	80	72	-	8	-	-	-	-
Charleston	2,891	2,730	-	146	6	3	5	1
Cherokee	494	483	-	9	-	-	2	-
Chester	231	218	-	12	-	1	-	-
Chesterfield	315	305	-	9	-	1	-	-
Clarendon	153	115	-	38	-	-	-	-
Colleton	292	273	-	18	1	-	-	-
Darlington	440	427	-	13	-	-	-	-
Dillon	206	204	-	-	-	2	-	-
Dorchester	1,103	975	1	125	1	1	-	-
Edgefield	131	131	-	-	-	-	-	-
Fairfield	99	94	-	4	-	1	-	-
Florence	951	934	-	12	3	1	1	-
Georgetown	409	337	-	71	1	-	-	-
Greenville	4,531	4,478	-	9	35	3	6	-
Greenwood	578	577	-	-	1	-	-	-
Hampton	113	109	-	3	1	-	-	-
Horry	2,254	1,950	1	296	-	3	4	-
Jasper	217	217	-	-	-	-	-	-
Kershaw	544	539	-	4	-	-	1	-
Lancaster	496	459	-	32	-	4	1	-
Laurens	539	532	-	-	4	3	-	-
Lee	64	63	-	1	-	-	-	-
Lexington	2,561	2,246	1	297	8	1	8	-
McCormick	30	29	-	-	1	-	-	-
Marion	137	133	-	4	-	-	-	-
Marlboro	124	124	-	-	-	-	-	-
Newberry	336	330	-	5	1	-	-	-
Oconee	715	678	-	-	3	32	2	-
Orangeburg	414	367	1	44	-	-	2	-
Pickens	1,212	1,196	-	-	9	3	3	1
Richland	2,105	2,004	-	89	7	3	2	-
Saluda	189	175	1	11	-	1	1	-
Spartanburg	2,547	2,460	-	74	9	-	4	-
Sumter	824	747	2	72	1	1	1	-
Union	213	213	-	-	-	-	-	-
Williamsburg	115	100	-	15	-	-	-	-
York	2,046	1,810	-	230	5	1	-	-
Unknown								

Table C-16A. (continued)
Live Births by Attendant and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
Black & Other

County of Residence	Total Births	Attendant						
		Physician		Certified Nurse/Licensed Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital			
South Carolina	20,080	19,037	8	927	5	44	56	3
Abbeville	86	85	-	-	-	-	1	-
Aiken	567	566	-	-	-	-	-	1
Allendale	120	116	-	4	-	-	-	-
Anderson	430	423	-	-	-	6	1	-
Bamberg	138	122	-	14	-	2	-	-
Barnwell	164	155	2	6	1	-	-	-
Beaufort	607	607	-	-	-	-	-	-
Berkeley	649	529	-	114	-	2	2	2
Calhoun	87	80	-	6	-	-	1	-
Charleston	1,901	1,828	-	66	1	1	5	-
Cherokee	178	175	-	3	-	-	-	-
Chester	196	181	-	15	-	-	-	-
Chesterfield	219	214	-	4	-	-	1	-
Clarendon	228	144	-	83	1	-	-	-
Colleton	251	249	-	2	-	-	-	-
Darlington	401	390	-	10	-	-	1	-
Dillon	241	241	-	-	-	-	-	-
Dorchester	462	401	-	60	-	-	1	-
Edgefield	117	116	1	-	-	-	-	-
Fairfield	210	208	-	-	-	1	1	-
Florence	997	990	-	4	-	1	2	-
Georgetown	295	248	-	47	-	-	-	-
Greenville	1,336	1,328	-	-	-	5	3	-
Greenwood	329	328	-	-	-	1	-	-
Hampton	180	177	-	2	-	-	1	-
Horry	646	530	1	113	-	-	2	-
Jasper	156	156	-	-	-	-	-	-
Kershaw	219	219	-	-	-	-	-	-
Lancaster	263	251	-	2	-	9	1	-
Laurens	231	226	-	-	-	3	2	-
Lee	179	168	-	11	-	-	-	-
Lexington	605	547	-	54	-	2	2	-
McCormick	47	47	-	-	-	-	-	-
Marion	295	292	-	2	-	1	-	-
Marlboro	241	238	1	-	1	1	-	-
Newberry	180	178	-	-	-	1	1	-
Oconee	73	72	-	-	-	-	1	-
Orangeburg	938	864	-	71	-	-	3	-
Pickens	95	94	-	-	-	1	-	-
Richland	2,680	2,620	1	44	-	3	12	-
Saluda	70	66	-	3	-	1	-	-
Spartanburg	861	838	-	15	-	1	7	-
Sumter	817	797	2	15	-	1	2	-
Union	104	100	-	3	1	-	-	-
Williamsburg	336	297	-	36	-	-	3	-
York	654	536	-	118	-	-	-	-
Unknown	1	-	-	-	-	1	-	-

Table C-17.
Live Births by Attendant
South Carolina and Each County, 2005
(Occurrence Data)

County of Occurrence	Total Births	Attendant						
		Physician		Certified Nurse/Licensed Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital			
South Carolina	55,316 *	52,054	17	2,905	113	121	103	3
Abbeville	60	58	-	-	1	-	1	-
Aiken	1,110 *	1,106	-	-	1	-	3	-
Allendale	37	33	1	3	-	-	-	-
Anderson	1,852 *	1,831	1	-	4	14	2	-
Bamberg	88	50	-	36	-	2	-	-
Barnwell	5	2	2	-	1	-	-	-
Beaufort	2,510 *	2,504	-	-	1	2	3	-
Berkeley	4	-	-	-	2	-	2	-
Calhoun	1	-	-	-	-	-	1	-
Charleston	8,150 *	7,387	-	736	7	9	10	1
Cherokee	382	380	-	-	-	-	2	-
Chester	-	-	-	-	-	-	-	-
Chesterfield	144	143	-	-	-	-	1	-
Clarendon	570 *	326	1	241	2	-	-	-
Colleton	494	493	-	-	1	-	-	-
Darlington	612	561	-	50	-	-	1	-
Dillon	279	279	-	-	-	-	-	-
Dorchester	1,045 *	990	-	53	1	-	1	-
Edgefield	1	1	-	-	-	-	-	-
Fairfield	1	-	-	-	-	-	1	-
Florence	3,144 *	3,134	-	-	3	3	4	-
Georgetown	955	734	-	220	1	-	-	-
Greenville	7,955 *	7,887	-	-	49	10	9	-
Greenwood	1,563 *	1,556	1	-	1	5	-	-
Hampton	3	1	-	-	1	-	1	-
Horry	2,565 *	2,174	2	379	-	3	6	1
Jasper	43	43	-	-	-	-	-	-
Kershaw	418	416	-	-	-	-	2	-
Lancaster	661	643	-	-	-	17	1	-
Laurens	387	378	-	-	2	5	2	-
Lee	-	-	-	-	-	-	-	-
Lexington	2,752 *	2,199	1	531	8	4	9	-
McCormick	1	-	-	-	1	-	-	-
Marion	433 *	430	-	-	-	3	-	-
Marlboro	144	142	1	-	-	1	-	-
Newberry	358	356	-	-	1	-	1	-
Oconee	511	472	-	-	2	34	3	-
Orangeburg	1,407 *	1,299	1	102	-	-	5	-
Pickens	494	489	-	-	2	1	2	-
Richland	6,675 *	6,647	1	-	7	6	14	-
Saluda	1	-	-	-	-	-	1	-
Spartanburg	3,620 *	3,485	-	115	8	1	11	-
Sumter	1,422 *	1,417	4	-	-	-	1	-
Union	93	92	-	-	1	-	-	-
Williamsburg	150	124	-	22	-	1	3	-
York	2,215 *	1,792	1	417	5	-	-	-
Unknown	1	-	-	-	-	-	-	1

* Includes unknown race

Table C-17A.
Live Births by Attendant and Race of Mother
South Carolina and Each County, 2005
(Occurrence Data)
White

County of Occurrence	Total Births	Attendant						
		Physician		Certified Nurse/Licensed Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital			
South Carolina	35,669	33,480	9	1,949	109	76	45	1
Abbeville	35	34	-	-	1	-	-	-
Aiken	612	608	-	-	1	-	3	-
Allendale	8	8	-	-	-	-	-	-
Anderson	1,449	1,435	1	-	4	8	1	-
Bamberg	38	20	-	18	-	-	-	-
Barnwell	2	1	1	-	-	-	-	-
Beaufort	1,717	1,711	-	-	1	2	3	-
Berkeley	2	-	-	-	2	-	-	-
Calhoun	-	-	-	-	-	-	-	-
Charleston	5,202	4,701	-	484	6	6	5	-
Cherokee	246	244	-	-	-	-	2	-
Chester	-	-	-	-	-	-	-	-
Chesterfield	59	59	-	-	-	-	-	-
Clarendon	280	158	1	120	1	-	-	-
Colleton	218	217	-	-	1	-	-	-
Darlington	270	246	-	24	-	-	-	-
Dillon	90	90	-	-	-	-	-	-
Dorchester	736	693	-	42	1	-	-	-
Edgefield	1	1	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-
Florence	1,616	1,611	-	-	3	1	1	-
Georgetown	659	493	-	165	1	-	-	-
Greenville	6,419	6,361	-	-	49	4	5	-
Greenwood	959	956	1	-	1	1	-	-
Hampton	1	-	-	-	1	-	-	-
Horry	1,927	1,673	1	246	-	3	4	-
Jasper	31	31	-	-	-	-	-	-
Kershaw	249	248	-	-	-	-	1	-
Lancaster	366	359	-	-	-	7	-	-
Laurens	262	258	-	-	2	2	-	-
Lee	-	-	-	-	-	-	-	-
Lexington	2,059	1,613	1	428	8	2	7	-
McCormick	1	-	-	-	1	-	-	-
Marion	146	144	-	-	-	2	-	-
Marlboro	30	30	-	-	-	-	-	-
Newberry	219	218	-	-	1	-	-	-
Oconee	466	428	-	-	2	34	2	-
Orangeburg	386	345	1	38	-	-	2	-
Pickens	460	455	-	-	2	1	2	-
Richland	3,474	3,462	-	-	7	3	2	-
Saluda	1	-	-	-	-	-	1	-
Spartanburg	2,681	2,574	-	95	8	-	4	-
Sumter	673	671	2	-	-	-	-	-
Union	53	53	-	-	-	-	-	-
Williamsburg	24	14	-	10	-	-	-	-
York	1,541	1,257	-	279	5	-	-	-
Unknown	1	-	-	-	-	-	-	1

Table C-17A. (continued)
Live Births by Attendant and Race of Mother
South Carolina and Each County, 2005
(Occurrence Data)
Black & Other

County of Occurrence	Total Births	Attendant						
		Physician		Certified Nurse/Licensed Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital			
South Carolina	19,559	18,495	7	950	4	44	58	1
Abbeville	25	24	-	-	-	-	1	-
Aiken	485	485	-	-	-	-	-	-
Allendale	29	25	1	3	-	-	-	-
Anderson	402	395	-	-	-	6	1	-
Bamberg	50	30	-	18	-	2	-	-
Barnwell	3	1	1	-	1	-	-	-
Beaufort	785	785	-	-	-	-	-	-
Berkeley	2	-	-	-	-	-	2	-
Calhoun	1	-	-	-	-	-	1	-
Charleston	2,943	2,681	-	252	1	3	5	1
Cherokee	136	136	-	-	-	-	-	-
Chester	-	-	-	-	-	-	-	-
Chesterfield	85	84	-	-	-	-	1	-
Clarendon	275	159	-	115	1	-	-	-
Colleton	276	276	-	-	-	-	-	-
Darlington	342	315	-	26	-	-	1	-
Dillon	189	189	-	-	-	-	-	-
Dorchester	306	294	-	11	-	-	1	-
Edgefield	-	-	-	-	-	-	-	-
Fairfield	1	-	-	-	-	-	1	-
Florence	1,524	1,519	-	-	-	2	3	-
Georgetown	296	241	-	55	-	-	-	-
Greenville	1,524	1,514	-	-	-	6	4	-
Greenwood	603	600	-	-	-	3	-	-
Hampton	2	1	-	-	-	-	1	-
Horry	635	499	1	133	-	-	2	-
Jasper	12	12	-	-	-	-	-	-
Kershaw	169	168	-	-	-	-	1	-
Lancaster	295	284	-	-	-	10	1	-
Laurens	125	120	-	-	-	3	2	-
Lee	-	-	-	-	-	-	-	-
Lexington	690	583	-	103	-	2	2	-
McCormick	-	-	-	-	-	-	-	-
Marion	286	285	-	-	-	1	-	-
Marlboro	114	112	1	-	-	1	-	-
Newberry	139	138	-	-	-	-	1	-
Oconee	45	44	-	-	-	-	1	-
Orangeburg	1,020	953	-	64	-	-	3	-
Pickens	34	34	-	-	-	-	-	-
Richland	3,195	3,179	1	-	-	3	12	-
Saluda	-	-	-	-	-	-	-	-
Spartanburg	937	909	-	20	-	1	7	-
Sumter	740	737	2	-	-	-	1	-
Union	40	39	-	-	1	-	-	-
Williamsburg	126	110	-	12	-	1	3	-
York	673	535	-	138	-	-	-	-
Unknown	-	-	-	-	-	-	-	-

AGE OF MOTHER

In 2005, there were 134 live births to resident mothers under 15 years of age and 42 births to resident mothers 45 years of age and over. As shown in Table C-18, women aged 15-44 years were responsible for 99.7 percent of all live births. In 1980, the median age of mothers was 23.8 years. In 1986, the median age increased to 25 and remained there until 1997. The median age rose to 26 in 1997 and remained unchanged until 2001, when it rose to 27. The median age for 2005 has returned to 26. The youngest mother to give birth in 2005 was 11 years old and the oldest was 51 years old.

Table C-18.
Percent Distribution of Live Births by Age of Mother
South Carolina, 2001-2005
(Residence Data)

Age of Mother	2001	2002	2003	2004	2005
All Ages	100.0	100.0	100.0	100.0	100.0
Under 15 Years	0.3	0.3	0.2	0.2	0.2
15-19 Years	14.2	13.4	13.0	13.2	13.0
20-24 Years	29.4	29.2	29.3	29.3	29.1
25-29 Years	26.0	26.2	26.5	26.7	27.3
30-34 Years	20.0	20.4	20.7	20.0	19.7
35-39 Years	8.4	8.6	8.5	8.7	8.9
40-44 Years	1.6	1.8	1.7	1.8	1.7
45 Years and Over	0.1	0.1	0.1	0.1	0.1

Figure C-3
Percent of Live Births to Women Age 30 and Over by Race
South Carolina, 1996-2005
(Residence Data)




Table C-19.
Live Births by Age of Mother
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	57,538 *	134	7,460	16,717	15,720	11,349	5,142	969	42	5
Abbeville	269	-	45	89	69	40	21	5	-	-
Aiken	1,847 *	3	276	569	480	337	156	26	-	-
Allendale	147	2	35	61	26	13	8	2	-	-
Anderson	2,248 *	9	297	683	620	435	174	29	-	1
Bamberg	191	1	32	59	46	31	15	7	-	-
Barnwell	311	-	51	118	82	41	16	3	-	-
Beaufort	2,244 *	2	241	651	635	442	221	52	-	-
Berkeley	2,196 *	2	263	681	648	388	181	32	1	-
Calhoun	167	-	20	55	48	34	10	-	-	-
Charleston	4,798 *	12	527	1,249	1,233	1,126	544	101	6	-
Cherokee	672	1	122	213	180	111	40	5	-	-
Chester	427	1	73	154	118	52	26	3	-	-
Chesterfield	534	1	86	192	121	79	45	10	-	-
Clarendon	387 *	1	68	138	89	65	21	5	-	-
Colleton	543	2	103	180	145	78	28	7	-	-
Darlington	841	5	125	257	228	145	60	18	3	-
Dillon	447	1	80	146	128	62	24	6	-	-
Dorchester	1,565	2	174	429	466	329	138	26	1	-
Edgefield	248	3	33	81	64	43	18	5	1	-
Fairfield	309	1	44	101	89	47	22	5	-	-
Florence	1,952 *	8	263	587	559	359	149	25	1	1
Georgetown	704	4	107	189	195	129	68	10	2	-
Greenville	5,876 *	12	563	1,504	1,664	1,339	666	122	6	-
Greenwood	907	3	144	301	232	167	48	11	1	-
Hampton	293	1	34	100	92	40	24	2	-	-
Horry	2,903 *	5	338	899	827	527	259	45	3	-
Jasper	375 *	-	51	128	104	59	24	9	-	-
Kershaw	763	-	133	223	208	133	55	10	1	-
Lancaster	759	2	135	264	171	124	53	10	-	-
Laurens	770	4	138	257	190	114	59	8	-	-
Lee	244 *	1	44	86	58	34	17	3	1	-
Lexington	3,170 *	4	337	811	895	746	317	58	2	-
McCormick	77	-	10	18	25	17	6	1	-	-
Marion	434 *	3	71	134	134	61	29	1	-	1
Marlboro	366 *	5	61	139	103	37	17	4	-	-
Newberry	516	1	70	156	147	92	42	7	1	-
Oconee	788	1	107	246	213	150	60	11	-	-
Orangeburg	1,354 *	4	198	486	353	200	90	22	1	-
Pickens	1,309 *	1	169	379	365	270	102	22	1	-
Richland	4,791 *	4	510	1,213	1,299	1,130	526	104	5	-
Saluda	259	-	33	88	73	38	18	8	1	-
Spartanburg	3,411 *	10	534	935	947	661	269	55	-	-
Sumter	1,656 *	4	244	572	434	246	133	23	-	-
Union	317	2	70	91	72	56	21	5	-	-
Williamsburg	451	1	81	151	112	76	22	7	1	-
York	2,701 *	5	320	653	733	646	300	39	3	2
Unknown	1	-	-	1	-	-	-	-	-	-

* Includes unknown race

Table C-19A.
Live Births by Age and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
White

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	37,367	38	3,856	9,763	10,720	8,418	3,889	650	31	2
Abbeville	183	-	27	50	54	33	16	3	-	-
Aiken	1,265	2	150	371	354	254	115	19	-	-
Allendale	27	-	4	9	7	6	1	-	-	-
Anderson	1,817	5	221	519	523	371	154	24	-	-
Bamberg	53	-	3	13	14	17	3	3	-	-
Barnwell	147	-	20	49	41	28	9	-	-	-
Beaufort	1,630	-	139	443	469	355	181	43	-	-
Berkeley	1,546	-	170	472	475	287	124	17	1	-
Calhoun	80	-	5	16	37	17	5	-	-	-
Charleston	2,891	2	179	538	780	872	443	71	6	-
Cherokee	494	1	83	154	130	87	35	4	-	-
Chester	231	1	30	85	61	35	18	1	-	-
Chesterfield	315	1	40	100	76	57	33	8	-	-
Clarendon	153	-	21	48	39	31	10	4	-	-
Colleton	292	1	42	97	85	43	19	5	-	-
Darlington	440	1	55	124	119	88	42	9	2	-
Dillon	206	-	33	62	67	28	14	2	-	-
Dorchester	1,103	1	105	284	334	254	106	18	1	-
Edgefield	131	1	11	42	32	29	14	1	1	-
Fairfield	99	1	9	32	28	16	11	2	-	-
Florence	951	-	88	250	291	210	94	16	1	1
Georgetown	409	2	49	91	108	95	53	9	2	-
Greenville	4,531	3	360	1,067	1,316	1,128	558	94	5	-
Greenwood	578	-	83	178	151	124	33	8	1	-
Hampton	113	-	8	36	43	15	11	-	-	-
Horry	2,254	2	224	665	655	451	222	33	2	-
Jasper	217	-	27	65	62	43	16	4	-	-
Kershaw	544	-	87	140	149	116	44	7	1	-
Lancaster	496	-	75	151	134	94	36	6	-	-
Laurens	539	2	85	170	140	88	48	6	-	-
Lee	64	-	6	23	19	11	4	1	-	-
Lexington	2,561	2	236	631	734	631	279	46	2	-
McCormick	30	-	1	6	9	8	5	1	-	-
Marion	137	-	16	40	49	22	9	1	-	-
Marlboro	124	1	20	41	36	15	10	1	-	-
Newberry	336	-	36	89	103	70	34	4	-	-
Oconee	715	-	95	218	201	133	58	10	-	-
Orangeburg	414	-	54	123	117	79	35	6	-	-
Pickens	1,212	1	154	354	332	251	98	21	1	-
Richland	2,105	1	117	370	613	639	312	51	2	-
Saluda	189	-	21	59	57	32	14	6	-	-
Spartanburg	2,547	5	335	642	758	537	226	44	-	-
Sumter	824	-	79	292	236	137	69	11	-	-
Union	213	1	48	58	51	40	13	2	-	-
Williamsburg	115	1	9	36	39	23	6	1	-	-
York	2,046	-	196	460	592	518	249	27	3	1
Unknown	-	-	-	-	-	-	-	-	-	-

Table C-19A. (continued)
Live Births by Age and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
Black & Other

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	20,080	96	3,594	6,933	4,974	2,912	1,243	317	11	-
Abbeville	86	-	18	39	15	7	5	2	-	-
Aiken	567	1	124	196	117	83	39	7	-	-
Allendale	120	2	31	52	19	7	7	2	-	-
Anderson	430	4	76	164	97	64	20	5	-	-
Bamberg	138	1	29	46	32	14	12	4	-	-
Barnwell	164	-	31	69	41	13	7	3	-	-
Beaufort	607	2	102	206	164	84	40	9	-	-
Berkeley	649	2	93	209	173	101	56	15	-	-
Calhoun	87	-	15	39	11	17	5	-	-	-
Charleston	1,901	10	347	711	452	250	101	30	-	-
Cherokee	178	-	39	59	50	24	5	1	-	-
Chester	196	-	43	69	57	17	8	2	-	-
Chesterfield	219	-	46	92	45	22	12	2	-	-
Clarendon	228	1	46	87	49	33	11	1	-	-
Colleton	251	1	61	83	60	35	9	2	-	-
Darlington	401	4	70	133	109	57	18	9	1	-
Dillon	241	1	47	84	61	34	10	4	-	-
Dorchester	462	1	69	145	132	75	32	8	-	-
Edgefield	117	2	22	39	32	14	4	4	-	-
Fairfield	210	-	35	69	61	31	11	3	-	-
Florence	997	8	174	336	268	148	54	9	-	-
Georgetown	295	2	58	98	87	34	15	1	-	-
Greenville	1,336	9	203	436	344	209	106	28	1	-
Greenwood	329	3	61	123	81	43	15	3	-	-
Hampton	180	1	26	64	49	25	13	2	-	-
Horry	646	3	113	233	172	76	36	12	1	-
Jasper	156	-	24	61	42	16	8	5	-	-
Kershaw	219	-	46	83	59	17	11	3	-	-
Lancaster	263	2	60	113	37	30	17	4	-	-
Laurens	231	2	53	87	50	26	11	2	-	-
Lee	179	1	38	63	39	23	12	2	1	-
Lexington	605	2	100	179	160	114	38	12	-	-
McCormick	47	-	9	12	16	9	1	-	-	-
Marion	295	3	55	93	85	39	20	-	-	-
Marlboro	241	4	41	98	66	22	7	3	-	-
Newberry	180	1	34	67	44	22	8	3	1	-
Oconee	73	1	12	28	12	17	2	1	-	-
Orangeburg	938	4	144	363	236	120	55	15	1	-
Pickens	95	-	14	25	32	19	4	1	-	-
Richland	2,680	3	392	843	685	488	214	52	3	-
Saluda	70	-	12	29	16	6	4	2	1	-
Spartanburg	861	5	199	293	189	122	42	11	-	-
Sumter	817	4	164	273	193	108	63	12	-	-
Union	104	1	22	33	21	16	8	3	-	-
Williamsburg	336	-	72	115	73	53	16	6	1	-
York	654	5	124	193	141	128	51	12	-	-
Unknown	1	-	-	1	-	-	-	-	-	-

Table C-20.
Live Births to Mothers Less than 20 Years Old
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	7,594 *	134	349	716	1,404	2,097	2,894
Abbeville	45	-	-	4	8	13	20
Aiken	279 *	3	8	22	46	85	115
Allendale	37	2	3	2	8	5	17
Anderson	306	9	12	27	47	86	125
Bamberg	33	1	1	3	7	11	10
Barnwell	51	-	2	5	10	14	20
Beaufort	243	2	10	21	41	62	107
Berkeley	265	2	6	19	51	78	109
Calhoun	20	-	2	4	2	7	5
Charleston	539 *	12	31	52	102	157	185
Cherokee	123	1	5	19	26	38	34
Chester	74	1	3	8	14	24	24
Chesterfield	87	1	5	13	7	22	39
Clarendon	69 *	1	4	7	12	21	24
Colleton	105	2	2	12	17	32	40
Darlington	130	5	6	13	31	34	41
Dillon	81	1	3	9	15	16	37
Dorchester	176	2	6	15	32	55	66
Edgefield	36	3	-	1	5	13	14
Fairfield	45	1	1	4	7	13	19
Florence	271 *	8	17	21	46	77	102
Georgetown	111	4	6	6	24	33	38
Greenville	575	12	24	47	100	166	226
Greenwood	147	3	12	11	27	46	48
Hampton	35	1	3	4	5	13	9
Horry	343 *	5	16	30	68	103	121
Jasper	51	-	3	4	12	12	20
Kershaw	133	-	3	15	24	43	48
Lancaster	137	2	10	10	27	39	49
Laurens	142	4	7	20	24	36	51
Lee	45	1	2	7	5	9	21
Lexington	341 *	4	12	33	67	94	131
McCormick	10	-	-	1	-	4	5
Marion	74	3	8	8	14	15	26
Marlboro	66	5	4	5	15	18	19
Newberry	71	1	7	5	10	23	25
Oconee	108	1	4	12	28	22	41
Orangeburg	202	4	12	32	26	54	74
Pickens	170 *	1	5	18	28	49	69
Richland	514 *	4	24	50	88	132	216
Saluda	33	-	1	1	6	8	17
Spartanburg	544	10	26	50	124	130	204
Sumter	248 *	4	7	24	60	50	103
Union	72	2	4	7	16	19	24
Williamsburg	82	1	4	10	15	26	26
York	325	5	18	25	57	90	130
Unknown	-	-	-	-	-	-	-

* Includes unknown race

Table C-20A.
Live Births to Mothers Less than 20 Years Old by Race of Mother
South Carolina and Each County, 2005
(Residence Data)
White

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	3,894	38	149	349	691	1,107	1,560
Abbeville	27	-	-	1	4	10	12
Aiken	152	2	3	12	26	50	59
Allendale	4	-	-	1	-	1	2
Anderson	226	5	7	17	33	65	99
Bamberg	3	-	-	-	1	1	1
Barnwell	20	-	1	3	3	5	8
Beaufort	139	-	5	11	26	35	62
Berkeley	170	-	1	10	31	50	78
Calhoun	5	-	1	-	1	2	1
Charleston	181	2	9	23	32	51	64
Cherokee	84	1	5	12	18	25	23
Chester	31	1	1	4	4	14	7
Chesterfield	41	1	2	6	3	8	21
Clarendon	21	-	1	-	3	7	10
Colleton	43	1	1	7	7	15	12
Darlington	56	1	3	6	17	16	13
Dillon	33	-	1	3	6	9	14
Dorchester	106	1	4	6	21	31	43
Edgefield	12	1	-	-	1	4	6
Fairfield	10	1	-	1	-	3	5
Florence	88	-	4	5	15	26	38
Georgetown	51	2	4	3	9	15	18
Greenville	363	3	13	29	64	101	153
Greenwood	83	-	4	6	12	29	32
Hampton	8	-	-	1	2	3	2
Horry	226	2	8	19	42	67	88
Jasper	27	-	3	2	8	5	9
Kershaw	87	-	2	8	14	29	34
Lancaster	75	-	3	7	15	22	28
Laurens	87	2	3	15	12	25	30
Lee	6	-	1	1	1	-	3
Lexington	238	2	8	23	42	67	96
McCormick	1	-	-	-	-	1	-
Marion	16	-	2	2	2	4	6
Marlboro	21	1	-	3	3	5	9
Newberry	36	-	3	2	5	13	13
Oconee	95	-	4	8	25	20	38
Orangeburg	54	-	4	8	8	12	22
Pickens	155	1	4	17	26	49	58
Richland	118	1	2	11	17	32	55
Saluda	21	-	-	1	5	4	11
Spartanburg	340	5	15	29	65	85	141
Sumter	79	-	2	9	16	16	36
Union	49	1	4	4	11	12	17
Williamsburg	10	1	-	1	1	4	3
York	196	-	11	12	34	59	80
Unknown	-	-	-	-	-	-	-

Table C-20A. (continued)
Live Births to Mothers Less than 20 Years Old by Race of Mother
South Carolina and Each County, 2005
(Residence Data)
Black & Other

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	3,690	96	199	367	710	988	1,330
Abbeville	18	-	-	3	4	3	8
Aiken	125	1	4	10	20	35	55
Allendale	33	2	3	1	8	4	15
Anderson	80	4	5	10	14	21	26
Bamberg	30	1	1	3	6	10	9
Barnwell	31	-	1	2	7	9	12
Beaufort	104	2	5	10	15	27	45
Berkeley	95	2	5	9	20	28	31
Calhoun	15	-	1	4	1	5	4
Charleston	357	10	22	29	70	106	120
Cherokee	39	-	-	7	8	13	11
Chester	43	-	2	4	10	10	17
Chesterfield	46	-	3	7	4	14	18
Clarendon	47	1	3	7	9	13	14
Colleton	62	1	1	5	10	17	28
Darlington	74	4	3	7	14	18	28
Dillon	48	1	2	6	9	7	23
Dorchester	70	1	2	9	11	24	23
Edgefield	24	2	-	1	4	9	8
Fairfield	35	-	1	3	7	10	14
Florence	182	8	13	16	30	51	64
Georgetown	60	2	2	3	15	18	20
Greenville	212	9	11	18	36	65	73
Greenwood	64	3	8	5	15	17	16
Hampton	27	1	3	3	3	10	7
Horry	116	3	8	11	25	36	33
Jasper	24	-	-	2	4	7	11
Kershaw	46	-	1	7	10	14	14
Lancaster	62	2	7	3	12	17	21
Laurens	55	2	4	5	12	11	21
Lee	39	1	1	6	4	9	18
Lexington	102	2	4	10	25	26	35
McCormick	9	-	-	1	-	3	5
Marion	58	3	6	6	12	11	20
Marlboro	45	4	4	2	12	13	10
Newberry	35	1	4	3	5	10	12
Oconee	13	1	-	4	3	2	3
Orangeburg	148	4	8	24	18	42	52
Pickens	14	-	1	1	2	-	10
Richland	395	3	22	39	71	100	160
Saluda	12	-	1	-	1	4	6
Spartanburg	204	5	11	21	59	45	63
Sumter	168	4	5	15	43	34	67
Union	23	1	-	3	5	7	7
Williamsburg	72	-	4	9	14	22	23
York	129	5	7	13	23	31	50
Unknown	-	-	-	-	-	-	-

LIVE BIRTHS TO UNMARRIED MOTHERS

In 2005, there were 14,390 live births to resident unmarried mothers in South Carolina, representing 25 percent of all live births. As in the past, live births to unmarried mothers occurred more frequently among young mothers. As shown in Table C-21, females under age 20 accounted for 27 percent of all live births to unmarried mothers in 2005.

Table C-21.
Percent Distribution of Live Births to Unmarried Mothers by Age
South Carolina, 2001-2005
(Residence Data)

Age of Mother	2001	2002	2003	2004	2005
All Ages	100.0	100.0	100.0	100.0	100.0
Under 15 Years	1.1	0.9	0.8	0.7	0.8
15-19 Years	29.7	27.9	27.4	26.2	26.5
20-24 Years	40.4	40.5	40.8	40.3	40.2
25-29 Years	16.8	18.2	18.4	19.6	19.8
30 Years and Older	12.0	12.4	12.6	13.0	12.7

Figure C-4.
Percent Distribution of Live Births to Unmarried Mothers by Age
South Carolina, 2005
(Residence Data)




Table C-22.
Live Births and Percent of Live Births to Unmarried Mothers by Race of Mother
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	14,390 *	25.0	4,863	13.0	9,495	47.3
Abbeville	83	30.9	26	14.2	57	66.3
Aiken	380 *	20.6	134	10.6	241	42.5
Allendale	79	53.7	5	18.5	74	61.7
Anderson	368	16.4	210	11.6	158	36.7
Bamberg	67	35.1	6	11.3	61	44.2
Barnwell	114	36.7	21	14.3	93	56.7
Beaufort	395 *	17.6	169	10.4	225	37.1
Berkeley	479	21.8	219	14.2	260	40.1
Calhoun	51	30.5	5	6.3	46	52.9
Charleston	1,477 *	30.8	349	12.1	1,125	59.2
Cherokee	125	18.6	59	11.9	66	37.1
Chester	164	38.4	43	18.6	121	61.7
Chesterfield	185	34.6	56	17.8	129	58.9
Clarendon	161 *	41.6	29	19.0	130	57.0
Colleton	164	30.2	40	13.7	124	49.4
Darlington	324	38.5	82	18.6	242	60.3
Dillon	207	46.3	59	28.6	148	61.4
Dorchester	301	19.2	129	11.7	172	37.2
Edgefield	68	27.4	12	9.2	56	47.9
Fairfield	121	39.2	21	21.2	100	47.6
Florence	755 *	38.7	154	16.2	598	60.0
Georgetown	147	20.9	38	9.3	109	36.9
Greenville	1,074 *	18.3	527	11.6	543	40.6
Greenwood	313	34.5	120	20.8	193	58.7
Hampton	98	33.4	17	15.0	81	45.0
Horry	678 *	23.4	359	15.9	316	48.9
Jasper	114	30.4	40	18.4	74	47.4
Kershaw	156	20.4	70	12.9	86	39.3
Lancaster	205	27.0	84	16.9	121	46.0
Laurens	211	27.4	86	16.0	125	54.1
Lee	121	49.6	17	26.6	104	58.1
Lexington	589 *	18.6	328	12.8	258	42.6
McCormick	35	45.5	6	20.0	29	61.7
Marion	237 *	54.6	26	19.0	210	71.2
Marlboro	186 *	50.8	40	32.3	145	60.2
Newberry	120	23.3	31	9.2	89	49.4
Oconee	100	12.7	78	10.9	22	30.1
Orangeburg	463	34.2	73	17.6	390	41.6
Pickens	166 *	12.7	131	10.8	34	35.8
Richland	1,268 *	26.5	213	10.1	1,052	39.3
Saluda	89	34.4	43	22.8	46	65.7
Spartanburg	530	15.5	241	9.5	289	33.6
Sumter	559 *	33.8	121	14.7	436	53.4
Union	62	19.6	29	13.6	33	31.7
Williamsburg	195	43.2	21	18.3	174	51.8
York	606	22.4	296	14.5	310	47.4
Unknown	-	0	-	0	-	0

* Includes unknown race

Table C-23.
Live Births to Unmarried Mothers by Age Group
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	14,390 *	119	3,807	5,780	2,850	1,212	478	139	4	1
Abbeville	83	-	21	38	17	3	4	-	-	-
Aiken	380 *	3	123	156	63	26	8	1	-	-
Allendale	79	2	26	38	6	2	4	1	-	-
Anderson	368	7	104	144	58	34	16	5	-	-
Bamberg	67	1	19	27	9	4	4	3	-	-
Barnwell	114	-	29	56	18	8	2	1	-	-
Beaufort	395 *	2	109	156	76	22	20	10	-	-
Berkeley	479	2	127	209	87	37	13	4	-	-
Calhoun	51	-	13	22	5	9	2	-	-	-
Charleston	1,477 *	10	367	637	299	106	42	16	-	-
Cherokee	125	-	36	51	22	14	1	1	-	-
Chester	164	1	43	65	39	10	5	1	-	-
Chesterfield	185	1	49	78	36	16	4	1	-	-
Clarendon	161 *	1	46	67	24	20	3	-	-	-
Colleton	164	2	54	66	23	14	4	1	-	-
Darlington	324	4	80	134	68	27	7	3	1	-
Dillon	207	1	60	79	45	17	3	2	-	-
Dorchester	301	2	72	125	69	20	8	5	-	-
Edgefield	68	2	17	26	19	2	1	1	-	-
Fairfield	121	1	27	52	30	7	3	1	-	-
Florence	755 *	8	190	294	177	60	22	4	-	-
Georgetown	147	3	44	47	36	13	4	-	-	-
Greenville	1,074 *	10	245	451	226	93	40	9	-	-
Greenwood	313	3	88	130	60	27	5	-	-	-
Hampton	98	1	25	38	20	11	3	-	-	-
Horry	678 *	5	162	283	141	47	32	8	-	-
Jasper	114	-	28	45	28	6	3	4	-	-
Kershaw	156	-	51	58	35	9	2	1	-	-
Lancaster	205	2	55	98	25	14	9	2	-	-
Laurens	211	4	66	80	41	15	5	-	-	-
Lee	121	1	30	46	24	14	5	1	-	-
Lexington	589 *	4	167	201	124	62	26	4	1	-
McCormick	35	-	6	10	11	6	2	-	-	-
Marion	237 *	3	54	87	54	31	8	-	-	-
Marlboro	186 *	5	37	82	48	8	5	1	-	-
Newberry	120	1	29	46	28	12	2	2	-	-
Oconee	100	1	30	41	17	9	2	-	-	-
Orangeburg	463	4	107	192	96	40	18	6	-	-
Pickens	166 *	1	52	58	30	17	5	3	-	-
Richland	1,268 *	4	285	509	260	138	58	13	1	-
Saluda	89	-	16	29	27	8	3	5	1	-
Spartanburg	530	7	201	180	89	36	13	4	-	-
Sumter	559 *	4	169	231	83	45	23	4	-	-
Union	62	2	25	19	12	2	1	1	-	-
Williamsburg	195	-	51	74	40	23	5	2	-	-
York	606	4	172	225	105	68	23	8	-	1
Unknown	-	-	-	-	-	-	-	-	-	-

*Includes unknown race

Table C-23A.
Live Births to Unmarried Mothers by Age Group and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
White

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	4,863	27	1,402	1,894	900	404	171	62	2	1
Abbeville	26	-	8	11	5	1	1	-	-	-
Aiken	134	2	43	54	25	8	2	-	-	-
Allendale	5	-	3	2	-	-	-	-	-	-
Anderson	210	3	66	76	33	19	10	3	-	-
Bamberg	6	-	1	1	1	1	-	2	-	-
Barnwell	21	-	7	11	2	1	-	-	-	-
Beaufort	169	-	46	71	29	11	6	6	-	-
Berkeley	219	-	65	97	37	14	5	1	-	-
Calhoun	5	-	2	2	-	1	-	-	-	-
Charleston	349	1	81	143	76	27	15	6	-	-
Cherokee	59	-	18	24	9	6	1	1	-	-
Chester	43	1	12	19	6	3	2	-	-	-
Chesterfield	56	1	17	19	11	7	1	-	-	-
Clarendon	29	-	11	14	2	2	-	-	-	-
Colleton	40	1	15	15	4	3	2	-	-	-
Darlington	82	-	24	39	13	3	2	-	1	-
Dillon	59	-	19	22	14	2	1	1	-	-
Dorchester	129	1	37	53	24	7	3	4	-	-
Edgefield	12	1	2	4	4	-	-	1	-	-
Fairfield	21	1	2	12	5	-	-	1	-	-
Florence	154	-	47	55	36	9	6	1	-	-
Georgetown	38	1	15	10	7	4	1	-	-	-
Greenville	527	1	127	214	106	48	24	7	-	-
Greenwood	120	-	41	50	17	11	1	-	-	-
Hampton	17	-	5	5	3	4	-	-	-	-
Horry	359	2	91	151	68	25	18	4	-	-
Jasper	40	-	15	13	10	1	-	1	-	-
Kershaw	70	-	26	23	12	7	1	1	-	-
Lancaster	84	-	24	32	16	8	2	2	-	-
Laurens	86	2	27	29	19	6	3	-	-	-
Lee	17	-	3	7	4	3	-	-	-	-
Lexington	328	2	95	112	66	34	16	2	1	-
McCormick	6	-	1	1	-	2	2	-	-	-
Marion	26	-	7	14	2	2	1	-	-	-
Marlboro	40	1	9	15	11	3	-	1	-	-
Newberry	31	-	5	15	6	5	-	-	-	-
Oconee	78	-	25	31	17	3	2	-	-	-
Orangeburg	73	-	26	22	15	7	3	-	-	-
Pickens	131	1	44	45	23	11	4	3	-	-
Richland	213	1	43	88	38	27	12	4	-	-
Saluda	43	-	8	10	15	6	1	3	-	-
Spartanburg	241	3	95	80	38	17	6	2	-	-
Sumter	121	-	38	57	11	8	5	2	-	-
Union	29	1	15	6	4	2	1	-	-	-
Williamsburg	21	-	6	9	4	1	1	-	-	-
York	296	-	85	111	52	34	10	3	-	1
Unknown	-	-	-	-	-	-	-	-	-	-

Table C-23A. (continued)
Live Births to Unmarried Mothers by Age Group and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
Black & Other

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	9,495	92	2,396	3,879	1,942	804	303	77	2	-
Abbeville	57	-	13	27	12	2	3	-	-	-
Aiken	241	1	79	102	35	18	5	1	-	-
Allendale	74	2	23	36	6	2	4	1	-	-
Anderson	158	4	38	68	25	15	6	2	-	-
Bamberg	61	1	18	26	8	3	4	1	-	-
Barnwell	93	-	22	45	16	7	2	1	-	-
Beaufort	225	2	63	84	47	11	14	4	-	-
Berkeley	260	2	62	112	50	23	8	3	-	-
Calhoun	46	-	11	20	5	8	2	-	-	-
Charleston	1,125	9	285	494	223	77	27	10	-	-
Cherokee	66	-	18	27	13	8	-	-	-	-
Chester	121	-	31	46	33	7	3	1	-	-
Chesterfield	129	-	32	59	25	9	3	1	-	-
Clarendon	130	1	34	52	22	18	3	-	-	-
Colleton	124	1	39	51	19	11	2	1	-	-
Darlington	242	4	56	95	55	24	5	3	-	-
Dillon	148	1	41	57	31	15	2	1	-	-
Dorchester	172	1	35	72	45	13	5	1	-	-
Edgefield	56	1	15	22	15	2	1	-	-	-
Fairfield	100	-	25	40	25	7	3	-	-	-
Florence	598	8	142	238	141	51	15	3	-	-
Georgetown	109	2	29	37	29	9	3	-	-	-
Greenville	543	9	118	236	117	45	16	2	-	-
Greenwood	193	3	47	80	43	16	4	-	-	-
Hampton	81	1	20	33	17	7	3	-	-	-
Horry	316	3	70	131	73	22	13	4	-	-
Jasper	74	-	13	32	18	5	3	3	-	-
Kershaw	86	-	25	35	23	2	1	-	-	-
Lancaster	121	2	31	66	9	6	7	-	-	-
Laurens	125	2	39	51	22	9	2	-	-	-
Lee	104	1	27	39	20	11	5	1	-	-
Lexington	258	2	71	88	58	27	10	2	-	-
McCormick	29	-	5	9	11	4	-	-	-	-
Marion	210	3	47	72	52	29	7	-	-	-
Marlboro	145	4	28	67	36	5	5	-	-	-
Newberry	89	1	24	31	22	7	2	2	-	-
Oconee	22	1	5	10	-	6	-	-	-	-
Orangeburg	390	4	81	170	81	33	15	6	-	-
Pickens	34	-	7	13	7	6	1	-	-	-
Richland	1,052	3	241	421	221	110	46	9	1	-
Saluda	46	-	8	19	12	2	2	2	1	-
Spartanburg	289	4	106	100	51	19	7	2	-	-
Sumter	436	4	130	174	72	37	17	2	-	-
Union	33	1	10	13	8	-	-	1	-	-
Williamsburg	174	-	45	65	36	22	4	2	-	-
York	310	4	87	114	53	34	13	5	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

LIVE BIRTHS BY BIRTHWEIGHT

Birthweight distribution by race reveals racial differences. For both races, the highest percentage of births weighed between 3,000-3,499 grams. However, the median birthweight for whites was greater than the median birthweight for black and other. Figure C-5 illustrates the birthweight distribution by race.

Table C-24.
Live Births by Birthweight Groups by Race of Mother:
South Carolina, 2005
(Residence Data)

Weight Group	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
Total	57,538	100.0	37,367	100.0	20,080	100.0
Less Than 2,500 grams	5,895	10.2	2,882	7.7	2,991	14.9
Under 500 grams	133	0.2	48	0.1	84	0.4
500-999 grams	485	0.8	188	0.5	297	1.5
1,000-1,499 grams	577	1.0	270	0.7	300	1.5
1,500-1,999 grams	1,174	2.0	602	1.6	568	2.8
2,000-2,499 grams	3,526	6.1	1,774	4.7	1,742	8.7
2,500 or More grams	51,622	89.7	34,475	92.3	17,078	85.0
Unknown Weight	21	0.0	10	0.0	11	0.1

Figure C-5.
Percent Distribution of Live Births by Birthweight (in grams)
and Race of Mother, South Carolina, 2005
(Residence Data)




Table C-25.
Live Births by Birthweight, Age and Race of Mother
South Carolina, 2005
(Residence Data)

Age and Race	Birthweight												
	Total Births	< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000 + Grams	Not Stated
South Carolina	57,538 *	133	485	577	1,174	3,526	11,716	22,121	13,823	3,403	495	64	21
White	37,367	48	188	270	602	1,774	6,235	14,396	10,564	2,814	412	54	10
Black/Other	20,080	84	297	300	568	1,742	5,467	7,693	3,240	585	83	10	11
Under 15 Years	134	-	2	5	6	13	33	56	18	1	-	-	-
White	38	-	1	-	1	4	10	15	6	1	-	-	-
Black/Other	96	-	1	5	5	9	23	41	12	-	-	-	-
15-19 Years	7,460 *	26	65	86	172	581	1,915	2,952	1,376	249	29	4	5
White	3,856	5	20	37	78	241	813	1,563	896	180	21	1	1
Black/Other	3,594	21	45	47	94	339	1,097	1,388	479	69	8	3	4
20-24 Years	16,717 *	39	147	172	313	1,097	3,808	6,580	3,650	795	108	5	3
White	9,763	15	55	64	123	461	1,840	3,901	2,573	633	91	5	2
Black/Other	6,933	24	92	108	190	634	1,966	2,668	1,071	162	17	-	1
25-34 Years	27,069 *	47	216	240	529	1,471	4,892	10,347	7,147	1,850	279	42	9
White	19,138	17	91	130	309	847	2,886	7,264	5,749	1,571	233	38	3
Black/Other	7,886	29	125	107	217	618	2,001	3,068	1,389	276	46	4	6
35-44 Years	6,111 *	21	54	73	151	361	1,066	2,169	1,618	503	79	12	4
White	4,539	11	20	39	89	219	684	1,640	1,330	426	67	10	4
Black/Other	1,560	10	34	33	62	141	380	525	285	76	12	2	-
45 and Over	42	-	-	-	1	3	2	16	14	5	-	1	-
White	31	-	-	-	1	2	2	13	10	3	-	-	-
Black/Other	11	-	-	-	-	1	-	3	4	2	-	1	-
Not Stated	5 *	-	1	1	2	-	-	1	-	-	-	-	-
White	2	-	1	-	1	-	-	-	-	-	-	-	-
Black/Other													

* Includes unknown race

Table C-26.
Live Births by Birthweight and Race of Mother
South Carolina and Each County, 2005
(Residence Data)

County and Race	Total Births	Birthweight											Not Stated
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000+ Grams	
South Carolina	57,538 *	133	485	577	1,174	3,526	11,716	22,121	13,823	3,403	495	64	21
White	37,367	48	188	270	602	1,774	6,235	14,396	10,564	2,814	412	54	10
Black/Other	20,080	84	297	300	568	1,742	5,467	7,693	3,240	585	83	10	11
Abbeville	269	1	4	2	3	19	66	98	51	24	1	-	-
White	183	-	1	1	1	10	38	66	44	21	1	-	-
Black/Other	86	1	3	1	2	9	28	32	7	3	-	-	-
Aiken	1,847 *	5	20	12	35	98	350	709	488	116	12	2	-
White	1,265	2	7	4	22	59	208	483	374	92	12	2	-
Black/Other	567	3	13	8	13	38	139	221	109	23	-	-	-
Allendale	147	-	1	-	3	16	43	52	27	3	2	-	-
White	27	-	1	-	1	2	5	9	6	2	1	-	-
Black/Other	120	-	-	-	2	14	38	43	21	1	1	-	-
Anderson	2,248 *	5	21	12	41	123	405	830	634	150	25	1	1
White	1,817	3	13	7	27	86	300	676	549	137	17	1	1
Black/Other	430	2	8	5	13	37	105	154	85	13	8	-	-
Bamberg	191	-	1	1	6	13	52	74	33	10	1	-	-
White	53	-	-	-	2	-	12	20	14	5	-	-	-
Black/Other	138	-	1	1	4	13	40	54	19	5	1	-	-
Barnwell	311	1	3	6	6	28	76	112	61	15	3	-	-
White	147	-	-	3	3	9	27	50	40	13	2	-	-
Black/Other	164	1	3	3	3	19	49	62	21	2	1	-	-
Beaufort	2,244 *	3	14	21	62	120	445	879	559	123	16	1	1
White	1,630	3	2	9	39	77	274	656	447	106	15	1	1
Black/Other	607	-	12	12	23	43	171	219	110	16	1	-	-
Berkeley	2,196 *	11	19	22	41	119	379	836	560	173	25	10	1
White	1,546	3	6	10	22	64	239	585	446	140	23	8	-
Black/Other	649	8	13	12	19	54	140	251	114	33	2	2	1
Calhoun	167	1	4	-	3	10	47	72	23	6	-	-	1
White	80	-	3	-	1	3	18	37	13	5	-	-	-
Black/Other	87	1	1	-	2	7	29	35	10	1	-	-	1

Table C-26. (continued)
Live Births by Birthweight and Race of Mother
South Carolina and Each County, 2005
(Residence Data)

County and Race	Total Births	Birthweight											
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000+ Grams	Not Stated
Charleston	4,798 *	17	41	59	86	277	950	1,869	1,177	273	41	8	-
White	2,891	7	13	22	39	120	443	1,124	870	217	29	7	-
Black/Other	1,901	10	28	36	47	156	506	743	306	56	12	1	-
Cherokee	672	2	9	10	16	58	173	245	130	25	3	-	1
White	494	-	6	9	12	41	118	178	104	24	2	-	-
Black/Other	178	2	3	1	4	17	55	67	26	1	1	-	1
Chester	427	1	9	8	7	18	93	158	104	23	4	2	-
White	231	-	4	3	3	8	45	86	64	15	1	2	-
Black/Other	196	1	5	5	4	10	48	72	40	8	3	-	-
Chesterfield	534	1	3	7	12	45	109	216	110	29	2	-	-
White	315	1	1	2	4	22	55	130	79	19	2	-	-
Black/Other	219	-	2	5	8	23	54	86	31	10	-	-	-
Clarendon	387 *	-	2	4	9	34	109	127	81	18	2	-	1
White	153	-	-	3	3	12	38	45	37	14	1	-	-
Black/Other	228	-	2	1	6	22	69	78	44	4	1	-	1
Colleton	543	2	5	7	15	39	109	199	129	33	3	2	-
White	292	-	1	4	5	17	43	102	88	29	2	1	-
Black/Other	251	2	4	3	10	22	66	97	41	4	1	1	-
Darlington	841	8	2	13	24	60	217	314	164	36	3	-	-
White	440	4	-	6	10	27	74	168	118	30	3	-	-
Black/Other	401	4	2	7	14	33	143	146	46	6	-	-	-
Dillon	447	1	7	6	15	41	125	161	69	20	2	-	-
White	206	1	3	3	9	20	43	69	42	15	1	-	-
Black/Other	241	-	4	3	6	21	82	92	27	5	1	-	-
Dorchester	1,565	2	13	13	25	79	281	597	421	118	13	3	-
White	1,103	-	4	7	12	42	174	412	333	103	13	3	-
Black/Other	462	2	9	6	13	37	107	185	88	15	-	-	-

Table C-26. (continued)
Live Births by Birthweight and Race of Mother
South Carolina and Each County, 2005
(Residence Data)

County and Race	Total Births	Birthweight											
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000+ Grams	Not Stated
Edgefield	248	-	2	3	2	17	50	98	61	12	3	-	-
White	131	-	2	2	1	5	21	52	35	10	3	-	-
Black/Other	117	-	-	1	1	12	29	46	26	2	-	-	-
Fairfield	309	1	3	7	8	16	81	125	54	12	2	-	-
White	99	1	-	2	2	2	16	44	22	8	2	-	-
Black/Other	210	-	3	5	6	14	65	81	32	4	-	-	-
Florence	1,952 *	4	31	21	64	157	417	772	381	89	11	1	4
White	951	2	7	7	20	51	145	392	245	71	7	1	3
Black/Other	997	2	24	14	44	106	271	377	136	18	4	-	1
Georgetown	704	5	8	9	10	40	173	271	154	30	3	1	-
White	409	2	3	3	4	16	80	165	110	24	2	-	-
Black/Other	295	3	5	6	6	24	93	106	44	6	1	1	-
Greenville	5,876 *	6	34	48	110	322	1,029	2,244	1,599	403	65	15	1
White	4,531	2	20	30	71	209	695	1,716	1,370	344	59	14	1
Black/Other	1,336	4	14	16	37	112	332	527	228	59	6	1	-
Greenwood	907	4	11	10	32	71	198	355	185	34	7	-	-
White	578	1	3	4	15	35	110	228	146	30	6	-	-
Black/Other	329	3	8	6	17	36	88	127	39	4	1	-	-
Hampton	293	-	2	4	6	21	73	134	43	9	1	-	-
White	113	-	-	2	1	6	23	46	29	6	-	-	-
Black/Other	180	-	2	2	5	15	50	88	14	3	1	-	-
Horry	2,903 *	6	21	39	53	190	657	1,150	644	124	19	-	-
White	2,254	6	9	22	31	129	462	915	557	107	16	-	-
Black/Other	646	-	12	16	22	60	195	234	87	17	3	-	-
Jasper	375 *	1	5	8	7	16	93	140	84	19	2	-	-
White	217	-	3	4	2	4	42	85	60	16	1	-	-
Black/Other	156	1	2	4	5	12	51	54	23	3	1	-	-

Table C-26. (continued)
Live Births by Birthweight and Race of Mother
South Carolina and Each County, 2005
(Residence Data)

County and Race	Total Births	Birthweight											
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000+ Grams	Not Stated
Kershaw	763	-	4	7	15	48	141	293	194	52	8	1	-
White	544	-	4	3	7	32	92	202	152	47	5	-	-
Black/Other	219	-	-	4	8	16	49	91	42	5	3	1	-
Lancaster	759	3	4	9	18	58	181	281	164	34	5	-	2
White	496	1	2	6	11	27	95	187	132	30	5	-	-
Black/Other	263	2	2	3	7	31	86	94	32	4	-	-	2
Laurens	770	3	5	3	14	45	169	309	175	42	4	1	-
White	539	2	1	2	11	23	111	215	136	33	4	1	-
Black/Other	231	1	4	1	3	22	58	94	39	9	-	-	-
Lee	244 *	2	-	3	3	17	58	106	45	10	-	-	-
White	64	-	-	-	-	3	8	34	15	4	-	-	-
Black/Other	179	2	-	3	3	14	49	72	30	6	-	-	-
Lexington	3,170 *	5	17	27	58	143	490	1,177	944	261	45	2	1
White	2,561	1	7	19	43	106	343	952	804	241	42	2	1
Black/Other	605	4	10	8	15	35	146	224	140	20	3	-	-
McCormick	77	1	1	1	4	8	18	27	16	1	-	-	-
White	30	-	-	-	2	3	2	12	10	1	-	-	-
Black/Other	47	1	1	1	2	5	16	15	6	-	-	-	-
Marion	434 *	-	3	6	9	38	104	160	92	20	2	-	-
White	137	-	1	2	1	7	24	48	44	9	1	-	-
Black/Other	295	-	2	3	8	31	80	111	48	11	1	-	-
Marlboro	366 *	-	8	11	13	27	96	132	62	13	3	1	-
White	124	-	1	4	4	6	23	41	37	6	2	-	-
Black/Other	241	-	7	6	9	21	73	91	25	7	1	1	-
Newberry	516	1	3	5	11	37	119	193	114	23	10	-	-
White	336	-	1	4	2	19	66	130	88	18	8	-	-
Black/Other	180	1	2	1	9	18	53	63	26	5	2	-	-
Oconee	788	-	5	4	14	28	131	312	226	60	7	1	-
White	715	-	5	3	11	22	112	283	214	57	7	1	-
Black/Other	73	-	-	1	3	6	19	29	12	3	-	-	-

Table C-26. (continued)
Live Births by Birthweight and Race of Mother
South Carolina and Each County, 2005
(Residence Data)

County and Race	Total Births	Birthweight											
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000+ Grams	Not States
Orangeburg	1,354 *	5	13	17	31	103	337	569	238	34	7	-	-
White	414	1	-	3	8	19	87	161	115	15	5	-	-
Black/Other	938	4	13	14	23	84	249	408	122	19	2	-	-
Pickens	1,309 *	1	9	10	17	70	198	513	371	98	19	3	-
White	1,212	-	9	9	17	67	183	469	347	91	17	3	-
Black/Other	95	1	-	-	-	2	15	44	24	7	2	-	-
Richland	4,791 *	12	53	35	85	308	1,138	1,893	999	236	26	4	2
White	2,105	1	18	13	32	83	372	845	571	148	18	3	1
Black/Other	2,680	10	35	22	52	224	766	1,046	428	87	8	1	1
Saluda	259	-	1	3	8	19	58	85	58	25	2	-	-
White	189	-	1	3	4	11	35	66	46	21	2	-	-
Black/Other	70	-	-	-	4	8	23	19	12	4	-	-	-
Spartanburg	3,411 *	-	22	32	72	210	681	1,316	830	219	25	2	2
White	2,547	-	14	14	37	130	448	1,006	680	192	22	2	2
Black/Other	861	-	8	18	35	80	233	309	149	26	3	-	-
Sumter	1,656 *	3	17	17	32	106	341	627	395	97	18	1	2
White	824	2	4	2	12	32	129	316	240	74	13	-	-
Black/Other	817	1	13	15	20	73	210	306	148	23	5	1	2
Union	317	-	1	7	7	20	59	133	73	14	3	-	-
White	213	-	-	3	5	12	40	89	51	12	1	-	-
Black/Other	104	-	1	4	2	8	19	44	22	2	2	-	-
Williamsburg	451	2	5	8	12	49	133	146	84	9	1	1	1
White	115	-	-	1	4	6	23	42	32	5	1	1	-
Black/Other	336	2	5	7	8	43	110	104	52	4	-	-	1
York	2,701 *	7	19	20	50	145	463	1,012	717	228	39	1	-
White	2,046	2	8	10	29	90	294	759	608	207	38	1	-
Black/Other	654	5	11	10	21	55	169	252	109	21	1	-	-
Unknown	1	-	-	-	-	-	1	-	-	-	-	-	-
White													
Black/Other	1	-	-	-	-	-	1	-	-	-	-	-	-

* Includes unknown race

LOW WEIGHT LIVE BIRTHS

Live births under 5 pounds 8 ounces or less than 2,500 grams are characterized as low weight live births. Low weight live births accounted for 10.2 percent of the 57,538 resident births in 2005. In relation to age of mother, low weight birth were comparatively frequent among very young mothers. In year 2005, 12.5 percent of all lives births to mothers 15-19 were low weight. Only 9.2 percent of all live births to mothers 25-34 were low weight.

Figure C-6
Percent* of Live Births Less than 2,500 Grams by Age and Race of Mother
South Carolina, 2005
(Residence Data)




Table C-27.
Percent* of Live Births Less Than 2,500 Grams by Age and Race of Mother
South Carolina, 2005
(Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 & Over
Total	19.4	12.5	10.6	9.2	10.8	9.5
White	15.8	9.9	7.4	7.3	8.3	9.7
Black & Other	20.8	15.2	15.1	13.9	17.9	9.1

* Percentages are based on total live births within each age group

Table C-28.

Low Weight¹ Live Births and Percent of Low Weight Live Births by Race of Mother
 South Carolina and Each County, 2005
 (Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	5,895 *	10.2	2,882	7.7	2,991	14.9
Abbeville	29	10.8	13	7.1	16	18.6
Aiken	170 *	9.2	94	7.4	75	13.2
Allendale	20	13.6	4	14.8	16	13.3
Anderson	202 *	9.0	136	7.5	65	15.1
Bamberg	21	11.0	2	3.8	19	13.8
Barnwell	44	14.1	15	10.2	29	17.7
Beaufort	220	9.8	130	8.0	90	14.8
Berkeley	212 *	9.7	105	6.8	106	16.3
Calhoun	18	10.8	7	8.8	11	12.6
Charleston	480 *	10.0	201	7.0	277	14.6
Cherokee	95	14.1	68	13.8	27	15.2
Chester	43	10.1	18	7.8	25	12.8
Chesterfield	68	12.7	30	9.5	38	17.4
Clarendon	49	12.7	18	11.8	31	13.6
Colleton	68	12.5	27	9.2	41	16.3
Darlington	107	12.7	47	10.7	60	15.0
Dillon	70	15.7	36	17.5	34	14.1
Dorchester	132	8.4	65	5.9	67	14.5
Edgefield	24	9.7	10	7.6	14	12.0
Fairfield	35	11.3	7	7.1	28	13.3
Florence	277	14.2	87	9.1	190	19.1
Georgetown	72	10.2	28	6.8	44	14.9
Greenville	520 *	8.8	332	7.3	183	13.7
Greenwood	128	14.1	58	10.0	70	21.3
Hampton	33	11.3	9	8.0	24	13.3
Horry	309 *	10.6	197	8.7	110	17.0
Jasper	37	9.9	13	6.0	24	15.4
Kershaw	74	9.7	46	8.5	28	12.8
Lancaster	92	12.1	47	9.5	45	17.1
Laurens	70	9.1	39	7.2	31	13.4
Lee	25	10.2	3	4.7	22	12.3
Lexington	250 *	7.9	176	6.9	72	11.9
McCormick	15	19.5	5	16.7	10	21.3
Marion	56 *	12.9	11	8.0	44	14.9
Marlboro	59 *	16.1	15	12.1	43	17.8
Newberry	57	11.0	26	7.7	31	17.2
Oconee	51	6.5	41	5.7	10	13.7
Orangeburg	169	12.5	31	7.5	138	14.7
Pickens	107 *	8.2	102	8.4	3	3.2
Richland	493 *	10.3	147	7.0	343	12.8
Saluda	31	12.0	19	10.1	12	17.1
Spartanburg	336	9.9	195	7.7	141	16.4
Sumter	175 *	10.6	52	6.3	122	14.9
Union	35	11.0	20	9.4	15	14.4
Williamsburg	76	16.9	11	9.6	65	19.3
York	241	8.9	139	6.8	102	15.6
Unknown	-	0	-	0	-	0

¹ Live birth weighing less than 2,500 grams

* Includes unknown race

Table C-29.
Low Weight¹ Live Births by Age of Mother
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	5,895 *	26	930	1,768	1,502	1,001	529	131	4	4
Abbeville	29	-	4	10	8	6	1	-	-	-
Aiken	170 *	1	22	53	47	29	14	4	-	-
Allendale	20	-	4	6	4	2	4	-	-	-
Anderson	202 *	2	35	63	52	29	16	4	-	1
Bamberg	21	-	3	10	4	-	3	1	-	-
Barnwell	44	-	8	20	9	4	3	-	-	-
Beaufort	220	-	34	58	54	38	28	8	-	-
Berkeley	212 *	1	32	68	55	27	24	5	-	-
Calhoun	18	-	3	2	6	5	2	-	-	-
Charleston	480 *	5	84	134	117	85	36	19	-	-
Cherokee	95	-	15	29	24	17	8	2	-	-
Chester	43	-	6	15	15	4	3	-	-	-
Chesterfield	68	-	7	25	17	13	5	1	-	-
Clarendon	49	-	9	19	11	8	2	-	-	-
Colleton	68	1	16	12	18	16	2	3	-	-
Darlington	107	2	20	31	24	21	6	3	-	-
Dillon	70	-	10	19	23	11	5	2	-	-
Dorchester	132	-	20	30	43	26	11	2	-	-
Edgefield	24	1	3	8	5	2	3	2	-	-
Fairfield	35	-	6	6	13	6	3	1	-	-
Florence	277	-	42	90	72	42	26	4	-	1
Georgetown	72	1	17	21	13	10	8	2	-	-
Greenville	520 *	1	65	155	145	77	57	18	2	-
Greenwood	128	2	23	47	29	20	5	2	-	-
Hampton	33	-	5	13	10	5	-	-	-	-
Horry	309 *	1	38	102	76	58	32	1	1	-
Jasper	37	-	4	13	8	7	2	3	-	-
Kershaw	74	-	12	27	15	14	5	1	-	-
Lancaster	92	-	19	37	16	14	4	2	-	-
Laurens	70	-	16	25	14	9	5	1	-	-
Lee	25	1	6	4	4	7	3	-	-	-
Lexington	250 *	-	37	62	69	55	22	5	-	-
McCormick	15	-	2	4	3	2	4	-	-	-
Marion	56 *	1	10	15	17	10	2	-	-	1
Marlboro	59 *	2	14	18	15	4	5	1	-	-
Newberry	57	1	13	15	14	9	5	-	-	-
Oconee	51	-	5	20	17	7	2	-	-	-
Orangeburg	169	1	24	64	45	18	13	3	1	-
Pickens	107 *	-	17	27	36	15	11	1	-	-
Richland	493 *	1	64	121	121	111	62	13	-	-
Saluda	31	-	5	13	8	2	2	1	-	-
Spartanburg	336	-	66	91	89	65	19	6	-	-
Sumter	175 *	-	24	61	43	23	22	2	-	-
Union	35	1	11	9	5	7	1	1	-	-
Williamsburg	76	-	10	31	12	14	7	2	-	-
York	241	-	40	65	57	47	26	5	-	1
Unknown	-	-	-	-	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

* Includes unknown race

Table C-29A.
Low Weight¹ Live Births by Age and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
White

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	2,882	6	381	718	802	592	318	60	3	2
Abbeville	13	-	1	4	5	3	-	-	-	-
Aiken	94	1	14	24	29	20	4	2	-	-
Allendale	4	-	-	1	3	-	-	-	-	-
Anderson	136	1	27	34	39	22	13	-	-	-
Bamberg	2	-	1	1	-	-	-	-	-	-
Barnwell	15	-	3	7	3	2	-	-	-	-
Beaufort	130	-	18	36	27	23	21	5	-	-
Berkeley	105	-	13	36	28	14	11	3	-	-
Calhoun	7	-	-	-	4	2	1	-	-	-
Charleston	201	1	17	29	58	62	26	8	-	-
Cherokee	68	-	10	18	19	13	6	2	-	-
Chester	18	-	1	8	6	2	1	-	-	-
Chesterfield	30	-	3	4	9	9	4	1	-	-
Clarendon	18	-	4	3	5	4	2	-	-	-
Colleton	27	-	5	4	9	6	1	2	-	-
Darlington	47	-	5	13	14	10	5	-	-	-
Dillon	36	-	4	9	15	4	4	-	-	-
Dorchester	65	-	11	10	21	12	9	2	-	-
Edgefield	10	1	-	1	3	1	3	1	-	-
Fairfield	7	-	-	1	2	2	2	-	-	-
Florence	87	-	11	18	25	16	12	4	-	1
Georgetown	28	-	4	6	10	4	2	2	-	-
Greenville	332	1	37	87	96	57	41	11	2	-
Greenwood	58	-	6	19	16	14	2	1	-	-
Hampton	9	-	-	5	2	2	-	-	-	-
Horry	197	-	19	55	46	48	27	1	1	-
Jasper	13	-	1	5	2	4	1	-	-	-
Kershaw	46	-	8	13	9	12	3	1	-	-
Lancaster	47	-	7	20	10	8	1	1	-	-
Laurens	39	-	8	14	10	4	3	-	-	-
Lee	3	-	1	-	-	1	1	-	-	-
Lexington	176	-	24	44	40	46	18	4	-	-
McCormick	5	-	-	2	-	-	3	-	-	-
Marion	11	-	2	3	6	-	-	-	-	-
Marlboro	15	-	6	4	2	2	1	-	-	-
Newberry	26	-	4	6	6	5	5	-	-	-
Oconee	41	-	3	17	16	3	2	-	-	-
Orangeburg	31	-	8	6	10	3	4	-	-	-
Pickens	102	-	15	26	34	15	11	1	-	-
Richland	147	-	10	18	45	46	26	2	-	-
Saluda	19	-	3	10	5	1	-	-	-	-
Spartanburg	195	-	33	43	54	47	15	3	-	-
Sumter	52	-	5	14	15	9	9	-	-	-
Union	20	1	8	3	4	4	-	-	-	-
Williamsburg	11	-	-	1	3	5	1	1	-	-
York	139	-	21	36	37	25	17	2	-	1
Unknown	-	-	-	-	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

Table C-29A. (continued)
Low Weight¹ Live Births by Age and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
Black & Other

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	2,991	20	546	1,048	692	404	209	71	1	-
Abbeville	16	-	3	6	3	3	1	-	-	-
Aiken	75	-	8	29	17	9	10	2	-	-
Allendale	16	-	4	5	1	2	4	-	-	-
Anderson	65	1	8	29	13	7	3	4	-	-
Bamberg	19	-	2	9	4	-	3	1	-	-
Barnwell	29	-	5	13	6	2	3	-	-	-
Beaufort	90	-	16	22	27	15	7	3	-	-
Berkeley	106	1	19	32	27	13	12	2	-	-
Calhoun	11	-	3	2	2	3	1	-	-	-
Charleston	277	4	67	105	58	22	10	11	-	-
Cherokee	27	-	5	11	5	4	2	-	-	-
Chester	25	-	5	7	9	2	2	-	-	-
Chesterfield	38	-	4	21	8	4	1	-	-	-
Clarendon	31	-	5	16	6	4	-	-	-	-
Colleton	41	1	11	8	9	10	1	1	-	-
Darlington	60	2	15	18	10	11	1	3	-	-
Dillon	34	-	6	10	8	7	1	2	-	-
Dorchester	67	-	9	20	22	14	2	-	-	-
Edgefield	14	-	3	7	2	1	-	1	-	-
Fairfield	28	-	6	5	11	4	1	1	-	-
Florence	190	-	31	72	47	26	14	-	-	-
Georgetown	44	1	13	15	3	6	6	-	-	-
Greenville	183	-	28	68	47	18	15	7	-	-
Greenwood	70	2	17	28	13	6	3	1	-	-
Hampton	24	-	5	8	8	3	-	-	-	-
Horry	110	1	18	46	30	10	5	-	-	-
Jasper	24	-	3	8	6	3	1	3	-	-
Kershaw	28	-	4	14	6	2	2	-	-	-
Lancaster	45	-	12	17	6	6	3	1	-	-
Laurens	31	-	8	11	4	5	2	1	-	-
Lee	22	1	5	4	4	6	2	-	-	-
Lexington	72	-	13	17	29	8	4	1	-	-
McCormick	10	-	2	2	3	2	1	-	-	-
Marion	44	1	8	12	11	10	2	-	-	-
Marlboro	43	2	8	14	12	2	4	1	-	-
Newberry	31	1	9	9	8	4	-	-	-	-
Oconee	10	-	2	3	1	4	-	-	-	-
Orangeburg	138	1	16	58	35	15	9	3	1	-
Pickens	3	-	1	1	1	-	-	-	-	-
Richland	343	1	53	103	75	64	36	11	-	-
Saluda	12	-	2	3	3	1	2	1	-	-
Spartanburg	141	-	33	48	35	18	4	3	-	-
Sumter	122	-	19	47	27	14	13	2	-	-
Union	15	-	3	6	1	3	1	1	-	-
Williamsburg	65	-	10	30	9	9	6	1	-	-
York	102	-	19	29	20	22	9	3	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

Table C-30.

Very Low Weight¹ Live Births and Percent of Very Low Weight Live Births by Race of Mother
 South Carolina and Each County, 2005
 (Residence Data)

County of Residence	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	1,195 *	2.1	506	1.4	681	3.4
Abbeville	7	2.6	2	1.1	5	5.8
Aiken	37	2.0	13	1.0	24	4.2
Allendale	1	0.7	1	3.7	-	0
Anderson	38	1.7	23	1.3	15	3.5
Bamberg	2	1.0	-	0	2	1.4
Barnwell	10	3.2	3	2.0	7	4.3
Beaufort	38	1.7	14	0.9	24	4.0
Berkeley	52	2.4	19	1.2	33	5.1
Calhoun	5	3.0	3	3.8	2	2.3
Charleston	117 *	2.4	42	1.5	74	3.9
Cherokee	21	3.1	15	3.0	6	3.4
Chester	18	4.2	7	3.0	11	5.6
Chesterfield	11	2.1	4	1.3	7	3.2
Clarendon	6	1.6	3	2.0	3	1.3
Colleton	14	2.6	5	1.7	9	3.6
Darlington	23	2.7	10	2.3	13	3.2
Dillon	14	3.1	7	3.4	7	2.9
Dorchester	28	1.8	11	1.0	17	3.7
Edgefield	5	2.0	4	3.1	1	0.9
Fairfield	11	3.6	3	3.0	8	3.8
Florence	56	2.9	16	1.7	40	4.0
Georgetown	22	3.1	8	2.0	14	4.7
Greenville	88 *	1.5	52	1.1	34	2.5
Greenwood	25	2.8	8	1.4	17	5.2
Hampton	6	2.0	2	1.8	4	2.2
Horry	66 *	2.3	37	1.6	28	4.3
Jasper	14	3.7	7	3.2	7	4.5
Kershaw	11	1.4	7	1.3	4	1.8
Lancaster	16	2.1	9	1.8	7	2.7
Laurens	11	1.4	5	0.9	6	2.6
Lee	5	2.0	-	0	5	2.8
Lexington	49	1.5	27	1.1	22	3.6
McCormick	3	3.9	-	0	3	6.4
Marion	9 *	2.1	3	2.2	5	1.7
Marlboro	19 *	5.2	5	4.0	13	5.4
Newberry	9	1.7	5	1.5	4	2.2
Oconee	9	1.1	8	1.1	1	1.4
Orangeburg	35	2.6	4	1.0	31	3.3
Pickens	20 *	1.5	18	1.5	1	1.1
Richland	100 *	2.1	32	1.5	67	2.5
Saluda	4	1.5	4	2.1	-	0
Spartanburg	54	1.6	28	1.1	26	3.0
Sumter	37	2.2	8	1.0	29	3.5
Union	8	2.5	3	1.4	5	4.8
Williamsburg	15	3.3	1	0.9	14	4.2
York	46	1.7	20	1.0	26	4.0
Unknown	-	0	-	0	-	0

¹ Live birth weighing less than 1,500 grams

* Includes unknown race

Table C-31.
Live Births and Number of Mothers Who Smoked During Pregnancy by Race of Mother
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total		White		Black & Other	
	Live Births	Smoked	Live Births	Smoked	Live Births	Smoked
South Carolina	57,538 *	8,001 *	37,367	6,176	20,080	1,816
Abbeville	269	44	183	34	86	10
Aiken	1,847 *	222	1,265	179	567	43
Allendale	147	16	27	6	120	10
Anderson	2,248 *	398	1,817	337	430	61
Bamberg	191	30	53	13	138	17
Barnwell	311	45	147	30	164	15
Beaufort	2,244 *	155	1,630	133	607	22
Berkeley	2,196 *	338	1,546	295	649	43
Calhoun	167	15	80	10	87	5
Charleston	4,798 *	498	2,891	308	1,901	190
Cherokee	672	160	494	134	178	26
Chester	427	75	231	56	196	19
Chesterfield	534	103	315	76	219	27
Clarendon	387 *	43	153	34	228	9
Colleton	543	92	292	77	251	15
Darlington	841	152	440	113	401	39
Dillon	447	73	206	45	241	28
Dorchester	1,565	248	1,103	209	462	39
Edgefield	248	14	131	8	117	6
Fairfield	309	47	99	28	210	19
Florence	1,952 *	240	951	163	997	77
Georgetown	704	83	409	53	295	30
Greenville	5,876 *	745 *	4,531	595	1,336	147
Greenwood	907	123	578	93	329	30
Hampton	293	30	113	23	180	7
Horry	2,903 *	570 *	2,254	484	646	85
Jasper	375 *	22	217	15	156	7
Kershaw	763	126	544	100	219	26
Lancaster	759	145	496	111	263	34
Laurens	770	160	539	148	231	12
Lee	244 *	33	64	15	179	18
Lexington	3,170 *	487 *	2,561	423	605	63
McCormick	77	6	30	5	47	1
Marion	434 *	51 *	137	21	295	29
Marlboro	366 *	59	124	34	241	25
Newberry	516	81	336	54	180	27
Oconee	788	159	715	155	73	4
Orangeburg	1,354 *	170 *	414	94	938	75
Pickens	1,309 *	262 *	1,212	248	95	13
Richland	4,791 *	427 *	2,105	190	2,680	236
Saluda	259	31	189	22	70	9
Spartanburg	3,411 *	563	2,547	480	861	83
Sumter	1,656 *	132	824	94	817	38
Union	317	86	213	71	104	15
Williamsburg	451	49	115	20	336	29
York	2,701 *	393	2,046	340	654	53
Unknown	1	-	-	-	1	-

* Includes unknown race

Table C-32.
Live Births and Number of Births with Congenital Anomalies by Race of Mother
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total		White		Black & Other	
	Live Births	Anomalies	Live Births	Anomalies	Live Births	Anomalies
South Carolina	57,538 *	196 *	37,367	129	20,080	66
Abbeville	269	3	183	2	86	1
Aiken	1,847 *	5 *	1,265	3	567	1
Allendale	147	-	27	-	120	-
Anderson	2,248 *	9	1,817	6	430	3
Bamberg	191	1	53	-	138	1
Barnwell	311	-	147	-	164	-
Beaufort	2,244 *	4	1,630	4	607	-
Berkeley	2,196 *	18	1,546	15	649	3
Calhoun	167	-	80	-	87	-
Charleston	4,798 *	24	2,891	13	1,901	11
Cherokee	672	2	494	1	178	1
Chester	427	1	231	1	196	-
Chesterfield	534	1	315	1	219	-
Clarendon	387 *	1	153	-	228	1
Colleton	543	4	292	3	251	1
Darlington	841	2	440	1	401	1
Dillon	447	1	206	1	241	-
Dorchester	1,565	7	1,103	5	462	2
Edgefield	248	1	131	1	117	-
Fairfield	309	1	99	-	210	1
Florence	1,952 *	5	951	4	997	1
Georgetown	704	4	409	3	295	1
Greenville	5,876 *	15	4,531	14	1,336	1
Greenwood	907	1	578	-	329	1
Hampton	293	1	113	-	180	1
Horry	2,903 *	9	2,254	5	646	4
Jasper	375 *	-	217	-	156	-
Kershaw	763	3	544	2	219	1
Lancaster	759	5	496	4	263	1
Laurens	770	5	539	4	231	1
Lee	244 *	1	64	-	179	1
Lexington	3,170 *	6	2,561	3	605	3
McCormick	77	-	30	-	47	-
Marion	434 *	1	137	-	295	1
Marlboro	366 *	-	124	-	241	-
Newberry	516	5	336	2	180	3
Oconee	788	1	715	1	73	-
Orangeburg	1,354 *	6	414	2	938	4
Pickens	1,309 *	2	1,212	2	95	-
Richland	4,791 *	11	2,105	7	2,680	4
Saluda	259	1	189	1	70	-
Spartanburg	3,411 *	12	2,547	9	861	3
Sumter	1,656 *	2	824	1	817	1
Union	317	4	213	2	104	2
Williamsburg	451	2	115	-	336	2
York	2,701 *	9	2,046	6	654	3
Unknown	1	-	-	-	1	-

* Includes unknown race

Table C-33.
Live Births by Gestational Age
South Carolina and Each County, 2005
(Residence Data)

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Percent
South Carolina	57,538 *	1,306	2.3	7,347	12.8
Abbeville	269	9	3.3	36	13.4
Aiken	1,847 *	41	2.2	193	10.4
Allendale	147	1	0.7	18	12.2
Anderson	2,248 *	41	1.8	241	10.7
Bamberg	191	3	1.6	25	13.1
Barnwell	311	11	3.5	39	12.5
Beaufort	2,244 *	45	2.0	275	12.3
Berkeley	2,196 *	63	2.9	269	12.2
Calhoun	167	5	3.0	24	14.4
Charleston	4,798 *	124	2.6	595	12.4
Cherokee	672	25	3.7	111	16.5
Chester	427	20	4.7	57	13.3
Chesterfield	534	14	2.6	69	12.9
Clarendon	387 *	8	2.1	64	16.5
Colleton	543	15	2.8	71	13.1
Darlington	841	22	2.6	108	12.8
Dillon	447	15	3.4	101	22.6
Dorchester	1,565	31	2.0	196	12.5
Edgefield	248	5	2.0	28	11.3
Fairfield	309	8	2.6	45	14.6
Florence	1,952 *	62	3.2	308	15.8
Georgetown	704	24	3.4	81	11.5
Greenville	5,876 *	100	1.7	680	11.6
Greenwood	907	26	2.9	158	17.4
Hampton	293	7	2.4	35	11.9
Horry	2,903 *	68	2.3	382	13.2
Jasper	375 *	18	4.8	48	12.8
Kershaw	763	15	2.0	95	12.5
Lancaster	759	18	2.4	99	13.0
Laurens	770	12	1.6	107	13.9
Lee	244 *	6	2.5	31	12.7
Lexington	3,170 *	50	1.6	333	10.5
McCormick	77	3	3.9	15	19.5
Marion	434 *	6	1.4	59	13.6
Marlboro	366 *	16	4.4	68	18.6
Newberry	516	12	2.3	71	13.8
Oconee	788	9	1.1	92	11.7
Orangeburg	1,354 *	39	2.9	165	12.2
Pickens	1,309 *	19	1.5	148	11.3
Richland	4,791 *	112	2.3	691	14.4
Saluda	259	3	1.2	32	12.4
Spartanburg	3,411 *	63	1.8	424	12.4
Sumter	1,656 *	36	2.2	231	13.9
Union	317	8	2.5	37	11.7
Williamsburg	451	14	3.1	80	17.7
York	2,701 *	54	2.0	312	11.6
Unknown	1	-	0	-	0

1) <32 weeks

2) <37 weeks

* Includes unknown race

Table C-33A.
Live Births by Gestational Age by Race of Mother
South Carolina and Each County, 2005
(Residence Data)
White

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Perent
South Carolina	37,367	572	1.5	4,181	11.2
Abbeville	183	2	1.1	19	10.4
Aiken	1,265	19	1.5	123	9.7
Allendale	27	1	3.7	4	14.8
Anderson	1,817	25	1.4	181	10.0
Bamberg	53	-	0	7	13.2
Barnwell	147	3	2.0	18	12.2
Beaufort	1,630	18	1.1	174	10.7
Berkeley	1,546	28	1.8	168	10.9
Calhoun	80	3	3.8	15	18.8
Charleston	2,891	47	1.6	279	9.7
Cherokee	494	17	3.4	87	17.6
Chester	231	7	3.0	33	14.3
Chesterfield	315	6	1.9	33	10.5
Clarendon	153	1	0.7	23	15.0
Colleton	292	6	2.1	37	12.7
Darlington	440	9	2.0	58	13.2
Dillon	206	8	3.9	52	25.2
Dorchester	1,103	11	1.0	115	10.4
Edgefield	131	4	3.1	15	11.5
Fairfield	99	1	1.0	16	16.2
Florence	951	15	1.6	120	12.6
Georgetown	409	9	2.2	34	8.3
Greenville	4,531	59	1.3	472	10.4
Greenwood	578	8	1.4	95	16.4
Hampton	113	1	0.9	16	14.2
Horry	2,254	40	1.8	258	11.4
Jasper	217	11	5.1	22	10.1
Kershaw	544	10	1.8	71	13.1
Lancaster	496	8	1.6	63	12.7
Laurens	539	8	1.5	71	13.2
Lee	64	-	0	4	6.3
Lexington	2,561	28	1.1	246	9.6
McCormick	30	-	0	4	13.3
Marion	137	2	1.5	19	13.9
Marlboro	124	5	4.0	19	15.3
Newberry	336	6	1.8	42	12.5
Oconee	715	8	1.1	76	10.6
Orangeburg	414	9	2.2	43	10.4
Pickens	1,212	18	1.5	139	11.5
Richland	2,105	32	1.5	263	12.5
Saluda	189	3	1.6	20	10.6
Spartanburg	2,547	34	1.3	286	11.2
Sumter	824	12	1.5	93	11.3
Union	213	4	1.9	24	11.3
Williamsburg	115	2	1.7	15	13.0
York	2,046	24	1.2	209	10.2
Unknown	-	-	0	-	0

1) <32 weeks

2) <37 weeks

Table C-33A. (continued)
Live Births by Gestational Age by Race of Mother
South Carolina and Each County, 2005
(Residence Data)
Black & Other

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Percent
South Carolina	20,080	729	3.6	3,143	15.7
Abbeville	86	7	8.1	17	19.8
Aiken	567	22	3.9	68	12.0
Allendale	120	-	0	14	11.7
Anderson	430	16	3.7	59	13.7
Bamberg	138	3	2.2	18	13.0
Barnwell	164	8	4.9	21	12.8
Beaufort	607	27	4.4	101	16.6
Berkeley	649	35	5.4	101	15.6
Calhoun	87	2	2.3	9	10.3
Charleston	1,901	76	4.0	314	16.5
Cherokee	178	8	4.5	24	13.5
Chester	196	13	6.6	24	12.2
Chesterfield	219	8	3.7	36	16.4
Clarendon	228	7	3.1	39	17.1
Colleton	251	9	3.6	34	13.5
Darlington	401	13	3.2	50	12.5
Dillon	241	7	2.9	49	20.3
Dorchester	462	20	4.3	81	17.5
Edgefield	117	1	0.9	13	11.1
Fairfield	210	7	3.3	29	13.8
Florence	997	47	4.7	188	18.9
Georgetown	295	15	5.1	47	15.9
Greenville	1,336	40	3.0	203	15.2
Greenwood	329	18	5.5	63	19.1
Hampton	180	6	3.3	19	10.6
Horry	646	27	4.2	122	18.9
Jasper	156	7	4.5	26	16.7
Kershaw	219	5	2.3	24	11.0
Lancaster	263	10	3.8	36	13.7
Laurens	231	4	1.7	36	15.6
Lee	179	6	3.4	26	14.5
Lexington	605	22	3.6	86	14.2
McCormick	47	3	6.4	11	23.4
Marion	295	4	1.4	40	13.6
Marlboro	241	10	4.1	48	19.9
Newberry	180	6	3.3	29	16.1
Oconee	73	1	1.4	16	21.9
Orangeburg	938	30	3.2	121	12.9
Pickens	95	1	1.1	8	8.4
Richland	2,680	79	2.9	424	15.8
Saluda	70	-	0	12	17.1
Spartanburg	861	29	3.4	138	16.0
Sumter	817	24	2.9	138	16.9
Union	104	4	3.8	13	12.5
Williamsburg	336	12	3.6	65	19.3
York	654	30	4.6	103	15.7
Unknown	1	-	0	-	0

1) <32 weeks

2) <37 weeks

Table C-34.
Live Births To Mothers who Brestfed by Race
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total		White		Black & Other	
	Births	Breasted	Births	Breasted	Births	Breasted
South Carolina	57,538 *	32,519 *	37,367	24,123	20,080	8,340
Abbeville	269	136	183	106	86	30
Aiken	1,847 *	466 *	1,265	350	567	104
Allendale	147	37	27	10	120	27
Anderson	2,248 *	1,380	1,817	1,177	430	203
Bamberg	191	68	53	25	138	43
Barnwell	311	83	147	50	164	33
Beaufort	2,244 *	1,648 *	1,630	1,303	607	340
Berkeley	2,196 *	1,513	1,546	1,111	649	402
Calhoun	167	86	80	54	87	32
Charleston	4,798 *	3,396 *	2,891	2,406	1,901	987
Cherokee	672	256	494	218	178	38
Chester	427	167	231	108	196	59
Chesterfield	534	172	315	127	219	45
Clarendon	387 *	184 *	153	87	228	92
Colleton	543	264	292	171	251	93
Darlington	841	311	440	203	401	108
Dillon	447	120	206	78	241	42
Dorchester	1,565	1,025	1,103	792	462	233
Edgefield	248	35	131	22	117	13
Fairfield	309	136	99	54	210	82
Florence	1,952 *	832 *	951	543	997	287
Georgetown	704	376	409	285	295	91
Greenville	5,876 *	4,148 *	4,531	3,438	1,336	706
Greenwood	907	462	578	353	329	109
Hampton	293	134	113	62	180	72
Horry	2,903 *	1,736	2,254	1,455	646	281
Jasper	375 *	233 *	217	159	156	72
Kershaw	763	456	544	360	219	96
Lancaster	759	310	496	225	263	85
Laurens	770	334	539	277	231	57
Lee	244 *	90 *	64	37	179	52
Lexington	3,170 *	2,071 *	2,561	1,764	605	306
McCormick	77	31	30	15	47	16
Marion	434 *	100	137	49	295	51
Marlboro	366 *	54	124	24	241	30
Newberry	516	274	336	227	180	47
Oconee	788	489	715	451	73	38
Orangeburg	1,354 *	628 *	414	230	938	397
Pickens	1,309 *	847 *	1,212	790	95	55
Richland	4,791 *	3,090 *	2,105	1,647	2,680	1,439
Saluda	259	124	189	107	70	17
Spartanburg	3,411 *	2,100 *	2,547	1,683	861	414
Sumter	1,656 *	890 *	824	557	817	322
Union	317	126	213	100	104	26
Williamsburg	451	114	115	50	336	64
York	2,701 *	987	2,046	783	654	204
Unknown	1	-	-	-	1	-

* Includes unknown race

Table C-35.
Live Births To Hispanic Mothers by Race
South Carolina and Each County, 2005
(Residence Data)

County Of Residence	Total		White		Black And Other	
	Births	Hispanic	Births	Hispanic	Births	Hispanic
South Carolina	57,538 *	4,970	37,367	4,687	20,080	235
Abbeville	269	2	183	2	86	-
Aiken	1,847 *	143	1,265	113	567	18
Allendale	147	5	27	5	120	-
Anderson	2,248 *	85	1,817	80	430	5
Bamberg	191	2	53	1	138	1
Barnwell	311	12	147	9	164	3
Beaufort	2,244 *	531	1,630	517	607	10
Berkeley	2,196 *	183	1,546	165	649	18
Calhoun	167	6	80	6	87	-
Charleston	4,798 *	490	2,891	463	1,901	26
Cherokee	672	34	494	34	178	-
Chester	427	6	231	6	196	-
Chesterfield	534	15	315	14	219	1
Clarendon	387 *	16	153	8	228	3
Colleton	543	16	292	12	251	4
Darlington	841	21	440	18	401	3
Dillon	447	19	206	17	241	2
Dorchester	1,565	67	1,103	59	462	8
Edgefield	248	15	131	11	117	4
Fairfield	309	6	99	5	210	1
Florence	1,952 *	64	951	56	997	5
Georgetown	704	54	409	53	295	1
Greenville	5,876 *	838	4,531	811	1,336	25
Greenwood	907	111	578	111	329	-
Hampton	293	7	113	6	180	1
Horry	2,903 *	349	2,254	340	646	9
Jasper	375 *	115	217	111	156	3
Kershaw	763	37	544	35	219	2
Lancaster	759	71	496	71	263	-
Laurens	770	49	539	47	231	2
Lee	244 *	9	64	8	179	-
Lexington	3,170 *	296	2,561	280	605	14
McCormick	77	-	30	-	47	-
Marion	434 *	10	137	9	295	-
Marlboro	366 *	4	124	3	241	1
Newberry	516	93	336	92	180	1
Oconee	788	74	715	73	73	1
Orangeburg	1,354 *	50	414	46	938	4
Pickens	1,309 *	68	1,212	68	95	-
Richland	4,791 *	291	2,105	253	2,680	35
Saluda	259	89	189	89	70	-
Spartanburg	3,411 *	325	2,547	315	861	9
Sumter	1,656 *	89	824	68	817	9
Union	317	6	213	6	104	-
Williamsburg	451	4	115	3	336	1
York	2,701 *	192	2,046	188	654	4
Unknown	1	1	-	-	1	1

* Includes unknown race

Table C-36.
Live Births to Mothers with Infectious Diseases
South Carolina and Each County, 2005
(Residence Data)

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	57,538 *	3,728	6.5	161	0.3
Abbeville	269	12	4.5	-	0
Aiken	1,847 *	79	4.3	3	0.2
Allendale	147	11	7.5	1	0.7
Anderson	2,248 *	86	3.8	6	0.3
Bamberg	191	11	5.8	-	0
Barnwell	311	20	6.4	-	0
Beaufort	2,244 *	166	7.4	5	0.2
Berkeley	2,196 *	169	7.7	8	0.4
Calhoun	167	10	6.0	-	0
Charleston	4,798 *	387	8.1	21	0.4
Cherokee	672	16	2.4	2	0.3
Chester	427	17	4.0	1	0.2
Chesterfield	534	10	1.9	2	0.4
Clarendon	387 *	48	12.4	3	0.8
Colleton	543	38	7.0	-	0
Darlington	841	55	6.5	1	0.1
Dillon	447	38	8.5	-	0
Dorchester	1,565	129	8.2	3	0.2
Edgefield	248	7	2.8	1	0.4
Fairfield	309	17	5.5	-	0
Florence	1,952 *	175	9.0	8	0.4
Georgetown	704	38	5.4	1	0.1
Greenville	5,876 *	349	5.9	26	0.4
Greenwood	907	22	2.4	-	0
Hampton	293	24	8.2	1	0.3
Horry	2,903 *	187	6.4	22	0.8
Jasper	375 *	30	8.0	1	0.3
Kershaw	763	41	5.4	-	0
Lancaster	759	44	5.8	3	0.4
Laurens	770	38	4.9	1	0.1
Lee	244 *	17	7.0	-	0
Lexington	3,170 *	149	4.7	4	0.1
McCormick	77	2	2.6	-	0
Marion	434 *	25	5.8	-	0
Marlboro	366 *	43	11.7	2	0.5
Newberry	516	41	7.9	3	0.6
Oconee	788	14	1.8	-	0
Orangeburg	1,354 *	120	8.9	2	0.1
Pickens	1,309 *	69	5.3	3	0.2
Richland	4,791 *	481	10.0	7	0.1
Saluda	259	4	1.5	-	0
Spartanburg	3,411 *	184	5.4	10	0.3
Sumter	1,656 *	118	7.1	3	0.2
Union	317	13	4.1	-	0
Williamsburg	451	58	12.9	2	0.4
York	2,701 *	116	4.3	5	0.2
Unknown	1	-	0	-	0

* Includes unknown race

Table C-36A.
Live Births to Mothers with Infectious Diseases by Race of Mother
South Carolina and Each County, 2005
(Residence Data)

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	37,367	1,501	4.0	73	0.2
Abbeville	183	5	2.7	-	0
Aiken	1,265	33	2.6	1	0.1
Allendale	27	1	3.7	-	0
Anderson	1,817	53	2.9	4	0.2
Bamberg	53	-	0	-	0
Barnwell	147	6	4.1	-	0
Beaufort	1,630	77	4.7	1	0.1
Berkeley	1,546	94	6.1	2	0.1
Calhoun	80	1	1.3	-	0
Charleston	2,891	108	3.7	6	0.2
Cherokee	494	10	2.0	1	0.2
Chester	231	6	2.6	1	0.4
Chesterfield	315	4	1.3	1	0.3
Clarendon	153	6	3.9	-	0
Colleton	292	8	2.7	-	0
Darlington	440	23	5.2	1	0.2
Dillon	206	8	3.9	-	0
Dorchester	1,103	67	6.1	2	0.2
Edgefield	131	2	1.5	-	0
Fairfield	99	5	5.1	-	0
Florence	951	43	4.5	2	0.2
Georgetown	409	13	3.2	1	0.2
Greenville	4,531	203	4.5	15	0.3
Greenwood	578	7	1.2	-	0
Hampton	113	5	4.4	-	0
Horry	2,254	116	5.1	17	0.8
Jasper	217	8	3.7	-	0
Kershaw	544	24	4.4	-	0
Lancaster	496	15	3.0	3	0.6
Laurens	539	18	3.3	-	0
Lee	64	3	4.7	-	0
Lexington	2,561	98	3.8	2	0.1
McCormick	30	-	0	-	0
Marion	137	3	2.2	-	0
Marlboro	124	8	6.5	-	0
Newberry	336	14	4.2	1	0.3
Oconee	715	11	1.5	-	0
Orangeburg	414	16	3.9	-	0
Pickens	1,212	54	4.5	3	0.2
Richland	2,105	119	5.7	-	0
Saluda	189	1	0.5	-	0
Spartanburg	2,547	102	4.0	3	0.1
Sumter	824	28	3.4	2	0.2
Union	213	7	3.3	-	0
Williamsburg	115	3	2.6	1	0.9
York	2,046	65	3.2	3	0.1
Unknown	-	-	0	-	0

Table C-36A. (continued)
Live Births to Mothers with Infectious Diseases by Race of Mother
South Carolina and Each County, 2005
(Residence Data)
Black & Other

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	20,080	2,223	11.1	88	0.4
Abbeville	86	7	8.1	-	0
Aiken	567	46	8.1	2	0.4
Allendale	120	10	8.3	1	0.8
Anderson	430	33	7.7	2	0.5
Bamberg	138	11	8.0	-	0
Barnwell	164	14	8.5	-	0
Beaufort	607	89	14.7	4	0.7
Berkeley	649	75	11.6	6	0.9
Calhoun	87	9	10.3	-	0
Charleston	1,901	279	14.7	15	0.8
Cherokee	178	6	3.4	1	0.6
Chester	196	11	5.6	-	0
Chesterfield	219	6	2.7	1	0.5
Clarendon	228	40	17.5	3	1.3
Colleton	251	30	12.0	-	0
Darlington	401	32	8.0	-	0
Dillon	241	30	12.4	-	0
Dorchester	462	62	13.4	1	0.2
Edgefield	117	5	4.3	1	0.9
Fairfield	210	12	5.7	-	0
Florence	997	132	13.2	6	0.6
Georgetown	295	25	8.5	-	0
Greenville	1,336	146	10.9	11	0.8
Greenwood	329	15	4.6	-	0
Hampton	180	19	10.6	1	0.6
Horry	646	71	11.0	5	0.8
Jasper	156	21	13.5	1	0.6
Kershaw	219	17	7.8	-	0
Lancaster	263	29	11.0	-	0
Laurens	231	20	8.7	1	0.4
Lee	179	14	7.8	-	0
Lexington	605	51	8.4	2	0.3
McCormick	47	2	4.3	-	0
Marion	295	22	7.5	-	0
Marlboro	241	35	14.5	2	0.8
Newberry	180	27	15.0	2	1.1
Oconee	73	3	4.1	-	0
Orangeburg	938	104	11.1	2	0.2
Pickens	95	15	15.8	-	0
Richland	2,680	361	13.5	7	0.3
Saluda	70	3	4.3	-	0
Spartanburg	861	82	9.5	7	0.8
Sumter	817	90	11.0	1	0.1
Union	104	6	5.8	-	0
Williamsburg	336	55	16.4	1	0.3
York	654	51	7.8	2	0.3
Unknown	1	-	0	-	0

Table C-37.
Number of Mothers who received WIC Services during Pregnancy by Race of Mother
South Carolina and Each County, 2005
(Residence Data)

County Of Residence	Total		White		Black & Other	
	Births	WIC	Births	WIC	Births	WIC
South Carolina	57,538 *	28,880	37,367	14,710	20,080	14,122
Abbeville	269	145	183	83	86	62
Aiken	1,847 *	526	1,265	280	567	235
Allendale	147	121	27	17	120	104
Anderson	2,248 *	1,112	1,817	797	430	315
Bamberg	191	166	53	34	138	132
Barnwell	311	207	147	78	164	129
Beaufort	2,244 *	1,134	1,630	704	607	427
Berkeley	2,196 *	1,060	1,546	636	649	424
Calhoun	167	105	80	30	87	75
Charleston	4,798 *	2,009	2,891	740	1,901	1,267
Cherokee	672	392	494	255	178	137
Chester	427	289	231	134	196	155
Chesterfield	534	281	315	136	219	145
Clarendon	387 *	311	153	95	228	211
Colleton	543	376	292	170	251	206
Darlington	841	549	440	220	401	329
Dillon	447	332	206	133	241	199
Dorchester	1,565	693	1,103	388	462	305
Edgefield	248	74	131	17	117	57
Fairfield	309	205	99	51	210	154
Florence	1,952 *	1,162	951	365	997	795
Georgetown	704	388	409	158	295	230
Greenville	5,876 *	2,404	4,531	1,553	1,336	848
Greenwood	907	545	578	290	329	255
Hampton	293	213	113	67	180	146
Horry	2,903 *	1,572	2,254	1,090	646	480
Jasper	375 *	229	217	122	156	106
Kershaw	763	410	544	243	219	167
Lancaster	759	494	496	271	263	223
Laurens	770	493	539	301	231	192
Lee	244 *	202	64	38	179	163
Lexington	3,170 *	1,298	2,561	912	605	383
McCormick	77	48	30	9	47	39
Marion	434 *	317	137	65	295	251
Marlboro	366 *	183	124	49	241	133
Newberry	516	254	336	122	180	132
Oconee	788	387	715	340	73	47
Orangeburg	1,354 *	1,034	414	254	938	780
Pickens	1,309 *	589	1,212	533	95	54
Richland	4,791 *	2,089	2,105	477	2,680	1,609
Saluda	259	164	189	101	70	63
Spartanburg	3,411 *	1,698	2,547	1,096	861	602
Sumter	1,656 *	1,043	824	393	817	642
Union	317	200	213	121	104	79
Williamsburg	451	332	115	56	336	276
York	2,701 *	1,045	2,046	686	654	359
Unknown	1	-	-	-	1	-

* Includes unknown race

Table C-38.
Live Births by Payment Source
South Carolina and Each County, 2005
(Residence Data)

County Of Residence	Total	Medicaid	Private Insurance	Self-pay	Other
South Carolina	57,538 *	25,667	20,450	3,748	3,829
Abbeville	269	148	83	17	6
Aiken	1,847 *	236	108	16	3
Allendale	147	92	16	2	2
Anderson	2,248 *	1,149	960	86	32
Bamberg	191	124	52	4	-
Barnwell	311	119	42	4	2
Beaufort	2,244 *	643	566	408	500
Berkeley	2,196 *	954	776	99	349
Calhoun	167	90	67	4	1
Charleston	4,798 *	1,920	1,809	450	593
Cherokee	672	363	255	35	-
Chester	427	268	114	7	3
Chesterfield	534	275	111	20	18
Clarendon	387 *	230	132	9	13
Colleton	543	382	126	7	18
Darlington	841	511	274	17	34
Dillon	447	289	109	17	30
Dorchester	1,565	680	649	44	179
Edgefield	248	50	10	3	-
Fairfield	309	183	97	20	5
Florence	1,952 *	1,081	718	61	80
Georgetown	704	418	218	37	28
Greenville	5,876 *	2,071	2,893	97	776
Greenwood	907	503	278	117	4
Hampton	293	187	76	12	10
Horry	2,903 *	1,620	864	309	87
Jasper	375 *	165	60	105	6
Kershaw	763	369	316	44	23
Lancaster	759	420	175	45	19
Laurens	770	478	238	44	7
Lee	244 *	171	60	10	3
Lexington	3,170 *	1,155	1,538	377	64
McCormick	77	50	11	1	-
Marion	434 *	301	112	11	9
Marlboro	366 *	178	26	4	39
Newberry	516	251	188	60	5
Oconee	788	402	304	12	15
Orangeburg	1,354 *	855	405	29	20
Pickens	1,309 *	581	628	37	54
Richland	4,791 *	1,873	2,067	414	375
Saluda	259	105	57	80	1
Spartanburg	3,411 *	1,498	1,502	339	49
Sumter	1,656 *	743	481	78	344
Union	317	192	110	10	4
Williamsburg	451	329	91	10	17
York	2,701 *	965	678	135	2
Unknown	1	-	-	1	-

* Includes unknown race

Table C-38A.
Live Births by Payment Source and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
White


County Of Residence	Total	Medicaid	Private Insurance	Self-pay	Other
South Carolina	37,367	12,626	16,113	3,079	2,835
Abbeville	183	84	75	14	2
Aiken	1,265	129	85	15	2
Allendale	27	14	7	2	-
Anderson	1,817	829	868	74	29
Bamberg	53	21	22	3	-
Barnwell	147	39	26	2	2
Beaufort	1,630	281	477	381	388
Berkeley	1,546	564	621	89	264
Calhoun	80	26	45	4	1
Charleston	2,891	564	1,525	396	391
Cherokee	494	240	212	26	-
Chester	231	122	80	3	1
Chesterfield	315	135	88	15	13
Clarendon	153	67	72	6	7
Colleton	292	181	92	7	7
Darlington	440	208	195	12	22
Dillon	206	108	69	12	15
Dorchester	1,103	378	540	35	143
Edgefield	131	13	6	2	-
Fairfield	99	49	40	8	2
Florence	951	338	525	37	47
Georgetown	409	176	176	29	26
Greenville	4,531	1,306	2,424	84	687
Greenwood	578	242	228	101	4
Hampton	113	57	43	6	4
Horry	2,254	1,114	772	274	74
Jasper	217	57	34	96	4
Kershaw	544	218	262	36	19
Lancaster	496	208	144	40	15
Laurens	539	294	200	38	4
Lee	64	27	29	7	1
Lexington	2,561	824	1,327	325	56
McCormick	30	11	7	1	-
Marion	137	59	69	5	4
Marlboro	124	50	16	2	12
Newberry	336	121	146	56	5
Oconee	715	354	285	11	15
Orangeburg	414	202	167	17	8
Pickens	1,212	530	586	36	51
Richland	2,105	387	1,263	239	190
Saluda	189	57	49	75	1
Spartanburg	2,547	934	1,270	285	40
Sumter	824	225	280	44	269
Union	213	116	86	7	3
Williamsburg	115	52	52	3	5
York	2,046	615	528	119	2
Unknown	-	-	-	-	-

Table C-38A. (continued)
Live Births by Payment Source and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
Black & Other

County Of Residence	Total	Medicaid	Private Insurance	Self-pay	Other
South Carolina	20,080	13,018	4,311	656	980
Abbeville	86	64	8	3	4
Aiken	567	104	23	1	1
Allendale	120	78	9	-	2
Anderson	430	320	92	12	3
Bamberg	138	103	30	1	-
Barnwell	164	80	16	2	-
Beaufort	607	360	86	26	112
Berkeley	649	390	154	10	85
Calhoun	87	64	22	-	-
Charleston	1,901	1,354	282	53	201
Cherokee	178	123	43	9	-
Chester	196	146	34	4	2
Chesterfield	219	140	23	5	5
Clarendon	228	161	57	2	6
Colleton	251	201	34	-	11
Darlington	401	303	79	5	12
Dillon	241	181	40	5	15
Dorchester	462	302	109	9	36
Edgefield	117	37	4	1	-
Fairfield	210	134	57	12	3
Florence	997	740	192	24	33
Georgetown	295	242	42	8	2
Greenville	1,336	763	464	13	87
Greenwood	329	261	50	16	-
Hampton	180	130	33	6	6
Horry	646	504	92	35	12
Jasper	156	107	26	8	2
Kershaw	219	151	54	8	4
Lancaster	263	212	31	5	4
Laurens	231	184	38	6	3
Lee	179	144	31	2	2
Lexington	605	330	209	52	7
McCormick	47	39	4	-	-
Marion	295	241	43	5	5
Marlboro	241	127	10	2	27
Newberry	180	130	42	4	-
Oconee	73	48	19	1	-
Orangeburg	938	652	237	12	12
Pickens	95	50	42	1	2
Richland	2,680	1,485	803	172	184
Saluda	70	48	8	5	-
Spartanburg	861	564	229	54	9
Sumter	817	518	197	30	68
Union	104	76	24	3	1
Williamsburg	336	277	39	7	12
York	654	350	150	16	-
Unknown	1	-	-	1	-

The State Animal

“ The white-tailed Deer”



Officially adopted by the General Assembly in 1972

TEEN PREGNANCY

Table D-1.
Reported Teen Pregnancy¹ for Females Age 10-19
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	288,710	9,718 *	33.7	7,594 *	26.3	3,926 *	51.7	79 *	10.3	2,045 *	7.1
Abbeville	1,852	51	27.5	45	24.3	21	46.7	-	0	6	3.2
Aiken	10,268	355 *	34.6	279 *	27.2	126 *	45.2	3	10.6	73	7.1
Allendale	758	43	56.7	37	48.8	28	75.7	-	0	6	7.9
Anderson	11,272	379	33.6	306	27.1	111	36.3	4	12.9	69	6.1
Bamberg	1,226	41	33.4	33	26.9	20	60.6	-	0	8	6.5
Barnwell	1,602	63	39.3	51	31.8	29	56.9	2	37.7	10	6.2
Beaufort	8,378	306 *	36.5	243	29.0	111	45.7	2 *	8.2	61	7.3
Berkeley	11,038	350	31.7	265	24.0	129	48.7	2	7.5	83	7.5
Calhoun	970	24	24.7	20	20.6	13	65.0	-	0	4	4.1
Charleston	21,970	718 *	32.7	539 *	24.5	377 *	69.9	3	5.5	176 *	8.0
Cherokee	3,626	143 *	39.4	123	33.9	36	29.3	2	16.0	18 *	5.0
Chester	2,353	88	37.4	74	31.4	44	59.5	-	0	14	5.9
Chesterfield	3,032	111 *	36.6	87	28.7	50	57.5	2	22.5	22 *	7.3
Clarendon	2,320	76 *	32.8	69 *	29.7	47 *	68.1	-	0	7	3.0
Colleton	2,804	123	43.9	105	37.4	56	53.3	2	18.7	16	5.7
Darlington	4,698	146	31.1	130	27.7	84	64.6	-	0	16	3.4
Dillon	2,234	95	42.5	81	36.3	61	75.3	2	24.1	12	5.4
Dorchester	8,362	245	29.3	176	21.0	74	42.0	3	16.8	66	7.9
Edgefield	1,629	43 *	26.4	36	22.1	19	52.8	-	0	7 *	4.3
Fairfield	1,672	63	37.7	45	26.9	28	62.2	1	21.7	17	10.2
Florence	9,164	333 *	36.3	271 *	29.6	198 *	73.1	3	10.9	59 *	6.4
Georgetown	3,837	131	34.1	111	28.9	47	42.3	-	0	20	5.2
Greenville	26,714	725 *	27.1	575	21.5	255	44.3	5	8.6	145 *	5.4
Greenwood	4,937	183	37.1	147	29.8	91	61.9	2	13.4	34	6.9
Hampton	1,562	44	28.2	35	22.4	26	74.3	1	27.8	8	5.1
Horry	12,654	469 *	37.1	343 *	27.1	167 *	48.7	3	8.7	123 *	9.7
Jasper	1,450	56	38.6	51	35.2	28	54.9	-	0	5	3.4
Kershaw	3,736	171 *	45.8	133	35.6	51	38.3	2	14.8	36 *	9.6
Lancaster	4,131	156	37.8	137	33.2	57	41.6	2	14.4	17	4.1
Laurens	4,967	189	38.1	142	28.6	70	49.3	3	20.7	44	8.9
Lee	1,332	54	40.5	45	33.8	31	68.9	1	21.7	8	6.0
Lexington	15,847	429 *	27.1	341 *	21.5	171 *	50.1	3	8.7	85	5.4
McCormick	527	15	28.5	10	19.0	6	60.0	-	0	5	9.5
Marion	2,437	88	36.1	74	30.4	57	77.0	-	0	14	5.7
Marlboro	1,875	76	40.5	66	35.2	42	63.6	1	14.9	9	4.8
Newberry	2,368	94	39.7	71	30.0	30	42.3	-	0	23	9.7
Oconee	4,008	132	32.9	108	26.9	31	28.7	1	9.2	23	5.7
Orangeburg	7,360	262	35.6	202	27.4	111	55.0	2	9.8	58	7.9
Pickens	7,980	202 *	25.3	170 *	21.3	53 *	31.2	-	0	32	4.0
Richland	25,109	763 *	30.4	514 *	20.5	289 *	56.2	6	11.5	243 *	9.7
Saluda	1,198	40	33.4	33	27.5	16	48.5	1	29.4	6	5.0
Spartanburg	17,750	678 *	38.2	544	30.6	208	38.2	8	14.5	126 *	7.1
Sumter	7,651	302 *	39.5	248 *	32.4	173 *	69.8	3	12.0	51 *	6.7
Union	1,874	84	44.8	72	38.4	27	37.5	1	13.7	11	5.9
Williamsburg	2,613	95	36.4	82	31.4	51	62.2	2	23.8	11	4.2
York	13,565	418 *	30.8	325	24.0	176	54.2	1	3.1	92 *	6.8
Unknown	-	66 *	0.0	-	0	-	0	-	0	66 *	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

* Includes unknown race

Table D-1A.
Reported Teen Pregnancy¹ for Females Age 10-19 by Race
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2005
(Residence Data)
White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	176,566	4,916	27.8	3,894	22.1	1,429	36.7	29	7.4	993	5.6
Abbeville	1,202	30	25.0	27	22.5	8	29.6	-	0	3	2.5
Aiken	6,763	197	29.1	152	22.5	45	29.6	2	13.0	43	6.4
Allendale	134	4	29.9	4	29.9	3	75.0	-	0	-	0
Anderson	8,700	273	31.4	226	26.0	69	30.5	3	13.1	44	5.1
Bamberg	315	5	15.9	3	9.5	1	33.3	-	0	2	6.3
Barnwell	762	23	30.2	20	26.2	7	35.0	-	0	3	3.9
Beaufort	5,340	175	32.8	139	26.0	46	33.1	-	0	36	6.7
Berkeley	6,949	218	31.4	170	24.5	65	38.2	1	5.8	47	6.8
Calhoun	434	5	11.5	5	11.5	2	40.0	-	0	-	0
Charleston	12,012	279	23.2	181	15.1	82	45.3	2	10.9	96	8.0
Cherokee	2,593	93	35.9	84	32.4	18	21.4	2	23.3	7	2.7
Chester	1,182	37	31.3	31	26.2	13	41.9	-	0	6	5.1
Chesterfield	1,746	50	28.6	41	23.5	18	43.9	1	23.8	8	4.6
Clarendon	828	22	26.6	21	25.4	11	52.4	-	0	1	1.2
Colleton	1,308	51	39.0	43	32.9	16	37.2	-	0	8	6.1
Darlington	2,307	64	27.7	56	24.3	24	42.9	-	0	8	3.5
Dillon	928	40	43.1	33	35.6	19	57.6	2	57.1	5	5.4
Dorchester	5,584	152	27.2	106	19.0	38	35.8	1	9.3	45	8.1
Edgefield	908	14	15.4	12	13.2	3	25.0	-	0	2	2.2
Fairfield	516	12	23.3	10	19.4	3	30.0	1	90.9	1	1.9
Florence	4,529	108	23.8	88	19.4	47	53.4	-	0	20	4.4
Georgetown	1,909	61	32.0	51	26.7	16	31.4	-	0	10	5.2
Greenville	19,889	456	22.9	363	18.3	128	35.3	2	5.5	91	4.6
Greenwood	2,966	90	30.3	83	28.0	41	49.4	-	0	7	2.4
Hampton	509	8	15.7	8	15.7	5	62.5	-	0	-	0
Horry	9,523	326	34.2	226	23.7	93	41.2	2	8.8	98	10.3
Jasper	539	28	51.9	27	50.1	15	55.6	-	0	1	1.9
Kershaw	2,542	107	42.1	87	34.2	26	29.9	1	11.4	19	7.5
Lancaster	2,757	82	29.7	75	27.2	24	32.0	-	0	7	2.5
Laurens	3,412	113	33.1	87	25.5	29	33.3	1	11.4	25	7.3
Lee	350	6	17.1	6	17.1	3	50.0	-	0	-	0
Lexington	12,647	299	23.6	238	18.8	97	40.8	1	4.2	60	4.7
McCormick	167	2	12.0	1	6.0	1	100.0	-	0	1	6.0
Marion	757	18	23.8	16	21.1	7	43.8	-	0	2	2.6
Marlboro	720	23	31.9	21	29.2	10	47.6	-	0	2	2.8
Newberry	1,320	46	34.8	36	27.3	5	13.9	-	0	10	7.6
Oconee	3,501	112	32.0	95	27.1	25	26.3	1	10.4	16	4.6
Orangeburg	1,887	60	31.8	54	28.6	26	48.1	-	0	6	3.2
Pickens	7,198	176	24.5	155	21.5	45	29.0	-	0	21	2.9
Richland	10,693	184	17.2	118	11.0	44	37.3	-	0	66	6.2
Saluda	740	23	31.1	21	28.4	8	38.1	-	0	2	2.7
Spartanburg	12,396	413	33.3	340	27.4	98	28.8	3	8.7	70	5.6
Sumter	3,333	99	29.7	79	23.7	38	48.1	2	24.7	18	5.4
Union	1,159	55	47.5	49	42.3	16	32.7	-	0	6	5.2
Williamsburg	658	12	18.2	10	15.2	6	60.0	-	0	2	3.0
York	9,954	242	24.3	196	19.7	85	43.4	1	5.1	45	4.5
Unknown	-	23	0.0	-	0	-	0	-	0	23	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

Table D-1A. (continued)
 Reported Teen Pregnancy¹ for Females Age 10-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2005
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	107,647	4,647	43.2	3,607	33.5	2,454	68.0	49	13.4	991	9.2
Abbeville	646	21	32.5	18	27.9	13	72.2	-	0	3	4.6
Aiken	3,371	151	44.8	121	35.9	78	64.5	1	8.2	29	8.6
Allendale	622	39	62.7	33	53.1	25	75.8	-	0	6	9.6
Anderson	2,449	103	42.1	77	31.4	41	53.2	1	12.8	25	10.2
Bamberg	904	36	39.8	30	33.2	19	63.3	-	0	6	6.6
Barnwell	835	40	47.9	31	37.1	22	71.0	2	60.6	7	8.4
Beaufort	2,900	128	44.1	102	35.2	64	62.7	1	9.7	25	8.6
Berkeley	3,809	125	32.8	90	23.6	64	71.1	1	11.0	34	8.9
Calhoun	535	18	33.6	15	28.0	11	73.3	-	0	3	5.6
Charleston	9,583	426	44.5	349	36.4	289	82.8	1	2.9	76	7.9
Cherokee	1,008	48	47.6	38	37.7	17	44.7	-	0	10	9.9
Chester	1,157	51	44.1	43	37.2	31	72.1	-	0	8	6.9
Chesterfield	1,256	59	47.0	45	35.8	31	68.9	1	21.7	13	10.4
Clarendon	1,463	53	36.2	47	32.1	35	74.5	-	0	6	4.1
Colleton	1,464	70	47.8	60	41.0	39	65.0	2	32.3	8	5.5
Darlington	2,367	80	33.8	72	30.4	60	83.3	-	0	8	3.4
Dillon	1,240	51	41.1	44	35.5	38	86.4	-	0	7	5.6
Dorchester	2,595	87	33.5	66	25.4	34	51.5	2	29.4	19	7.3
Edgefield	710	27	38.0	23	32.4	15	65.2	-	0	4	5.6
Fairfield	1,150	51	44.3	35	30.4	25	71.4	-	0	16	13.9
Florence	4,511	218	48.3	178	39.5	148	83.1	3	16.6	37	8.2
Georgetown	1,905	70	36.7	60	31.5	31	51.7	-	0	10	5.2
Greenville	6,295	265	42.1	209	33.2	127	60.8	3	14.2	53	8.4
Greenwood	1,927	92	47.7	63	32.7	49	77.8	2	30.8	27	14.0
Hampton	1,050	36	34.3	27	25.7	21	77.8	1	35.7	8	7.6
Horry	2,908	132	45.4	111	38.2	73	65.8	1	8.9	20	6.9
Jasper	906	26	28.7	22	24.3	13	59.1	-	0	4	4.4
Kershaw	1,174	62	52.8	46	39.2	25	54.3	1	21.3	15	12.8
Lancaster	1,360	74	54.4	62	45.6	33	53.2	2	31.3	10	7.4
Laurens	1,521	76	50.0	55	36.2	41	74.5	2	35.1	19	12.5
Lee	977	48	49.1	39	39.9	28	71.8	1	25.0	8	8.2
Lexington	2,927	125	42.7	100	34.2	72	72.0	2	19.6	23	7.9
McCormick	360	13	36.1	9	25.0	5	55.6	-	0	4	11.1
Marion	1,669	70	41.9	58	34.8	50	86.2	-	0	12	7.2
Marlboro	1,075	46	42.8	38	35.3	27	71.1	1	25.6	7	6.5
Newberry	1,031	48	46.6	35	33.9	25	71.4	-	0	13	12.6
Oconee	476	18	37.8	12	25.2	6	50.0	-	0	6	12.6
Orangeburg	5,407	200	37.0	146	27.0	83	56.8	2	13.5	52	9.6
Pickens	698	25	35.8	14	20.1	7	50.0	-	0	11	15.8
Richland	13,889	568	40.9	395	28.4	244	61.8	6	15.0	167	12.0
Saluda	451	16	35.5	11	24.4	8	72.7	1	83.3	4	8.9
Spartanburg	4,915	248	50.5	192	39.1	108	56.3	5	25.4	51	10.4
Sumter	4,203	198	47.1	167	39.7	134	80.2	1	6.0	30	7.1
Union	706	29	41.1	23	32.6	11	47.8	1	41.7	5	7.1
Williamsburg	1,948	83	42.6	72	37.0	45	62.5	2	27.0	9	4.6
York	3,294	162	49.2	124	37.6	89	71.8	-	0	38	11.5
Unknown	-	35	0.0	-	0	-	0	-	0	35	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

Table D-2.
Reported Teen Pregnancy¹ for Females Age 10-14
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	142,008	223 *	1.6	134	0.9	119	88.8	3	21.9	86 *	0.6
Abbeville	851	1	1.2	-	0	-	0	-	0	1	1.2
Aiken	5,313	9	1.7	3	0.6	3	100.0	1	250.0	5	0.9
Allendale	399	2	5.0	2	5.0	2	100.0	-	0	-	0
Anderson	5,826	9	1.5	9	1.5	7	77.8	-	0	-	0
Bamberg	520	2	3.8	1	1.9	1	100.0	-	0	1	1.9
Barnwell	798	-	0	-	0	-	0	-	0	-	0
Beaufort	4,189	4	1.0	2	0.5	2	100.0	-	0	2	0.5
Berkeley	5,545	4	0.7	2	0.4	2	100.0	-	0	2	0.4
Calhoun	480	-	0	-	0	-	0	-	0	-	0
Charleston	10,153	16	1.6	12	1.2	10	83.3	-	0	4	0.4
Cherokee	1,836	2	1.1	1	0.5	-	0	-	0	1	0.5
Chester	1,188	2	1.7	1	0.8	1	100.0	-	0	1	0.8
Chesterfield	1,578	2	1.3	1	0.6	1	100.0	-	0	1	0.6
Clarendon	1,137	3	2.6	1	0.9	1	100.0	-	0	2	1.8
Colleton	1,445	3	2.1	2	1.4	2	100.0	-	0	1	0.7
Darlington	2,506	5	2.0	5	2.0	4	80.0	-	0	-	0
Dillon	1,187	1	0.8	1	0.8	1	100.0	-	0	-	0
Dorchester	4,298	5	1.2	2	0.5	2	100.0	-	0	3	0.7
Edgefield	804	3	3.7	3	3.7	2	66.7	-	0	-	0
Fairfield	876	1	1.1	1	1.1	1	100.0	-	0	-	0
Florence	4,444	9	2.0	8	1.8	8	100.0	-	0	1	0.2
Georgetown	1,925	4	2.1	4	2.1	3	75.0	-	0	-	0
Greenville	13,359	19	1.4	12	0.9	10	83.3	-	0	7	0.5
Greenwood	2,439	7	2.9	3	1.2	3	100.0	-	0	4	1.6
Hampton	786	2	2.5	1	1.3	1	100.0	-	0	1	1.3
Horry	6,558	10 *	1.5	5	0.8	5	100.0	-	0	5 *	0.8
Jasper	746	-	0	-	0	-	0	-	0	-	0
Kershaw	1,937	-	0	-	0	-	0	-	0	-	0
Lancaster	2,146	2	0.9	2	0.9	2	100.0	-	0	-	0
Laurens	2,420	8	3.3	4	1.7	4	100.0	1	200.0	3	1.2
Lee	714	2	2.8	1	1.4	1	100.0	-	0	1	1.4
Lexington	8,232	6	0.7	4	0.5	4	100.0	-	0	2	0.2
McCormick	258	-	0	-	0	-	0	-	0	-	0
Marion	1,275	3	2.4	3	2.4	3	100.0	-	0	-	0
Marlboro	940	6	6.4	5	5.3	5	100.0	-	0	1	1.1
Newberry	1,168	2	1.7	1	0.9	1	100.0	-	0	1	0.9
Oconee	2,093	3	1.4	1	0.5	1	100.0	-	0	2	1.0
Orangeburg	3,064	6	2.0	4	1.3	4	100.0	-	0	2	0.7
Pickens	3,285	1	0.3	1	0.3	1	100.0	-	0	-	0
Richland	10,942	16	1.5	4	0.4	4	100.0	-	0	12	1.1
Saluda	628	-	0	-	0	-	0	-	0	-	0
Spartanburg	8,950	16	1.8	10	1.1	7	70.0	-	0	6	0.7
Sumter	3,857	7	1.8	4	1.0	4	100.0	-	0	3	0.8
Union	961	3	3.1	2	2.1	2	100.0	-	0	1	1.0
Williamsburg	1,279	4	3.1	1	0.8	-	0	1	500.0	2	1.6
York	6,673	11	1.6	5	0.7	4	80.0	-	0	6	0.9
Unknown	-	2	0.0	-	0	-	0	-	0	2	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

* Includes unknown race

Table D-2A.
Reported Teen Pregnancy¹ for Females Age 10-14 by Race
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2005
(Residence Data)
White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	86,957	64	0.7	38	0.4	27	71.1	1	25.6	25	0.3
Abbeville	517	1	1.9	-	0	-	0	-	0	1	1.9
Aiken	3,521	4	1.1	2	0.6	2	100.0	-	0	2	0.6
Allendale	73	-	0	-	0	-	0	-	0	-	0
Anderson	4,487	5	1.1	5	1.1	3	60.0	-	0	-	0
Bamberg	155	-	0	-	0	-	0	-	0	-	0
Barnwell	401	-	0	-	0	-	0	-	0	-	0
Beaufort	2,692	1	0.4	-	0	-	0	-	0	1	0.4
Berkeley	3,535	1	0.3	-	0	-	0	-	0	1	0.3
Calhoun	219	-	0	-	0	-	0	-	0	-	0
Charleston	5,301	2	0.4	2	0.4	1	50.0	-	0	-	0
Cherokee	1,347	1	0.7	1	0.7	-	0	-	0	-	0
Chester	601	1	1.7	1	1.7	1	100.0	-	0	-	0
Chesterfield	906	2	2.2	1	1.1	1	100.0	-	0	1	1.1
Clarendon	433	-	0	-	0	-	0	-	0	-	0
Colleton	701	1	1.4	1	1.4	1	100.0	-	0	-	0
Darlington	1,206	1	0.8	1	0.8	-	0	-	0	-	0
Dillon	490	-	0	-	0	-	0	-	0	-	0
Dorchester	2,874	2	0.7	1	0.3	1	100.0	-	0	1	0.3
Edgefield	452	1	2.2	1	2.2	1	100.0	-	0	-	0
Fairfield	279	1	3.6	1	3.6	1	100.0	-	0	-	0
Florence	2,197	-	0	-	0	-	0	-	0	-	0
Georgetown	1,001	2	2.0	2	2.0	1	50.0	-	0	-	0
Greenville	9,772	6	0.6	3	0.3	1	33.3	-	0	3	0.3
Greenwood	1,442	-	0	-	0	-	0	-	0	-	0
Hampton	259	-	0	-	0	-	0	-	0	-	0
Horry	4,913	4	0.8	2	0.4	2	100.0	-	0	2	0.4
Jasper	299	-	0	-	0	-	0	-	0	-	0
Kershaw	1,341	-	0	-	0	-	0	-	0	-	0
Lancaster	1,429	-	0	-	0	-	0	-	0	-	0
Laurens	1,627	4	2.5	2	1.2	2	100.0	1	333.3	1	0.6
Lee	183	-	0	-	0	-	0	-	0	-	0
Lexington	6,512	4	0.6	2	0.3	2	100.0	-	0	2	0.3
McCormick	79	-	0	-	0	-	0	-	0	-	0
Marion	394	-	0	-	0	-	0	-	0	-	0
Marlboro	358	1	2.8	1	2.8	1	100.0	-	0	-	0
Newberry	632	-	0	-	0	-	0	-	0	-	0
Oconee	1,842	2	1.1	-	0	-	0	-	0	2	1.1
Orangeburg	976	-	0	-	0	-	0	-	0	-	0
Pickens	3,006	1	0.3	1	0.3	1	100.0	-	0	-	0
Richland	4,273	3	0.7	1	0.2	1	100.0	-	0	2	0.5
Saluda	386	-	0	-	0	-	0	-	0	-	0
Spartanburg	6,229	8	1.3	5	0.8	3	60.0	-	0	3	0.5
Sumter	1,786	-	0	-	0	-	0	-	0	-	0
Union	617	2	3.2	1	1.6	1	100.0	-	0	1	1.6
Williamsburg	307	1	3.3	1	3.3	-	0	-	0	-	0
York	4,907	2	0.4	-	0	-	0	-	0	2	0.4
Unknown	-	-	0	-	0	-	0	-	0	-	0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

Table D-2A. (continued)
 Reported Teen Pregnancy¹ for Females Age 10-14 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2005
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	52,857	153	2.9	92	1.7	88	95.7	2	21.3	59	1.1
Abbeville	333	-	0	-	0	-	0	-	0	-	0
Aiken	1,726	5	2.9	1	0.6	1	100.0	1	500.0	3	1.7
Allendale	324	2	6.2	2	6.2	2	100.0	-	0	-	0
Anderson	1,281	4	3.1	4	3.1	4	100.0	-	0	-	0
Bamberg	365	2	5.5	1	2.7	1	100.0	-	0	1	2.7
Barnwell	396	-	0	-	0	-	0	-	0	-	0
Beaufort	1,433	2	1.4	1	0.7	1	100.0	-	0	1	0.7
Berkeley	1,868	3	1.6	2	1.1	2	100.0	-	0	1	0.5
Calhoun	260	-	0	-	0	-	0	-	0	-	0
Charleston	4,649	14	3.0	10	2.2	9	90.0	-	0	4	0.9
Cherokee	479	1	2.1	-	0	-	0	-	0	1	2.1
Chester	579	1	1.7	-	0	-	0	-	0	1	1.7
Chesterfield	656	-	0	-	0	-	0	-	0	-	0
Clarendon	689	3	4.4	1	1.5	1	100.0	-	0	2	2.9
Colleton	725	2	2.8	1	1.4	1	100.0	-	0	1	1.4
Darlington	1,289	4	3.1	4	3.1	4	100.0	-	0	-	0
Dillon	666	1	1.5	1	1.5	1	100.0	-	0	-	0
Dorchester	1,325	3	2.3	1	0.8	1	100.0	-	0	2	1.5
Edgefield	347	2	5.8	2	5.8	1	50.0	-	0	-	0
Fairfield	593	-	0	-	0	-	0	-	0	-	0
Florence	2,189	8	3.7	7	3.2	7	100.0	-	0	1	0.5
Georgetown	910	2	2.2	2	2.2	2	100.0	-	0	-	0
Greenville	3,323	13	3.9	9	2.7	9	100.0	-	0	4	1.2
Greenwood	976	7	7.2	3	3.1	3	100.0	-	0	4	4.1
Hampton	525	2	3.8	1	1.9	1	100.0	-	0	1	1.9
Horry	1,517	5	3.3	3	2.0	3	100.0	-	0	2	1.3
Jasper	445	-	0	-	0	-	0	-	0	-	0
Kershaw	588	-	0	-	0	-	0	-	0	-	0
Lancaster	709	2	2.8	2	2.8	2	100.0	-	0	-	0
Laurens	783	4	5.1	2	2.6	2	100.0	-	0	2	2.6
Lee	529	2	3.8	1	1.9	1	100.0	-	0	1	1.9
Lexington	1,581	2	1.3	2	1.3	2	100.0	-	0	-	0
McCormick	179	-	0	-	0	-	0	-	0	-	0
Marion	875	3	3.4	3	3.4	3	100.0	-	0	-	0
Marlboro	548	3	5.5	2	3.6	2	100.0	-	0	1	1.8
Newberry	531	2	3.8	1	1.9	1	100.0	-	0	1	1.9
Oconee	237	1	4.2	1	4.2	1	100.0	-	0	-	0
Orangeburg	2,052	6	2.9	4	1.9	4	100.0	-	0	2	1.0
Pickens	254	-	0	-	0	-	0	-	0	-	0
Richland	6,475	12	1.9	3	0.5	3	100.0	-	0	9	1.4
Saluda	240	-	0	-	0	-	0	-	0	-	0
Spartanburg	2,493	8	3.2	5	2.0	4	80.0	-	0	3	1.2
Sumter	2,012	7	3.5	4	2.0	4	100.0	-	0	3	1.5
Union	339	1	2.9	1	2.9	1	100.0	-	0	-	0
Williamsburg	967	3	3.1	-	0	-	0	1	1000.0	2	2.1
York	1,597	9	5.6	5	3.1	4	80.0	-	0	4	2.5
Unknown	-	2	0.0	-	0	-	0	-	0	2	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

Table D-3.
Reported Teen Pregnancy¹ for Females Age 14-17
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	116,420	3,389 *	29.1	2,582 *	22.2	1,540 *	59.6	25 *	9.6	782 *	6.7
Abbeville	770	13	16.9	12	15.6	8	66.7	-	0	1	1.3
Aiken	4,040	105 *	26.0	79 *	19.6	40 *	50.6	-	0	26	6.4
Allendale	300	18	60.0	15	50.0	12	80.0	-	0	3	10.0
Anderson	4,430	119	26.9	93	21.0	41	44.1	1	10.6	25	5.6
Bamberg	530	14	26.4	12	22.6	11	91.7	-	0	2	3.8
Barnwell	640	21	32.8	17	26.6	11	64.7	-	0	4	6.3
Beaufort	3,350	101 *	30.1	74	22.1	42	56.8	1 *	13.3	26	7.8
Berkeley	4,400	114	25.9	77	17.5	46	59.7	1	12.8	36	8.2
Calhoun	390	11	28.2	8	20.5	6	75.0	-	0	3	7.7
Charleston	9,120	261 *	28.6	196	21.5	151	77.0	1	5.1	64 *	7.0
Cherokee	1,440	56 *	38.9	51	35.4	16	31.4	2	37.7	3 *	2.1
Chester	940	32	34.0	26	27.7	19	73.1	-	0	6	6.4
Chesterfield	1,190	35	29.4	25	21.0	15	60.0	-	0	10	8.4
Clarendon	940	27	28.7	24	25.5	17	70.8	-	0	3	3.2
Colleton	1,100	43	39.1	33	30.0	20	60.6	1	29.4	9	8.2
Darlington	1,820	61	33.5	53	29.1	36	67.9	-	0	8	4.4
Dillon	870	30	34.5	27	31.0	21	77.8	-	0	3	3.4
Dorchester	3,300	78	23.6	55	16.7	31	56.4	-	0	23	7.0
Edgefield	660	12	18.2	8	12.1	4	50.0	-	0	4	6.1
Fairfield	650	18	27.7	13	20.0	10	76.9	1	71.4	4	6.2
Florence	3,720	110 *	29.6	91 *	24.5	75 *	82.4	1	10.9	18 *	4.8
Georgetown	1,530	45	29.4	38	24.8	20	52.6	-	0	7	4.6
Greenville	10,680	246 *	23.0	183	17.1	97	53.0	1	5.4	62 *	5.8
Greenwood	1,990	63	31.7	52	26.1	39	75.0	-	0	11	5.5
Hampton	620	15	24.2	13	21.0	12	92.3	-	0	2	3.2
Horry	4,970	164 *	33.0	119 *	23.9	68 *	57.1	1	8.3	44 *	8.9
Jasper	570	21	36.8	19	33.3	10	52.6	-	0	2	3.5
Kershaw	1,470	55	37.4	42	28.6	17	40.5	2	45.5	11	7.5
Lancaster	1,620	56	34.6	48	29.6	27	56.3	1	20.4	7	4.3
Laurens	2,010	75	37.3	55	27.4	31	56.4	1	17.9	19	9.5
Lee	510	17	33.3	15	29.4	9	60.0	-	0	2	3.9
Lexington	6,220	152	24.4	116	18.6	69	59.5	1	8.5	35	5.6
McCormick	210	2	9.5	1	4.8	1	100.0	-	0	1	4.8
Marion	950	40	42.1	33	34.7	28	84.8	-	0	7	7.4
Marlboro	750	29	38.7	26	34.7	17	65.4	1	37.0	2	2.7
Newberry	950	32	33.7	22	23.2	11	50.0	-	0	10	10.5
Oconee	1,570	57	36.3	45	28.7	14	31.1	-	0	12	7.6
Orangeburg	3,190	91	28.5	74	23.2	49	66.2	1	13.3	16	5.0
Pickens	3,470	62	17.9	51	14.7	18	35.3	-	0	11	3.2
Richland	10,690	267 *	25.0	166	15.5	108	65.1	2	11.9	99 *	9.3
Saluda	470	12	25.5	8	17.0	5	62.5	-	0	4	8.5
Spartanburg	7,070	268 *	37.9	209	29.6	96	45.9	2	9.5	57 *	8.1
Sumter	3,050	119 *	39.0	95 *	31.1	68 *	71.6	2	20.6	22	7.2
Union	740	35	47.3	29	39.2	12	41.4	-	0	6	8.1
Williamsburg	1,060	36	34.0	30	28.3	19	63.3	1	32.3	5	4.7
York	5,470	131 *	23.9	104	19.0	63	60.6	-	0	27 *	4.9
Unknown	-	20 *	0.0	-	0	-	0	-	0	20 *	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17

* Includes unknown race

Table D-3A.
 Reported Teen Pregnancy¹ for Females Age 14-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2005
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	71,160	1,600	22.5	1,221	17.2	549	45.0	12	9.7	367	5.2
Abbeville	510	6	11.8	5	9.8	2	40.0	-	0	1	2.0
Aiken	2,650	59	22.3	43	16.2	16	37.2	-	0	16	6.0
Allendale	50	1	20.0	1	20.0	1	100.0	-	0	-	0
Anderson	3,430	79	23.0	61	17.8	24	39.3	1	16.1	17	5.0
Bamberg	130	2	15.4	1	7.7	1	100.0	-	0	1	7.7
Barnwell	300	7	23.3	7	23.3	3	42.9	-	0	-	0
Beaufort	2,130	58	27.2	42	19.7	20	47.6	-	0	16	7.5
Berkeley	2,760	65	23.6	42	15.2	18	42.9	1	23.3	22	8.0
Calhoun	170	2	11.8	2	11.8	1	50.0	-	0	-	0
Charleston	5,090	101	19.8	66	13.0	37	56.1	1	14.9	34	6.7
Cherokee	1,020	39	38.2	36	35.3	9	25.0	2	52.6	1	1.0
Chester	470	12	25.5	10	21.3	4	40.0	-	0	2	4.3
Chesterfield	690	14	20.3	11	15.9	4	36.4	-	0	3	4.3
Clarendon	320	4	12.5	4	12.5	2	50.0	-	0	-	0
Colleton	500	18	36.0	16	32.0	6	37.5	-	0	2	4.0
Darlington	900	28	31.1	26	28.9	14	53.8	-	0	2	2.2
Dillon	360	11	30.6	10	27.8	6	60.0	-	0	1	2.8
Dorchester	2,200	50	22.7	32	14.5	18	56.3	-	0	18	8.2
Edgefield	360	3	8.3	2	5.6	1	50.0	-	0	1	2.8
Fairfield	200	3	15.0	2	10.0	2	100.0	1	333.3	-	0
Florence	1,840	28	15.2	24	13.0	18	75.0	-	0	4	2.2
Georgetown	750	23	30.7	17	22.7	8	47.1	-	0	6	8.0
Greenville	8,020	146	18.2	109	13.6	46	42.2	1	9.1	36	4.5
Greenwood	1,200	24	20.0	22	18.3	14	63.6	-	0	2	1.7
Hampton	200	3	15.0	3	15.0	3	100.0	-	0	-	0
Horry	3,750	103	27.5	71	18.9	32	45.1	1	13.9	31	8.3
Jasper	200	13	65.0	13	65.0	7	53.8	-	0	-	0
Kershaw	990	30	30.3	24	24.2	7	29.2	1	40.0	5	5.1
Lancaster	1,080	28	25.9	25	23.1	10	40.0	-	0	3	2.8
Laurens	1,400	45	32.1	32	22.9	13	40.6	-	0	13	9.3
Lee	140	3	21.4	3	21.4	1	33.3	-	0	-	0
Lexington	4,980	104	20.9	75	15.1	38	50.7	1	13.2	28	5.6
McCormick	70	-	0	-	0	-	0	-	0	-	0
Marion	300	8	26.7	6	20.0	4	66.7	-	0	2	6.7
Marlboro	290	6	20.7	6	20.7	3	50.0	-	0	-	0
Newberry	540	12	22.2	10	18.5	1	10.0	-	0	2	3.7
Oconee	1,360	45	33.1	37	27.2	10	27.0	-	0	8	5.9
Orangeburg	740	22	29.7	20	27.0	11	55.0	-	0	2	2.7
Pickens	3,120	55	17.6	47	15.1	18	38.3	-	0	8	2.6
Richland	4,710	49	10.4	31	6.6	14	45.2	-	0	18	3.8
Saluda	290	6	20.7	6	20.7	4	66.7	-	0	-	0
Spartanburg	4,950	148	29.9	114	23.0	44	38.6	1	8.7	33	6.7
Sumter	1,290	36	27.9	27	20.9	15	55.6	1	35.7	8	6.2
Union	450	23	51.1	20	44.4	8	40.0	-	0	3	6.7
Williamsburg	270	5	18.5	3	11.1	1	33.3	-	0	2	7.4
York	4,010	69	17.2	57	14.2	30	52.6	-	0	12	3.0
Unknown	-	4	0.0	-	0	-	0	-	0	4	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17

Table D-3A. (continued)
 Reported Teen Pregnancy¹ for Females Age 14-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2005
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	43,450	1,738	40.0	1,331	30.6	975	73.3	12	8.9	395	9.1
Abbeville	250	7	28.0	7	28.0	6	85.7	-	0	-	0
Aiken	1,330	44	33.1	34	25.6	23	67.6	-	0	10	7.5
Allendale	240	17	70.8	14	58.3	11	78.6	-	0	3	12.5
Anderson	960	40	41.7	32	33.3	17	53.1	-	0	8	8.3
Bamberg	400	12	30.0	11	27.5	10	90.9	-	0	1	2.5
Barnwell	340	14	41.2	10	29.4	8	80.0	-	0	4	11.8
Beaufort	1,170	41	35.0	31	26.5	21	67.7	-	0	10	8.5
Berkeley	1,540	49	31.8	35	22.7	28	80.0	-	0	14	9.1
Calhoun	220	8	36.4	6	27.3	5	83.3	-	0	2	9.1
Charleston	3,890	156	40.1	127	32.6	113	89.0	-	0	29	7.5
Cherokee	410	15	36.6	14	34.1	6	42.9	-	0	1	2.4
Chester	460	20	43.5	16	34.8	15	93.8	-	0	4	8.7
Chesterfield	490	21	42.9	14	28.6	11	78.6	-	0	7	14.3
Clarendon	600	23	38.3	20	33.3	15	75.0	-	0	3	5.0
Colleton	590	25	42.4	17	28.8	14	82.4	1	55.6	7	11.9
Darlington	900	33	36.7	27	30.0	22	81.5	-	0	6	6.7
Dillon	480	18	37.5	16	33.3	14	87.5	-	0	2	4.2
Dorchester	1,030	27	26.2	22	21.4	13	59.1	-	0	5	4.9
Edgefield	290	9	31.0	6	20.7	3	50.0	-	0	3	10.3
Fairfield	450	15	33.3	11	24.4	8	72.7	-	0	4	8.9
Florence	1,830	79	43.2	65	35.5	55	84.6	1	15.2	13	7.1
Georgetown	780	22	28.2	21	26.9	12	57.1	-	0	1	1.3
Greenville	2,450	98	40.0	73	29.8	51	69.9	-	0	25	10.2
Greenwood	770	38	49.4	29	37.7	24	82.8	-	0	9	11.7
Hampton	420	12	28.6	10	23.8	9	90.0	-	0	2	4.8
Horry	1,140	56	49.1	47	41.2	35	74.5	-	0	9	7.9
Jasper	370	7	18.9	5	13.5	3	60.0	-	0	2	5.4
Kershaw	470	25	53.2	18	38.3	10	55.6	1	52.6	6	12.8
Lancaster	530	28	52.8	23	43.4	17	73.9	1	41.7	4	7.5
Laurens	600	30	50.0	23	38.3	18	78.3	1	41.7	6	10.0
Lee	370	14	37.8	12	32.4	8	66.7	-	0	2	5.4
Lexington	1,120	46	41.1	40	35.7	30	75.0	-	0	6	5.4
McCormick	140	2	14.3	1	7.1	1	100.0	-	0	1	7.1
Marion	650	32	49.2	27	41.5	24	88.9	-	0	5	7.7
Marlboro	430	20	46.5	17	39.5	12	70.6	1	55.6	2	4.7
Newberry	410	20	48.8	12	29.3	10	83.3	-	0	8	19.5
Oconee	190	10	52.6	7	36.8	4	57.1	-	0	3	15.8
Orangeburg	2,420	69	28.5	54	22.3	38	70.4	1	18.2	14	5.8
Pickens	320	7	21.9	4	12.5	-	0	-	0	3	9.4
Richland	5,740	215	37.5	135	23.5	94	69.6	2	14.6	78	13.6
Saluda	170	6	35.3	2	11.8	1	50.0	-	0	4	23.5
Spartanburg	1,950	111	56.9	88	45.1	50	56.8	1	11.2	22	11.3
Sumter	1,720	81	47.1	67	39.0	52	77.6	1	14.7	13	7.6
Union	290	12	41.4	9	31.0	4	44.4	-	0	3	10.3
Williamsburg	780	31	39.7	27	34.6	18	66.7	1	35.7	3	3.8
York	1,340	59	44.0	45	33.6	32	71.1	-	0	14	10.4
Unknown	-	14	0.0	-	0	-	0	-	0	14	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17

Table D-4.
Reported Teen Pregnancy¹ for Females Age 15-17
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	88,020	3,216 *	36.5	2,469 *	28.1	1,441 *	58.4	24 *	9.6	723 *	8.2
Abbeville	600	13	21.7	12	20.0	8	66.7	-	0	1	1.7
Aiken	2,970	99 *	33.3	76 *	25.6	37 *	48.7	-	0	23	7.7
Allendale	220	16	72.7	13	59.1	10	76.9	-	0	3	13.6
Anderson	3,270	112	34.3	86	26.3	36	41.9	1	11.5	25	7.6
Bamberg	420	12	28.6	11	26.2	10	90.9	-	0	1	2.4
Barnwell	480	21	43.8	17	35.4	11	64.7	-	0	4	8.3
Beaufort	2,510	97 *	38.6	72	28.7	40	55.6	1 *	13.7	24	9.6
Berkeley	3,300	111	33.6	76	23.0	45	59.2	1	13.0	34	10.3
Calhoun	290	11	37.9	8	27.6	6	75.0	-	0	3	10.3
Charleston	7,090	247 *	34.8	185	26.1	142	76.8	1	5.4	61 *	8.6
Cherokee	1,070	55 *	51.4	50	46.7	16	32.0	2	38.5	3 *	2.8
Chester	700	30	42.9	25	35.7	18	72.0	-	0	5	7.1
Chesterfield	870	35	40.2	25	28.7	15	60.0	-	0	10	11.5
Clarendon	710	24	33.8	23	32.4	16	69.6	-	0	1	1.4
Colleton	820	40	48.8	31	37.8	18	58.1	1	31.3	8	9.8
Darlington	1,320	58	43.9	50	37.9	33	66.0	-	0	8	6.1
Dillon	630	30	47.6	27	42.9	21	77.8	-	0	3	4.8
Dorchester	2,440	75	30.7	53	21.7	29	54.7	-	0	22	9.0
Edgefield	500	10	20.0	6	12.0	3	50.0	-	0	4	8.0
Fairfield	480	17	35.4	12	25.0	9	75.0	1	76.9	4	8.3
Florence	2,830	103 *	36.4	84 *	29.7	68 *	81.0	1	11.8	18 *	6.4
Georgetown	1,150	43	37.4	36	31.3	19	52.8	-	0	7	6.1
Greenville	8,010	229 *	28.6	171	21.3	87	50.9	1	5.8	57 *	7.1
Greenwood	1,500	59	39.3	50	33.3	37	74.0	-	0	9	6.0
Hampton	470	14	29.8	12	25.5	11	91.7	-	0	2	4.3
Horry	3,660	155 *	42.3	114 *	31.1	63 *	55.3	1	8.7	40 *	10.9
Jasper	420	21	50.0	19	45.2	10	52.6	-	0	2	4.8
Kershaw	1,080	55	50.9	42	38.9	17	40.5	2	45.5	11	10.2
Lancaster	1,190	55	46.2	47	39.5	26	55.3	1	20.8	7	5.9
Laurens	1,530	70	45.8	51	33.3	27	52.9	1	19.2	18	11.8
Lee	370	16	43.2	14	37.8	8	57.1	-	0	2	5.4
Lexington	4,570	146	31.9	112	24.5	65	58.0	1	8.8	33	7.2
McCormick	160	2	12.5	1	6.3	1	100.0	-	0	1	6.3
Marion	700	37	52.9	30	42.9	25	83.3	-	0	7	10.0
Marlboro	560	27	48.2	24	42.9	15	62.5	1	40.0	2	3.6
Newberry	720	31	43.1	22	30.6	11	50.0	-	0	9	12.5
Oconee	1,150	54	47.0	44	38.3	13	29.5	-	0	10	8.7
Orangeburg	2,580	85	32.9	70	27.1	45	64.3	1	14.1	14	5.4
Pickens	2,820	62	22.0	51	18.1	18	35.3	-	0	11	3.9
Richland	8,500	253 *	29.8	162	19.1	104	64.2	2	12.2	89 *	10.5
Saluda	340	12	35.3	8	23.5	5	62.5	-	0	4	11.8
Spartanburg	5,280	254 *	48.1	200	37.9	90	45.0	2	9.9	52 *	9.8
Sumter	2,280	114 *	50.0	91 *	39.9	64 *	70.3	2	21.5	21	9.2
Union	550	32	58.2	27	49.1	10	37.0	-	0	5	9.1
Williamsburg	800	33	41.3	29	36.3	19	65.5	-	0	4	5.0
York	4,140	123 *	29.7	100	24.2	60	60.0	-	0	23 *	5.6
Unknown	-	18 *	0.0	-	0	-	0	-	0	18 *	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17

* Includes unknown race

Table D-4A.
 Reported Teen Pregnancy¹ for Females Age 15-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2005
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	53,770	1,547	28.8	1,189	22.1	527	44.3	12	10.0	346	6.4
Abbeville	410	6	14.6	5	12.2	2	40.0	-	0	1	2.4
Aiken	1,950	55	28.2	41	21.0	14	34.1	-	0	14	7.2
Allendale	40	1	25.0	1	25.0	1	100.0	-	0	-	0
Anderson	2,530	75	29.6	57	22.5	22	38.6	1	17.2	17	6.7
Bamberg	100	2	20.0	1	10.0	1	100.0	-	0	1	10.0
Barnwell	220	7	31.8	7	31.8	3	42.9	-	0	-	0
Beaufort	1,590	57	35.8	42	26.4	20	47.6	-	0	15	9.4
Berkeley	2,050	64	31.2	42	20.5	18	42.9	1	23.3	21	10.2
Calhoun	130	2	15.4	2	15.4	1	50.0	-	0	-	0
Charleston	4,030	99	24.6	64	15.9	36	56.3	1	15.4	34	8.4
Cherokee	750	38	50.7	35	46.7	9	25.7	2	54.1	1	1.3
Chester	350	11	31.4	9	25.7	3	33.3	-	0	2	5.7
Chesterfield	500	14	28.0	11	22.0	4	36.4	-	0	3	6.0
Clarendon	240	4	16.7	4	16.7	2	50.0	-	0	-	0
Colleton	360	17	47.2	15	41.7	5	33.3	-	0	2	5.6
Darlington	660	28	42.4	26	39.4	14	53.8	-	0	2	3.0
Dillon	260	11	42.3	10	38.5	6	60.0	-	0	1	3.8
Dorchester	1,630	48	29.4	31	19.0	17	54.8	-	0	17	10.4
Edgefield	270	2	7.4	1	3.7	-	0	-	0	1	3.7
Fairfield	140	2	14.3	1	7.1	1	100.0	1	500.0	-	0
Florence	1,400	28	20.0	24	17.1	18	75.0	-	0	4	2.9
Georgetown	540	22	40.7	16	29.6	8	50.0	-	0	6	11.1
Greenville	6,070	140	23.1	106	17.5	45	42.5	1	9.3	33	5.4
Greenwood	910	24	26.4	22	24.2	14	63.6	-	0	2	2.2
Hampton	150	3	20.0	3	20.0	3	100.0	-	0	-	0
Horry	2,770	100	36.1	69	24.9	30	43.5	1	14.3	30	10.8
Jasper	140	13	92.9	13	92.9	7	53.8	-	0	-	0
Kershaw	720	30	41.7	24	33.3	7	29.2	1	40.0	5	6.9
Lancaster	800	28	35.0	25	31.3	10	40.0	-	0	3	3.8
Laurens	1,070	43	40.2	30	28.0	11	36.7	-	0	13	12.1
Lee	100	3	30.0	3	30.0	1	33.3	-	0	-	0
Lexington	3,680	100	27.2	73	19.8	36	49.3	1	13.5	26	7.1
McCormick	50	-	0	-	0	-	0	-	0	-	0
Marion	220	8	36.4	6	27.3	4	66.7	-	0	2	9.1
Marlboro	220	6	27.3	6	27.3	3	50.0	-	0	-	0
Newberry	410	12	29.3	10	24.4	1	10.0	-	0	2	4.9
Oconee	1,000	43	43.0	37	37.0	10	27.0	-	0	6	6.0
Orangeburg	550	22	40.0	20	36.4	11	55.0	-	0	2	3.6
Pickens	2,520	55	21.8	47	18.7	18	38.3	-	0	8	3.2
Richland	3,850	46	11.9	30	7.8	13	43.3	-	0	16	4.2
Saluda	210	6	28.6	6	28.6	4	66.7	-	0	-	0
Spartanburg	3,700	140	37.8	109	29.5	41	37.6	1	9.1	30	8.1
Sumter	930	36	38.7	27	29.0	15	55.6	1	35.7	8	8.6
Union	330	21	63.6	19	57.6	7	36.8	-	0	2	6.1
Williamsburg	210	4	19.0	2	9.5	1	50.0	-	0	2	9.5
York	3,030	67	22.1	57	18.8	30	52.6	-	0	10	3.3
Unknown	-	4	0.0	-	0	-	0	-	0	4	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17

Table D-4A. (continued)
 Reported Teen Pregnancy¹ for Females Age 15-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2005
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	32,870	1,622	49.3	1,252	38.1	900	71.9	11	8.7	359	10.9
Abbeville	190	7	36.8	7	36.8	6	85.7	-	0	-	0
Aiken	990	42	42.4	33	33.3	22	66.7	-	0	9	9.1
Allendale	180	15	83.3	12	66.7	9	75.0	-	0	3	16.7
Anderson	700	37	52.9	29	41.4	14	48.3	-	0	8	11.4
Bamberg	320	10	31.3	10	31.3	9	90.0	-	0	-	0
Barnwell	260	14	53.8	10	38.5	8	80.0	-	0	4	15.4
Beaufort	880	39	44.3	30	34.1	20	66.7	-	0	9	10.2
Berkeley	1,160	47	40.5	34	29.3	27	79.4	-	0	13	11.2
Calhoun	170	8	47.1	6	35.3	5	83.3	-	0	2	11.8
Charleston	2,960	144	48.6	118	39.9	105	89.0	-	0	26	8.8
Cherokee	320	15	46.9	14	43.8	6	42.9	-	0	1	3.1
Chester	350	19	54.3	16	45.7	15	93.8	-	0	3	8.6
Chesterfield	360	21	58.3	14	38.9	11	78.6	-	0	7	19.4
Clarendon	460	20	43.5	19	41.3	14	73.7	-	0	1	2.2
Colleton	440	23	52.3	16	36.4	13	81.3	1	58.8	6	13.6
Darlington	650	30	46.2	24	36.9	19	79.2	-	0	6	9.2
Dillon	340	18	52.9	16	47.1	14	87.5	-	0	2	5.9
Dorchester	760	26	34.2	21	27.6	12	57.1	-	0	5	6.6
Edgefield	220	8	36.4	5	22.7	3	60.0	-	0	3	13.6
Fairfield	330	15	45.5	11	33.3	8	72.7	-	0	4	12.1
Florence	1,390	73	52.5	59	42.4	49	83.1	1	16.7	13	9.4
Georgetown	600	21	35.0	20	33.3	11	55.0	-	0	1	1.7
Greenville	1,780	87	48.9	64	36.0	42	65.6	-	0	23	12.9
Greenwood	570	34	59.6	27	47.4	22	81.5	-	0	7	12.3
Hampton	320	11	34.4	9	28.1	8	88.9	-	0	2	6.3
Horry	830	51	61.4	44	53.0	32	72.7	-	0	7	8.4
Jasper	280	7	25.0	5	17.9	3	60.0	-	0	2	7.1
Kershaw	350	25	71.4	18	51.4	10	55.6	1	52.6	6	17.1
Lancaster	390	27	69.2	22	56.4	16	72.7	1	43.5	4	10.3
Laurens	440	27	61.4	21	47.7	16	76.2	1	45.5	5	11.4
Lee	270	13	48.1	11	40.7	7	63.6	-	0	2	7.4
Lexington	810	44	54.3	38	46.9	28	73.7	-	0	6	7.4
McCormick	110	2	18.2	1	9.1	1	100.0	-	0	1	9.1
Marion	480	29	60.4	24	50.0	21	87.5	-	0	5	10.4
Marlboro	320	18	56.3	15	46.9	10	66.7	1	62.5	2	6.3
Newberry	300	19	63.3	12	40.0	10	83.3	-	0	7	23.3
Oconee	140	9	64.3	6	42.9	3	50.0	-	0	3	21.4
Orangeburg	2,010	63	31.3	50	24.9	34	68.0	1	19.6	12	6.0
Pickens	270	7	25.9	4	14.8	-	0	-	0	3	11.1
Richland	4,450	205	46.1	132	29.7	91	68.9	2	14.9	71	16.0
Saluda	130	6	46.2	2	15.4	1	50.0	-	0	4	30.8
Spartanburg	1,450	105	72.4	84	57.9	47	56.0	1	11.8	20	13.8
Sumter	1,310	76	58.0	63	48.1	48	76.2	1	15.6	12	9.2
Union	220	11	50.0	8	36.4	3	37.5	-	0	3	13.6
Williamsburg	590	29	49.2	27	45.8	18	66.7	-	0	2	3.4
York	1,020	53	52.0	41	40.2	29	70.7	-	0	12	11.8
Unknown	-	12	0.0	-	0	-	0	-	0	12	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17

Table D-5.
Reported Teen Pregnancy¹ for Females Age 18-19
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	58,680	6,279 *	107.0	4,991 *	85.1	2,366 *	47.4	52	10.3	1,236 *	21.1
Abbeville	400	37	92.5	33	82.5	13	39.4	-	0	4	10.0
Aiken	1,980	247 *	124.7	200 *	101.0	86	43.0	2	9.9	45	22.7
Allendale	140	25	178.6	22	157.1	16	72.7	-	0	3	21.4
Anderson	2,180	258	118.3	211	96.8	68	32.2	3	14.0	44	20.2
Bamberg	280	27	96.4	21	75.0	9	42.9	-	0	6	21.4
Barnwell	320	42	131.3	34	106.3	18	52.9	2	55.6	6	18.8
Beaufort	1,680	205	122.0	169	100.6	69	40.8	1	5.9	35	20.8
Berkeley	2,200	235	106.8	187	85.0	82	43.9	1	5.3	47	21.4
Calhoun	200	13	65.0	12	60.0	7	58.3	-	0	1	5.0
Charleston	4,730	455 *	96.2	342 *	72.3	225 *	65.8	2	5.8	111 *	23.5
Cherokee	720	86	119.4	72	100.0	20	27.8	-	0	14	19.4
Chester	470	56	119.1	48	102.1	25	52.1	-	0	8	17.0
Chesterfield	580	74 *	127.6	61	105.2	34	55.7	2	31.7	11 *	19.0
Clarendon	470	49 *	104.3	45 *	95.7	30 *	66.7	-	0	4	8.5
Colleton	540	80	148.1	72	133.3	36	50.0	1	13.7	7	13.0
Darlington	880	83	94.3	75	85.2	47	62.7	-	0	8	9.1
Dillon	420	64	152.4	53	126.2	39	73.6	2	36.4	9	21.4
Dorchester	1,630	165	101.2	121	74.2	43	35.5	3	24.2	41	25.2
Edgefield	330	30 *	90.9	27	81.8	14	51.9	-	0	3 *	9.1
Fairfield	320	45	140.6	32	100.0	18	56.3	-	0	13	40.6
Florence	1,890	221	116.9	179	94.7	122	68.2	2	11.0	40	21.2
Georgetown	760	84	110.5	71	93.4	25	35.2	-	0	13	17.1
Greenville	5,340	477	89.3	392	73.4	158	40.3	4	10.1	81	15.2
Greenwood	1,000	117	117.0	94	94.0	51	54.3	2	20.8	21	21.0
Hampton	310	28	90.3	22	71.0	14	63.6	1	43.5	5	16.1
Horry	2,440	304 *	124.6	224	91.8	99	44.2	2	8.8	78 *	32.0
Jasper	280	35	125.0	32	114.3	18	56.3	-	0	3	10.7
Kershaw	720	116 *	161.1	91	126.4	34	37.4	-	0	25 *	34.7
Lancaster	790	99	125.3	88	111.4	29	33.0	1	11.2	10	12.7
Laurens	1,020	111	108.8	87	85.3	39	44.8	1	11.4	23	22.5
Lee	250	36	144.0	30	120.0	22	73.3	1	32.3	5	20.0
Lexington	3,050	277 *	90.8	225 *	73.8	102 *	45.3	2	8.8	50	16.4
McCormick	110	13	118.2	9	81.8	5	55.6	-	0	4	36.4
Marion	460	48	104.3	41	89.1	29	70.7	-	0	7	15.2
Marlboro	370	43	116.2	37	100.0	22	59.5	-	0	6	16.2
Newberry	480	61	127.1	48	100.0	18	37.5	-	0	13	27.1
Oconee	770	75	97.4	63	81.8	17	27.0	1	15.6	11	14.3
Orangeburg	1,720	171	99.4	128	74.4	62	48.4	1	7.8	42	24.4
Pickens	1,880	139 *	73.9	118 *	62.8	34 *	28.8	-	0	21	11.2
Richland	5,670	494 *	87.1	348 *	61.4	181 *	52.0	4	11.4	142 *	25.0
Saluda	230	28	121.7	25	108.7	11	44.0	1	38.5	2	8.7
Spartanburg	3,520	408 *	115.9	334	94.9	111	33.2	6	17.6	68 *	19.3
Sumter	1,520	181 *	119.1	153	100.7	105	68.6	1	6.5	27 *	17.8
Union	370	49	132.4	43	116.2	15	34.9	1	22.7	5	13.5
Williamsburg	530	58	109.4	52	98.1	32	61.5	1	18.9	5	9.4
York	2,760	284 *	102.9	220	79.7	112	50.9	1	4.5	63 *	22.8
Unknown	-	46 *	0.0	-	0	-	0	-	0	46 *	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19

* Includes unknown race

Table D-5A.
Reported Teen Pregnancy¹ for Females Age 18-19 by Race
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2005
(Residence Data)
White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	35,840	3,305	92.2	2,667	74.4	875	32.8	16	6.0	622	17.4
Abbeville	270	23	85.2	22	81.5	6	27.3	-	0	1	3.7
Aiken	1,300	138	106.2	109	83.8	29	26.6	2	18.0	27	20.8
Allendale	20	3	150.0	3	150.0	2	66.7	-	0	-	0
Anderson	1,690	193	114.2	164	97.0	44	26.8	2	12.0	27	16.0
Bamberg	60	3	50.0	2	33.3	-	0	-	0	1	16.7
Barnwell	140	16	114.3	13	92.9	4	30.8	-	0	3	21.4
Beaufort	1,060	117	110.4	97	91.5	26	26.8	-	0	20	18.9
Berkeley	1,370	153	111.7	128	93.4	47	36.7	-	0	25	18.2
Calhoun	90	3	33.3	3	33.3	1	33.3	-	0	-	0
Charleston	2,680	178	66.4	115	42.9	45	39.1	1	8.6	62	23.1
Cherokee	500	54	108.0	48	96.0	9	18.8	-	0	6	12.0
Chester	230	25	108.7	21	91.3	9	42.9	-	0	4	17.4
Chesterfield	340	34	100.0	29	85.3	13	44.8	1	33.3	4	11.8
Clarendon	160	18	112.5	17	106.3	9	52.9	-	0	1	6.3
Colleton	240	33	137.5	27	112.5	10	37.0	-	0	6	25.0
Darlington	440	35	79.5	29	65.9	10	34.5	-	0	6	13.6
Dillon	180	29	161.1	23	127.8	13	56.5	2	80.0	4	22.2
Dorchester	1,080	102	94.4	74	68.5	20	27.0	1	13.3	27	25.0
Edgefield	180	11	61.1	10	55.6	2	20.0	-	0	1	5.6
Fairfield	90	9	100.0	8	88.9	1	12.5	-	0	1	11.1
Florence	930	80	86.0	64	68.8	29	45.3	-	0	16	17.2
Georgetown	360	37	102.8	33	91.7	7	21.2	-	0	4	11.1
Greenville	4,050	310	76.5	254	62.7	82	32.3	1	3.9	55	13.6
Greenwood	610	66	108.2	61	100.0	27	44.3	-	0	5	8.2
Hampton	100	5	50.0	5	50.0	2	40.0	-	0	-	0
Horry	1,840	222	120.7	155	84.2	61	39.4	1	6.4	66	35.9
Jasper	100	15	150.0	14	140.0	8	57.1	-	0	1	10.0
Kershaw	480	77	160.4	63	131.3	19	30.2	-	0	14	29.2
Lancaster	530	54	101.9	50	94.3	14	28.0	-	0	4	7.5
Laurens	710	66	93.0	55	77.5	16	29.1	-	0	11	15.5
Lee	70	3	42.9	3	42.9	2	66.7	-	0	-	0
Lexington	2,450	195	79.6	163	66.5	59	36.2	-	0	32	13.1
McCormick	40	2	50.0	1	25.0	1	100.0	-	0	1	25.0
Marion	150	10	66.7	10	66.7	3	30.0	-	0	-	0
Marlboro	140	16	114.3	14	100.0	6	42.9	-	0	2	14.3
Newberry	280	34	121.4	26	92.9	4	15.4	-	0	8	28.6
Oconee	660	67	101.5	58	87.9	15	25.9	1	16.9	8	12.1
Orangeburg	360	38	105.6	34	94.4	15	44.1	-	0	4	11.1
Pickens	1,680	120	71.4	107	63.7	26	24.3	-	0	13	7.7
Richland	2,570	135	52.5	87	33.9	30	34.5	-	0	48	18.7
Saluda	140	17	121.4	15	107.1	4	26.7	-	0	2	14.3
Spartanburg	2,470	265	107.3	226	91.5	54	23.9	2	8.8	37	15.0
Sumter	620	63	101.6	52	83.9	23	44.2	1	18.9	10	16.1
Union	220	32	145.5	29	131.8	8	27.6	-	0	3	13.6
Williamsburg	140	7	50.0	7	50.0	5	71.4	-	0	-	0
York	2,020	173	85.6	139	68.8	55	39.6	1	7.1	33	16.3
Unknown	-	19	0.0	-	0	-	0	-	0	19	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19

Table D-5A. (continued)
 Reported Teen Pregnancy¹ for Females Age 18-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2005
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	21,920	2,872	131.0	2,263	103.2	1,466	64.8	36	15.7	573	26.1
Abbeville	130	14	107.7	11	84.6	7	63.6	-	0	3	23.1
Aiken	660	104	157.6	87	131.8	55	63.2	-	0	17	25.8
Allendale	120	22	183.3	19	158.3	14	73.7	-	0	3	25.0
Anderson	470	62	131.9	44	93.6	23	52.3	1	22.2	17	36.2
Bamberg	220	24	109.1	19	86.4	9	47.4	-	0	5	22.7
Barnwell	180	26	144.4	21	116.7	14	66.7	2	87.0	3	16.7
Beaufort	590	87	147.5	71	120.3	43	60.6	1	13.9	15	25.4
Berkeley	780	75	96.2	54	69.2	35	64.8	1	18.2	20	25.6
Calhoun	110	10	90.9	9	81.8	6	66.7	-	0	1	9.1
Charleston	1,970	268	136.0	221	112.2	175	79.2	1	4.5	46	23.4
Cherokee	210	32	152.4	24	114.3	11	45.8	-	0	8	38.1
Chester	230	31	134.8	27	117.4	16	59.3	-	0	4	17.4
Chesterfield	240	38	158.3	31	129.2	20	64.5	1	31.3	6	25.0
Clarendon	310	30	96.8	27	87.1	20	74.1	-	0	3	9.7
Colleton	300	45	150.0	43	143.3	25	58.1	1	22.7	1	3.3
Darlington	430	46	107.0	44	102.3	37	84.1	-	0	2	4.7
Dillon	230	32	139.1	27	117.4	23	85.2	-	0	5	21.7
Dorchester	510	58	113.7	44	86.3	21	47.7	2	43.5	12	23.5
Edgefield	150	17	113.3	16	106.7	11	68.8	-	0	1	6.7
Fairfield	220	36	163.6	24	109.1	17	70.8	-	0	12	54.5
Florence	930	137	147.3	112	120.4	92	82.1	2	17.5	23	24.7
Georgetown	400	47	117.5	38	95.0	18	47.4	-	0	9	22.5
Greenville	1,190	165	138.7	136	114.3	76	55.9	3	21.6	26	21.8
Greenwood	380	51	134.2	33	86.8	24	72.7	2	57.1	16	42.1
Hampton	210	23	109.5	17	81.0	12	70.6	1	55.6	5	23.8
Horry	560	76	135.7	64	114.3	38	59.4	1	15.4	11	19.6
Jasper	180	19	105.6	17	94.4	10	58.8	-	0	2	11.1
Kershaw	230	37	160.9	28	121.7	15	53.6	-	0	9	39.1
Lancaster	260	45	173.1	38	146.2	15	39.5	1	25.6	6	23.1
Laurens	300	45	150.0	32	106.7	23	71.9	1	30.3	12	40.0
Lee	180	33	183.3	27	150.0	20	74.1	1	35.7	5	27.8
Lexington	540	79	146.3	60	111.1	42	70.0	2	32.3	17	31.5
McCormick	70	11	157.1	8	114.3	4	50.0	-	0	3	42.9
Marion	320	38	118.8	31	96.9	26	83.9	-	0	7	21.9
Marlboro	210	25	119.0	21	100.0	15	71.4	-	0	4	19.0
Newberry	200	27	135.0	22	110.0	14	63.6	-	0	5	25.0
Oconee	100	8	80.0	5	50.0	2	40.0	-	0	3	30.0
Orangeburg	1,340	131	97.8	92	68.7	45	48.9	1	10.8	38	28.4
Pickens	180	18	100.0	10	55.6	7	70.0	-	0	8	44.4
Richland	2,970	351	118.2	260	87.5	150	57.7	4	15.2	87	29.3
Saluda	80	10	125.0	9	112.5	7	77.8	1	100.0	-	0
Spartanburg	970	135	139.2	103	106.2	57	55.3	4	37.4	28	28.9
Sumter	880	115	130.7	100	113.6	82	82.0	-	0	15	17.0
Union	150	17	113.3	14	93.3	7	50.0	1	66.7	2	13.3
Williamsburg	390	51	130.8	45	115.4	27	60.0	1	21.7	5	12.8
York	680	100	147.1	78	114.7	56	71.8	-	0	22	32.4
Unknown	-	21	0.0	-	0	-	0	-	0	21	0.0

¹ Reported pregnancies equal total live births plus abortions plus fetal deaths.


² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19

The State Fish

“ The Striped Bass”



Officially adopted by the General Assembly in 1972

ABORTIONS

Table E-1.
Abortions and Abortion Rates¹ by Race
South Carolina, 1996-2005
(Residence Data)

Year	Total*		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1996	11,193 *	219.0	6,086	188.4	5,042	268.4
1997	11,052 *	211.7	5,893	178.5	5,070	264.2
1998	9,671 *	179.6	5,121	150.3	4,529	229.2
1999	10,429 *	190.6	5,519	159.1	4,860	243.0
2000	9,946 *	177.7	5,129	145.9	4,777	229.6
2001	10,124 *	181.6	5,028	140.7	5,045	252.1
2002	10,947 *	201.0	5,507	156.7	5,268	273.0
2003	11,527 *	207.8	5,811	161.4	5,507	283.1
2004	10,534 *	186.3	5,462	148.1	4,904	250.0
2005	11,919 *	207.2	5,826	155.9	5,925	295.1

¹ Rate per 1,000 live births

* Includes unknown race

Figure E-1.
Abortion Rates by Race
South Carolina, 1996-2005
(Residence Data)




Table E-2.
Abortions by Age Group: South Carolina and Each County, 2005
(Residence Data)

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	11,919 *	86	156	208	359	564	672	3,992	2,813	1,755	1,205	109
Abbeville	35	1	-	-	1	3	1	12	8	4	5	-
Aiken	370 *	5	3	3	17	23	22	131	75	56	33	2
Allendale	41	-	1	1	1	3	-	24	10	1	-	-
Anderson	369	-	6	5	14	26	18	101	83	74	41	1
Bamberg	42	1	1	-	-	4	2	13	6	10	4	1
Barnwell	60	-	-	2	2	4	2	23	18	6	2	1
Beaufort	418 *	2	8	10	6	18	17	124	117	60	54	2
Berkeley	446	2	6	8	20	22	25	148	104	61	48	2
Calhoun	37	-	2	1	-	1	-	18	6	6	2	1
Charleston	1,304 *	4	8	19	34	45	66	478	332	184	133	1
Cherokee	100 *	1	1	1	1	5	9	22	21	25	13	1
Chester	98 *	1	1	1	3	5	3	36	25	14	6	3
Chesterfield	85	1	3	1	6	6	5	23	13	15	9	3
Clarendon	43 *	2	-	-	1	2	2	10	13	7	6	-
Colleton	79	1	-	5	3	2	5	26	23	11	2	1
Darlington	121 *	-	5	1	2	3	5	51	31	12	9	2
Dillon	52 *	-	1	1	1	6	3	13	16	6	3	2
Dorchester	322	3	5	8	9	19	22	106	71	45	32	2
Edgefield	46 *	-	1	-	3	-	3	14	13	3	9	-
Fairfield	92 *	-	1	2	1	7	6	26	26	15	7	1
Florence	279 *	1	5	5	8	17	23	81	73	34	28	4
Georgetown	122	-	1	1	5	5	8	31	38	13	18	2
Greenville	1,002 *	7	6	20	31	39	42	297	226	199	132	3
Greenwood	167	4	-	4	5	10	11	54	41	24	14	-
Hampton	37	1	1	-	1	2	3	11	9	3	5	1
Horry	717 *	5	7	12	21	36	42	252	157	105	73	7
Jasper	44	-	-	1	1	1	2	14	12	9	4	-
Kershaw	150 *	-	2	3	6	11	14	51	34	16	10	3
Lancaster	119 *	-	1	4	2	4	6	37	32	21	9	3
Laurens	140	3	2	7	9	15	8	37	29	20	10	-
Lee	50	1	1	-	1	2	3	17	16	4	4	1
Lexington	517 *	2	14	6	13	19	31	173	123	76	55	5
McCormick	17	-	-	1	-	2	2	9	2	-	1	-
Marion	62	-	2	1	4	2	5	15	20	8	5	-
Marlboro	45 *	1	-	1	1	3	3	13	13	7	2	1
Newberry	79 *	1	1	3	5	4	9	26	15	12	3	-
Oconee	122	2	4	3	3	4	7	35	31	16	16	1
Orangeburg	339	2	2	4	8	16	26	139	74	37	27	4
Pickens	169	-	3	-	8	10	11	58	37	17	24	1
Richland	1,530 *	12	15	22	52	61	81	560	350	233	128	16
Saluda	29	-	-	3	1	-	2	10	4	6	3	-
Spartanburg	597 *	6	16	16	20	30	38	178	127	84	76	6
Sumter	302 *	3	3	6	12	11	16	112	69	40	26	4
Union	63 *	1	2	1	2	4	1	21	16	8	6	1
Williamsburg	66	2	-	2	2	4	1	16	21	8	10	-
York	559 *	6	7	7	9	30	33	188	129	82	64	4
Unknown	436 *	2	8	6	4	18	28	158	104	58	34	16

* Includes unknown race

Table E-2A.
Abortions by Age Group and Race: South Carolina and Each County, 2005
White

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	5,826	25	72	96	178	280	342	1,958	1,266	883	691	35
Abbeville	17	1	-	-	1	1	-	3	4	2	5	-
Aiken	172	2	1	2	11	15	12	53	36	21	17	2
Allendale	247	-	3	2	12	15	12	74	46	50	33	-
Anderson	8	-	1	-	-	-	1	1	-	4	1	-
Bamberg	19	-	-	-	-	2	1	7	4	3	2	-
Barnwell	252	1	3	7	5	11	9	71	70	38	35	2
Beaufort	271	1	6	6	9	11	14	86	66	40	31	1
Berkeley	8	-	-	-	-	-	-	5	1	2	-	-
Calhoun	774	-	6	8	20	23	39	290	185	120	83	-
Charleston	46	-	-	1	-	2	4	8	12	7	12	-
Cherokee	43	-	-	1	1	2	2	16	10	6	4	1
Chester	36	1	-	-	3	-	4	8	7	7	6	-
Chesterfield	10	-	-	-	-	1	-	3	3	2	1	-
Clarendon	35	-	-	1	1	2	4	13	8	5	1	-
Colleton	47	-	-	1	1	2	4	22	7	7	3	-
Darlington	15	-	1	-	-	2	2	5	3	1	1	-
Dillon	195	1	4	7	6	12	15	67	38	27	18	-
Dorchester	18	-	-	-	1	-	1	4	5	1	6	-
Edgefield	10	-	-	-	-	1	-	1	3	2	3	-
Fairfield	93	-	1	-	3	8	8	30	27	11	5	-
Florence	59	-	-	1	5	2	2	17	14	5	13	-
Georgetown	633	3	3	11	19	25	30	185	146	121	88	2
Greenville	60	-	-	1	1	2	3	24	17	6	6	-
Greenwood	9	-	-	-	-	-	-	3	4	1	1	-
Hampton	548	2	6	7	17	31	35	195	110	82	58	5
Horry	15	-	-	-	-	-	1	6	5	2	1	-
Jasper	83	-	1	2	2	5	9	31	17	9	6	1
Kershaw	56	-	-	3	-	-	4	14	14	14	6	1
Lancaster	81	1	-	5	8	7	4	25	14	11	6	-
Laurens	8	-	-	-	-	-	-	4	-	1	2	1
Lee	328	2	12	4	10	13	19	119	68	43	34	4
Lexington	4	-	-	-	-	1	-	2	1	-	-	-
McCormick	16	-	1	-	1	-	-	3	4	4	3	-
Marion	8	-	-	-	-	2	-	3	-	2	1	-
Marlboro	48	-	-	2	-	3	5	21	9	7	1	-
Newberry	98	2	3	3	-	3	5	30	24	13	14	1
Oconee	64	-	-	-	2	2	2	26	14	10	7	1
Orangeburg	127	-	2	-	6	5	8	44	30	12	19	1
Pickens	404	2	2	4	10	24	24	166	74	56	40	2
Richland	15	-	-	-	-	-	2	6	2	3	2	-
Saluda	325	3	9	8	13	14	23	97	63	48	46	1
Spartanburg	69	-	2	3	3	3	7	24	13	8	6	-
Sumter	29	1	1	-	1	3	-	6	8	4	4	1
Union	8	-	-	1	1	-	-	-	2	1	3	-
Williamsburg	287	2	2	4	4	18	15	94	53	48	43	4
York	128	-	2	1	1	7	12	46	25	16	14	4
Unknown	2	-	-	-	-	-	1	-	1	-	-	-

Table E-2A. (continued)
 Abortions by Age Group and Race: South Carolina and Each County, 2005
 Black & Other

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	5,925	60	84	108	179	277	316	1,979	1,502	855	498	67
Abbeville	18	-	-	-	-	2	1	9	4	2	-	-
Aiken	196	3	2	1	6	8	10	76	39	35	16	-
Allendale	41	-	1	1	1	3	-	24	10	1	-	-
Anderson	122	-	3	3	2	11	6	27	37	24	8	1
Bamberg	34	1	-	-	-	4	1	12	6	6	3	1
Barnwell	41	-	-	2	2	2	1	16	14	3	-	1
Beaufort	165	1	5	3	1	7	8	53	46	22	19	-
Berkeley	175	1	-	2	11	11	11	62	38	21	17	1
Calhoun	29	-	2	1	-	1	-	13	5	4	2	1
Charleston	526	4	2	11	14	22	26	186	147	64	49	1
Cherokee	52	1	1	-	-	3	5	14	9	17	1	1
Chester	53	1	1	-	2	3	1	19	14	8	2	2
Chesterfield	49	-	3	1	3	6	1	15	6	8	3	3
Clarendon	32	2	-	-	1	1	2	7	10	4	5	-
Colleton	44	1	-	4	2	-	1	13	15	6	1	1
Darlington	72	-	5	-	1	1	1	28	23	5	6	2
Dillon	35	-	-	1	1	4	1	8	13	5	1	1
Dorchester	127	2	1	1	3	7	7	39	33	18	14	2
Edgefield	27	-	1	-	2	-	1	10	8	2	3	-
Fairfield	80	-	1	2	1	6	6	25	22	12	4	1
Florence	185	1	4	5	5	9	15	51	46	23	22	4
Georgetown	63	-	1	-	-	3	6	14	24	8	5	2
Greenville	360	4	3	8	12	14	12	108	79	77	43	-
Greenwood	107	4	-	3	4	8	8	30	24	18	8	-
Hampton	28	1	1	-	1	2	3	8	5	2	4	1
Horry	156	2	1	5	4	5	6	51	44	22	15	1
Jasper	29	-	-	1	1	1	1	8	7	7	3	-
Kershaw	65	-	1	1	4	6	4	20	16	7	4	2
Lancaster	60	-	1	1	2	4	2	21	18	6	3	2
Laurens	59	2	2	2	1	8	4	12	15	9	4	-
Lee	42	1	1	-	1	2	3	13	16	3	2	-
Lexington	183	-	2	2	3	6	12	53	52	32	20	1
McCormick	13	-	-	1	-	1	2	7	1	-	1	-
Marion	46	-	1	1	3	2	5	12	16	4	2	-
Marlboro	36	1	-	1	1	1	3	10	12	5	1	1
Newberry	30	1	1	1	5	1	4	5	5	5	2	-
Oconee	24	-	1	-	3	1	2	5	7	3	2	-
Orangeburg	275	2	2	4	6	14	24	113	60	27	20	3
Pickens	42	-	1	-	2	5	3	14	7	5	5	-
Richland	1,110	10	13	18	42	36	54	388	273	175	87	14
Saluda	14	-	-	3	1	-	-	4	2	3	1	-
Spartanburg	264	3	7	7	7	16	13	81	61	35	30	4
Sumter	231	3	1	3	9	7	9	88	55	32	20	4
Union	32	-	1	1	1	1	1	13	8	4	2	-
Williamsburg	58	2	-	1	1	4	1	16	19	7	7	-
York	245	4	5	3	4	8	16	86	70	32	17	-
Unknown	250	2	6	3	3	10	13	92	61	37	14	9

Table E-3.
Abortions by Age Group and Race of Mother: South Carolina and Selected Counties, 2005
(Occurrence Data)

Total

County of Occurrence	Age in Years											Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	
SOUTH CAROLINA	6,716 *	43	86	131	290	329	382	2,132	1,509	1,044	770	0
CHARLESTON	2,808 *	13	31	47	97	127	163	947	677	398	308	0
GREENVILLE	2,442	21	34	55	115	122	130	686	527	433	319	0
RICHLAND	1,460 *	9	21	29	78	79	89	498	304	211	142	0
SPARTANBURG	4	0	0	0	0	1	0	1	0	1	1	0
YORK	2	0	0	0	0	0	0	0	1	1	0	0

White

County of Occurrence	Age in Years											Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	
SOUTH CAROLINA	3,965	13	52	69	172	185	232	1,294	841	618	489	0
CHARLESTON	1,737	4	24	29	69	71	103	583	399	260	195	0
GREENVILLE	1,666	9	21	31	84	79	92	496	344	280	230	0
RICHLAND	557	0	7	9	19	34	37	214	98	76	63	0
SPARTANBURG	4	0	0	0	0	1	0	1	0	1	1	0
YORK	1	0	0	0	0	0	0	0	0	1	0	0


Black and Other

County of Occurrence	Age in Years											Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	
SOUTH CAROLINA	2,748	30	34	62	118	144	150	838	667	426	279	0
CHARLESTON	1,070	9	7	18	28	56	60	364	278	138	112	0
GREENVILLE	776	12	13	24	31	43	38	190	183	153	89	0
RICHLAND	901	9	14	20	59	45	52	284	205	135	78	0
YORK	1	0	0	0	0	0	0	0	1	0	0	0

NOTE: Counties not listed had no occurrences

The State Shell

“The Oliva Sayana”



Officially adopted by the General Assembly in 1984

PERINATAL

Figure F-1.
Three-Year Infant Mortality Rates* by County
South Carolina, 2003-2005
(Residence Data)




Table F-1.
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina, 1981-2005
 (Residence Data)

Year	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
1981	836	16.2	379	12.4	457	21.6
1982	832	16.1	367	12.0	465	22.2
1983	760	15.0	343	11.3	417	20.6
1984	743	14.7	339	11.1	404	20.2
1985	735	14.2	301	9.5	434	21.4
1986	685	13.2	318	10.2	367	17.9
1987	673	12.8	309	9.7	364	17.5
1988	673	12.2	316	9.5	357	16.2
1989	731	12.8	310	9.1	421	18.2
1990	679	11.6	291	8.2	388	16.9
1991	644	11.2	279	8.1	365	15.9
1992	588	10.5	243	7.2	345	15.5
1993	544	10.1	218	6.7	326	15.4
1994	486	9.4	211	6.6	275	13.8
1995	480	9.4	212	6.7	268	14.1
1996	424	8.3	179	5.5	245	13.0
1997	494	9.5	207	6.3	287	15.4
1998	511	9.5	204	6.0	307	15.5
1999	564	10.3	236	6.8	328	16.4
2000	488	8.7	192	5.5	296	14.2
2001	496	8.9	206	5.8	290	14.5
2002	507	9.3	208	5.9	298	15.4
2003	463	8.3	211	5.9	252	13.0
2004	524	9.3	236	6.4	288	14.7
2005	549	9.5	261	7.0	286	14.2

¹ Rate per 1,000 Live Births

* Includes unknown race

Figure F-2
 Infant Mortality Rates by Race
 South Carolina, 1981-2005
 (Residence Data)




Table F-2.
Leading Causes of Infant Death by Age at Death
South Carolina, 2005
(Residence Data)

Cause of Death	Total	Under 1 Day	1 - 6 Days	7 - 27 Days	28 - 364 Days
Total Infant Deaths	549	204	66	71	208
Disorders Relating to Short Gestation & Low Brthwght. (P07)	81	76	3	1	1
Congenital Anomalies (Q00-Q99)	79	25	14	10	30
Sudden Infant Death Syndrome (R95)	48	-	-	5	43
Newborn Aff By Maternal Complication of Pregnancy (P01)	28	28	-	-	-
Accidents (V01-X59, Y85-Y86)	28	-	-	4	24
Newborn Aff By Complication of Placenta, etc. (P02)	25	23	2	-	-
Respiratory Distress Syndrome (P22)	25	10	10	5	-
Bacterial Sepsis of Newborn (P36)	18	2	5	9	2
Necrotizing Entercolitis of Newborn (P77)	18	-	1	12	5
Neonatal Hemorrhage (P50-P52, P54)	13	2	9	2	-
All Other Causes	186	38	22	23	103

Figure F-3
Percent of Infant Deaths by Age at Death
South Carolina, 2005
(Residence Data)




Table F-3.
 Infant Mortality and Infant Mortality Rates¹
 South Carolina and Each County, 2005, 2003-2005, 2000-2002
 (Residence Data)

County of Residence	2005		2003-2005		2000-2002	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	549 *	9.5	1,536 *	9.1	1,491 *	9.0
Abbeville	4	14.9	16	17.7	16 *	15.5
Aiken	30	16.2	69	12.5	56	10.1
Allendale	2	13.6	8	17.4	6	11.2
Anderson	19	8.5	62	9.3	54	8.2
Bamberg	-	0	6	10.9	8	12.7
Barnwell	6	19.3	14	14.3	13	12.8
Beaufort	12	5.3	45	6.9	26	4.5
Berkeley	21	9.6	59	9.1	52	8.1
Calhoun	1	6.0	5	10.0	5	9.4
Charleston	58 *	12.1	149 *	10.5	135	9.9
Cherokee	13	19.3	32	15.8	28	12.8
Chester	6	14.1	16	12.7	15	10.7
Chesterfield	4	7.5	16	10.1	14	8.1
Clarendon	3	7.8	10	8.2	15	11.5
Colleton	5	9.2	19	12.3	13	7.7
Darlington	15	17.8	36	13.9	32	11.5
Dillon	5	11.2	9	6.4	16	10.6
Dorchester	5	3.2	25	5.7	36	9.7
Edgefield	2	8.1	3	4.0	9	10.7
Fairfield	1	3.2	13	14.1	7	7.4
Florence	23	11.8	59	10.2	71	12.6
Georgetown	11	15.6	27	12.5	29	12.7
Greenville	44	7.5	113	6.6	95	5.8
Greenwood	14	15.4	39	15.0	24	8.8
Hampton	1	3.4	13	15.4	6	6.7
Horry	24	8.3	72	8.6	72	9.4
Jasper	7 *	18.7	10 *	10.0	9	9.8
Kershaw	4	5.2	9	4.2	16	7.6
Lancaster	8	10.5	21	9.0	25	10.4
Laurens	9	11.7	24	10.0	27	11.1
Lee	7	28.7	14	18.2	11	13.8
Lexington	19	6.0	54	5.7	68	7.6
McCormick	1	13.0	4	17.2	3	11.8
Marion	2	4.6	11	7.8	22	14.8
Marlboro	4	10.9	10	9.5	16	13.4
Newberry	3	5.8	9	6.0	15	10.0
Oconee	4	5.1	15	6.2	15	6.4
Orangeburg	19	14.0	43	11.1	43	11.4
Pickens	10	7.6	28	7.3	25	6.3
Richland	48	10.0	122	8.8	108	8.3
Saluda	1	3.9	4	5.5	8	10.6
Spartanburg	29	8.5	104	10.1	75	7.3
Sumter	18	10.9	46	9.3	47	9.5
Union	1	3.2	8	8.4	12	10.6
Williamsburg	5	11.1	14	9.9	31	20.0
York	21	7.8	51	6.8	62	8.9
Unknown	-	0	-	0	-	0

* Includes Unknown Race

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-3A.
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina and Each County, 2005, 2003-2005, 2000-2002
 (Residence Data)

White

County of Residence	2005		2003-2005		2000-2002	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	261	7.0	708	6.4	606	5.7
Abbeville	1	5.5	3	5.0	4	5.9
Aiken	18	14.2	43	11.4	31	8.3
Allendale	1	37.0	1	11.0	2	24.4
Anderson	11	6.1	32	6.0	30	5.8
Bamberg	-	0	3	17.5	-	0
Barnwell	1	6.8	2	4.4	3	6.7
Beaufort	7	4.3	23	4.8	8	1.9
Berkeley	10	6.5	33	7.2	29	6.4
Calhoun	-	0	2	8.0	1	3.9
Charleston	33	11.4	64	7.4	44	5.6
Cherokee	6	12.1	19	12.6	20	12.2
Chester	3	13.0	8	11.8	4	5.6
Chesterfield	2	6.3	9	9.6	6	6.0
Clarendon	1	6.5	2	4.0	2	4.0
Colleton	2	6.8	7	8.7	3	3.4
Darlington	7	15.9	16	12.0	9	6.6
Dillon	2	9.7	2	3.1	-	0
Dorchester	3	2.7	17	5.5	16	6.0
Edgefield	2	15.3	2	4.8	3	6.4
Fairfield	-	0	1	3.5	1	3.4
Florence	5	5.3	16	5.4	16	5.5
Georgetown	5	12.2	12	9.7	6	4.9
Greenville	20	4.4	62	4.7	57	4.6
Greenwood	3	5.2	13	7.7	4	2.4
Hampton	-	0	2	6.2	-	0
Horry	16	7.1	41	6.3	29	5.0
Jasper	2	9.2	2	3.7	7	16.2
Kershaw	2	3.7	5	3.2	12	8.0
Lancaster	4	8.1	10	6.3	13	7.8
Laurens	7	13.0	12	7.1	17	10.0
Lee	1	15.6	2	10.2	1	4.9
Lexington	8	3.1	31	4.1	45	6.3
McCormick	-	0	-	0	-	0
Marion	-	0	1	2.1	6	11.0
Marlboro	1	8.1	4	10.1	4	8.5
Newberry	1	3.0	4	4.1	8	8.8
Oconee	4	5.6	14	6.3	14	6.7
Orangeburg	4	9.7	12	10.1	4	3.5
Pickens	6	5.0	20	5.7	23	6.4
Richland	19	9.0	34	5.6	21	3.6
Saluda	1	5.3	2	3.8	1	2.0
Spartanburg	22	8.6	70	9.1	46	6.0
Sumter	7	8.5	17	7.0	14	5.9
Union	1	4.7	6	9.7	5	7.1
Williamsburg	1	8.7	2	5.2	2	5.1
York	11	5.4	25	4.3	35	6.7
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-3A. (continued)
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina and Each County, 2005, 2003-2005, 2000-2002
 (Residence Data)
 Black & Other

County of Residence	2005		2003-2005		2000-2002	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	286	14.2	826	14.0	884	14.8
Abbeville	3	34.9	13	42.3	11	31.7
Aiken	12	21.2	26	15.2	25	14.0
Allendale	1	8.3	7	19.0	4	8.8
Anderson	8	18.6	30	22.8	24	16.9
Bamberg	-	0	3	7.9	8	19.0
Barnwell	5	30.5	12	22.9	10	17.6
Beaufort	5	8.2	22	12.9	18	11.2
Berkeley	11	16.9	26	13.8	23	12.1
Calhoun	1	11.5	3	12.1	4	14.4
Charleston	24	12.6	84	15.0	91	15.8
Cherokee	7	39.3	13	25.1	8	14.4
Chester	3	15.3	8	13.7	11	16.0
Chesterfield	2	9.1	7	10.8	8	11.1
Clarendon	2	8.8	8	11.1	13	16.3
Colleton	3	12.0	12	16.1	10	12.3
Darlington	8	20.0	20	16.0	23	16.2
Dillon	3	12.4	7	9.1	16	19.3
Dorchester	2	4.3	8	6.3	20	18.9
Edgefield	-	0	1	3.0	6	16.3
Fairfield	1	4.8	12	19.0	6	9.2
Florence	18	18.1	43	15.3	55	20.3
Georgetown	6	20.3	15	16.3	23	21.8
Greenville	24	18.0	51	13.2	38	10.4
Greenwood	11	33.4	26	28.3	20	19.3
Hampton	1	5.6	11	21.1	6	11.4
Horry	8	12.4	31	16.6	43	22.9
Jasper	4	25.6	7	15.6	2	4.1
Kershaw	2	9.1	4	6.4	4	6.6
Lancaster	4	15.2	11	15.0	12	16.3
Laurens	2	8.7	12	16.9	10	13.9
Lee	6	33.5	12	21.0	10	16.8
Lexington	11	18.2	23	12.4	23	13.1
McCormick	1	21.3	4	26.0	3	18.5
Marion	2	6.8	10	10.7	16	17.0
Marlboro	3	12.4	6	9.1	12	16.6
Newberry	2	11.1	5	9.6	7	12.0
Oconee	-	0	1	4.8	1	4.2
Orangeburg	15	16.0	31	11.5	39	14.8
Pickens	4	42.1	8	25.1	2	5.9
Richland	29	10.8	88	11.4	87	12.0
Saluda	-	0	2	10.3	7	29.9
Spartanburg	7	8.1	34	13.3	29	11.2
Sumter	11	13.5	29	11.7	33	13.0
Union	-	0	2	6.0	7	16.6
Williamsburg	4	11.9	12	11.6	29	25.0
York	10	15.3	26	14.6	27	15.3
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4.
Neonatal Mortality and Neonatal Mortality Rates¹
South Carolina and Each County, 2005, 2003-2005, 2000-2002
(Residence Data)

County of Residence	2005		2003-2005		2000-2002	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	341 *	5.9	1,032 *	6.1	1,023 *	6.2
Abbeville	3	11.2	14	15.5	14 *	13.6
Aiken	17	9.2	47	8.5	38	6.9
Allendale	1	6.8	6	13.1	3	5.6
Anderson	13	5.8	48	7.2	38	5.8
Bamberg	-	0	4	7.3	6	9.5
Barnwell	4	12.9	10	10.2	9	8.9
Beaufort	7	3.1	30	4.6	16	2.8
Berkeley	16	7.3	38	5.8	39	6.1
Calhoun	1	6.0	4	8.0	5	9.4
Charleston	41 *	8.5	114 *	8.0	108	7.9
Cherokee	7	10.4	19	9.4	11	5.0
Chester	5	11.7	13	10.3	9	6.4
Chesterfield	3	5.6	13	8.2	11	6.4
Clarendon	1	2.6	7	5.7	9	6.9
Colleton	1	1.8	12	7.7	11	6.5
Darlington	9	10.7	23	8.9	27	9.7
Dillon	3	6.7	4	2.8	10	6.6
Dorchester	5	3.2	15	3.4	22	5.9
Edgefield	1	4.0	2	2.7	7	8.3
Fairfield	-	0	10	10.9	5	5.3
Florence	14	7.2	41	7.1	46	8.2
Georgetown	7	9.9	18	8.4	23	10.1
Greenville	27	4.6	76	4.4	65	4.0
Greenwood	11	12.1	33	12.7	21	7.7
Hampton	1	3.4	9	10.6	4	4.5
Horry	14	4.8	45	5.4	49	6.4
Jasper	2	5.3	3	3.0	6	6.5
Kershaw	2	2.6	4	1.8	14	6.6
Lancaster	6	7.9	9	3.9	17	7.0
Laurens	3	3.9	16	6.7	14	5.8
Lee	5	20.5	10	13.0	11	13.8
Lexington	8	2.5	30	3.2	44	4.9
McCormick	1	13.0	3	12.9	2	7.9
Marion	-	0	7	5.0	15	10.1
Marlboro	2	5.5	7	6.6	10	8.4
Newberry	2	3.9	6	4.0	12	8.0
Oconee	3	3.8	11	4.5	9	3.9
Orangeburg	13	9.6	29	7.5	31	8.2
Pickens	5	3.8	17	4.4	14	3.6
Richland	34	7.1	78	5.6	64	4.9
Saluda	1	3.9	3	4.1	5	6.6
Spartanburg	15	4.4	61	5.9	39	3.8
Sumter	8	4.8	27	5.5	32	6.5
Union	-	0	6	6.3	8	7.1
Williamsburg	3	6.7	10	7.0	23	14.8
York	16	5.9	40	5.3	47	6.7
Unknown	-	0	-	0	-	0

* Includes Unknown Race

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4A.
Neonatal Mortality and Neonatal Mortality Rates¹ by Race
South Carolina and Each County, 2005, 2003-2005, 2000-2002
(Residence Data)

White

County of Residence	2005		2003-2005		2000-2002	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	161	4.3	467	4.2	404	3.8
Abbeville	-	0	1	1.7	3	4.4
Aiken	9	7.1	31	8.2	22	5.9
Allendale	1	37.0	1	11.0	2	24.4
Anderson	8	4.4	22	4.1	19	3.7
Bamberg	-	0	2	11.7	-	0
Barnwell	1	6.8	2	4.4	2	4.5
Beaufort	4	2.5	14	2.9	4	1.0
Berkeley	7	4.5	21	4.6	20	4.4
Calhoun	-	0	1	4.0	1	3.9
Charleston	22	7.6	47	5.5	38	4.8
Cherokee	2	4.0	11	7.3	8	4.9
Chester	3	13.0	7	10.3	2	2.8
Chesterfield	2	6.3	9	9.6	4	4.0
Clarendon	-	0	1	2.0	1	2.0
Colleton	-	0	3	3.7	3	3.4
Darlington	5	11.4	11	8.3	9	6.6
Dillon	1	4.9	1	1.6	-	0
Dorchester	3	2.7	8	2.6	10	3.8
Edgefield	1	7.6	1	2.4	1	2.1
Fairfield	-	0	1	3.5	1	3.4
Florence	5	5.3	13	4.4	10	3.4
Georgetown	3	7.3	8	6.5	3	2.5
Greenville	13	2.9	43	3.3	36	2.9
Greenwood	2	3.5	12	7.1	4	2.4
Hampton	-	0	2	6.2	-	0
Horry	9	4.0	22	3.4	17	2.9
Jasper	-	0	-	0	5	11.6
Kershaw	2	3.7	3	1.9	10	6.7
Lancaster	2	4.0	2	1.3	11	6.6
Laurens	2	3.7	5	3.0	10	5.9
Lee	1	15.6	1	5.1	1	4.9
Lexington	2	0.8	19	2.5	32	4.4
McCormick	-	0	-	0	-	0
Marion	-	0	1	2.1	4	7.3
Marlboro	-	0	3	7.6	1	2.1
Newberry	-	0	1	1.0	6	6.6
Oconee	3	4.2	10	4.5	9	4.3
Orangeburg	3	7.2	8	6.7	3	2.6
Pickens	3	2.5	13	3.7	12	3.3
Richland	17	8.1	28	4.6	18	3.1
Saluda	1	5.3	1	1.9	1	2.0
Spartanburg	12	4.7	42	5.4	25	3.3
Sumter	4	4.9	11	4.5	8	3.4
Union	-	0	4	6.5	2	2.8
Williamsburg	1	8.7	2	5.2	1	2.6
York	7	3.4	18	3.1	25	4.8
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4A. (continued)
 Neonatal Mortality and Neonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2005, 2003-2005, 2000-2002
 (Residence Data)
 Black & Other

County of Residence	2005		2003-2005		2000-2002	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	179	8.9	564	9.6	618	10.3
Abbeville	3	34.9	13	42.3	10	28.8
Aiken	8	14.1	16	9.3	16	9.0
Allendale	-	0	5	13.6	1	2.2
Anderson	5	11.6	26	19.8	19	13.3
Bamberg	-	0	2	5.3	6	14.3
Barnwell	3	18.3	8	15.3	7	12.3
Beaufort	3	4.9	16	9.4	12	7.5
Berkeley	9	13.9	17	9.0	19	10.0
Calhoun	1	11.5	3	12.1	4	14.4
Charleston	18	9.5	66	11.8	70	12.1
Cherokee	5	28.1	8	15.5	3	5.4
Chester	2	10.2	6	10.3	7	10.2
Chesterfield	1	4.6	4	6.2	7	9.7
Clarendon	1	4.4	6	8.4	8	10.0
Colleton	1	4.0	9	12.1	8	9.9
Darlington	4	10.0	12	9.6	18	12.7
Dillon	2	8.3	3	3.9	10	12.0
Dorchester	2	4.3	7	5.5	12	11.3
Edgefield	-	0	1	3.0	6	16.3
Fairfield	-	0	9	14.2	4	6.1
Florence	9	9.0	28	9.9	36	13.3
Georgetown	4	13.6	10	10.9	20	18.9
Greenville	14	10.5	33	8.6	29	8.0
Greenwood	9	27.4	21	22.8	17	16.4
Hampton	1	5.6	7	13.4	4	7.6
Horry	5	7.7	23	12.3	32	17.1
Jasper	2	12.8	3	6.7	1	2.1
Kershaw	-	0	1	1.6	4	6.6
Lancaster	4	15.2	7	9.5	6	8.2
Laurens	1	4.3	11	15.5	4	5.6
Lee	4	22.3	9	15.8	10	16.8
Lexington	6	9.9	11	5.9	12	6.8
McCormick	1	21.3	3	19.5	2	12.3
Marion	-	0	6	6.4	11	11.7
Marlboro	2	8.3	4	6.1	9	12.5
Newberry	2	11.1	5	9.6	6	10.3
Oconee	-	0	1	4.8	-	0
Orangeburg	10	10.7	21	7.8	28	10.6
Pickens	2	21.1	4	12.5	2	5.9
Richland	17	6.3	50	6.5	46	6.3
Saluda	-	0	2	10.3	4	17.1
Spartanburg	3	3.5	19	7.4	14	5.4
Sumter	4	4.9	16	6.4	24	9.5
Union	-	0	2	6.0	6	14.2
Williamsburg	2	6.0	8	7.7	22	19.0
York	9	13.8	22	12.3	22	12.5
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5.
Postneonatal Mortality and Postneonatal Mortality Rates¹
South Carolina and Each County, 2005, 2003-2005, 2000-2002
(Residence Data)

County of Residence	2005		2003-2005		2000-2002	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	208 *	3.6	504 *	3.0	468	2.8
Abbeville	1	3.7	2	2.2	2	1.9
Aiken	13	7.0	22	4.0	18	3.2
Allendale	1	6.8	2	4.4	3	5.6
Anderson	6	2.7	14	2.1	16	2.4
Bamberg	-	0	2	3.6	2	3.2
Barnwell	2	6.4	4	4.1	4	3.9
Beaufort	5	2.2	15	2.3	10	1.7
Berkeley	5	2.3	21	3.2	13	2.0
Calhoun	-	0	1	2.0	-	0
Charleston	17	3.5	35	2.5	27	2.0
Cherokee	6	8.9	13	6.4	17	7.8
Chester	1	2.3	3	2.4	6	4.3
Chesterfield	1	1.9	3	1.9	3	1.7
Clarendon	2	5.2	3	2.5	6	4.6
Colleton	4	7.4	7	4.5	2	1.2
Darlington	6	7.1	13	5.0	5	1.8
Dillon	2	4.5	5	3.5	6	4.0
Dorchester	-	0	10	2.3	14	3.8
Edgefield	1	4.0	1	1.3	2	2.4
Fairfield	1	3.2	3	3.3	2	2.1
Florence	9	4.6	18	3.1	25	4.5
Georgetown	4	5.7	9	4.2	6	2.6
Greenville	17	2.9	37	2.2	30	1.8
Greenwood	3	3.3	6	2.3	3	1.1
Hampton	-	0	4	4.7	2	2.2
Horry	10	3.4	27	3.2	23	3.0
Jasper	5 *	13.3	7 *	7.0	3	3.3
Kershaw	2	2.6	5	2.3	2	0.9
Lancaster	2	2.6	12	5.2	8	3.3
Laurens	6	7.8	8	3.3	13	5.4
Lee	2	8.2	4	5.2	-	0
Lexington	11	3.5	24	2.5	24	2.7
McCormick	-	0	1	4.3	1	3.9
Marion	2	4.6	4	2.8	7	4.7
Marlboro	2	5.5	3	2.8	6	5.0
Newberry	1	1.9	3	2.0	3	2.0
Oconee	1	1.3	4	1.6	6	2.6
Orangeburg	6	4.4	14	3.6	12	3.2
Pickens	5	3.8	11	2.9	11	2.8
Richland	14	2.9	44	3.2	44	3.4
Saluda	-	0	1	1.4	3	4.0
Spartanburg	14	4.1	43	4.2	36	3.5
Sumter	10	6.0	19	3.9	15	3.0
Union	1	3.2	2	2.1	4	3.5
Williamsburg	2	4.4	4	2.8	8	5.2
York	5	1.9	11	1.5	15	2.2
Unknown	-	0	-	0	-	0

* Includes Unknown Race

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5A.
Postneonatal Mortality and Postneonatal Mortality Rates¹ by Race
South Carolina and Each County, 2005, 2003-2005, 2000-2002
(Residence Data)

White

County of Residence	2005		2003-2005		2000-2002	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	100	2.7	241	2.2	202	1.9
Abbeville	1	5.5	2	3.4	1	1.5
Aiken	9	7.1	12	3.2	9	2.4
Allendale	-	0	-	0	-	0
Anderson	3	1.7	10	1.9	11	2.1
Bamberg	-	0	1	5.8	-	0
Barnwell	-	0	-	0	1	2.2
Beaufort	3	1.8	9	1.9	4	1.0
Berkeley	3	1.9	12	2.6	9	2.0
Calhoun	-	0	1	4.0	-	0
Charleston	11	3.8	17	2.0	6	0.8
Cherokee	4	8.1	8	5.3	12	7.3
Chester	-	0	1	1.5	2	2.8
Chesterfield	-	0	-	0	2	2.0
Clarendon	1	6.5	1	2.0	1	2.0
Colleton	2	6.8	4	5.0	-	0
Darlington	2	4.5	5	3.8	-	0
Dillon	1	4.9	1	1.6	-	0
Dorchester	-	0	9	2.9	6	2.3
Edgefield	1	7.6	1	2.4	2	4.2
Fairfield	-	0	-	0	-	0
Florence	-	0	3	1.0	6	2.1
Georgetown	2	4.9	4	3.2	3	2.5
Greenville	7	1.5	19	1.4	21	1.7
Greenwood	1	1.7	1	0.6	-	0
Hampton	-	0	-	0	-	0
Horry	7	3.1	19	2.9	12	2.1
Jasper	2	9.2	2	3.7	2	4.6
Kershaw	-	0	2	1.3	2	1.3
Lancaster	2	4.0	8	5.0	2	1.2
Laurens	5	9.3	7	4.2	7	4.1
Lee	-	0	1	5.1	-	0
Lexington	6	2.3	12	1.6	13	1.8
McCormick	-	0	-	0	-	0
Marion	-	0	-	0	2	3.7
Marlboro	1	8.1	1	2.5	3	6.4
Newberry	1	3.0	3	3.1	2	2.2
Oconee	1	1.4	4	1.8	5	2.4
Orangeburg	1	2.4	4	3.4	1	0.9
Pickens	3	2.5	7	2.0	11	3.1
Richland	2	1.0	6	1.0	3	0.5
Saluda	-	0	1	1.9	-	0
Spartanburg	10	3.9	28	3.6	21	2.8
Sumter	3	3.6	6	2.5	6	2.5
Union	1	4.7	2	3.2	3	4.3
Williamsburg	-	0	-	0	1	2.6
York	4	2.0	7	1.2	10	1.9
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5A. (continued)
Postneonatal Mortality and Postneonatal Mortality Rates¹ by Race
South Carolina and Each County, 2005, 2003-2005, 2000-2002
(Residence Data)
Black & Other

County of Residence	2005		2003-2005		2000-2002	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	107	5.3	262	4.4	266	4.5
Abbeville	-	0	-	0	1	2.9
Aiken	4	7.1	10	5.8	9	5.1
Allendale	1	8.3	2	5.4	3	6.6
Anderson	3	7.0	4	3.0	5	3.5
Bamberg	-	0	1	2.6	2	4.8
Barnwell	2	12.2	4	7.6	3	5.3
Beaufort	2	3.3	6	3.5	6	3.7
Berkeley	2	3.1	9	4.8	4	2.1
Calhoun	-	0	-	0	-	0
Charleston	6	3.2	18	3.2	21	3.6
Cherokee	2	11.2	5	9.7	5	9.0
Chester	1	5.1	2	3.4	4	5.8
Chesterfield	1	4.6	3	4.6	1	1.4
Clarendon	1	4.4	2	2.8	5	6.3
Colleton	2	8.0	3	4.0	2	2.5
Darlington	4	10.0	8	6.4	5	3.5
Dillon	1	4.1	4	5.2	6	7.2
Dorchester	-	0	1	0.8	8	7.6
Edgefield	-	0	-	0	-	0
Fairfield	1	4.8	3	4.7	2	3.1
Florence	9	9.0	15	5.3	19	7.0
Georgetown	2	6.8	5	5.4	3	2.8
Greenville	10	7.5	18	4.7	9	2.5
Greenwood	2	6.1	5	5.4	3	2.9
Hampton	-	0	4	7.7	2	3.8
Horry	3	4.6	8	4.3	11	5.9
Jasper	2	12.8	4	8.9	1	2.1
Kershaw	2	9.1	3	4.8	-	0
Lancaster	-	0	4	5.4	6	8.2
Laurens	1	4.3	1	1.4	6	8.4
Lee	2	11.2	3	5.3	-	0
Lexington	5	8.3	12	6.5	11	6.3
McCormick	-	0	1	6.5	1	6.2
Marion	2	6.8	4	4.3	5	5.3
Marlboro	1	4.1	2	3.0	3	4.2
Newberry	-	0	-	0	1	1.7
Oconee	-	0	-	0	1	4.2
Orangeburg	5	5.3	10	3.7	11	4.2
Pickens	2	21.1	4	12.5	-	0
Richland	12	4.5	38	4.9	41	5.7
Saluda	-	0	-	0	3	12.8
Spartanburg	4	4.6	15	5.9	15	5.8
Sumter	7	8.6	13	5.2	9	3.5
Union	-	0	-	0	1	2.4
Williamsburg	2	6.0	4	3.9	7	6.0
York	1	1.5	4	2.2	5	2.8
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-6.
Fetal Mortality and Fetal Mortality Rates¹ by Race of Mother
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	525 *	9.0	225	6.0	294	14.4
Abbeville	4	14.7	2	10.8	2	22.7
Aiken	14	7.5	7	5.5	7	12.2
Allendale	2	13.4	-	0	2	16.4
Anderson	16	7.1	7	3.8	9	20.5
Bamberg	1	5.2	1	18.5	-	0
Barnwell	4	12.7	1	6.8	3	18.0
Beaufort	15 *	6.6	6	3.7	8	13.0
Berkeley	14	6.3	6	3.9	8	12.2
Calhoun	2	11.8	1	12.3	1	11.4
Charleston	38	7.9	12	4.1	26	13.5
Cherokee	5	7.4	5	10.0	-	0
Chester	4	9.3	3	12.8	1	5.1
Chesterfield	6	11.1	3	9.4	3	13.5
Clarendon	2	5.1	-	0	2	8.7
Colleton	8	14.5	2	6.8	6	23.3
Darlington	11 *	12.9	3	6.8	7	17.2
Dillon	11	24.0	4	19.0	7	28.2
Dorchester	14	8.9	8	7.2	6	12.8
Edgefield	3	12.0	-	0	3	25.0
Fairfield	5	15.9	2	19.8	3	14.1
Florence	14	7.1	3	3.1	11	10.9
Georgetown	4	5.6	-	0	4	13.4
Greenville	47 *	7.9	31	6.8	15	11.1
Greenwood	8	8.7	2	3.4	6	17.9
Hampton	2	6.8	1	8.8	1	5.5
Horry	23	7.9	14	6.2	9	13.7
Jasper	2	5.3	-	0	2	12.7
Kershaw	12	15.5	3	5.5	9	39.5
Lancaster	7	9.1	2	4.0	5	18.7
Laurens	10	12.8	5	9.2	5	21.2
Lee	3	12.1	-	0	3	16.5
Lexington	18	5.6	11	4.3	7	11.4
McCormick	2	25.3	-	0	2	40.8
Marion	4	9.1	-	0	4	13.4
Marlboro	5	13.5	2	15.9	3	12.3
Newberry	6	11.5	5	14.7	1	5.5
Oconee	5	6.3	4	5.6	1	13.5
Orangeburg	13 *	9.5	3	7.2	9	9.5
Pickens	13	9.8	10	8.2	3	30.6
Richland	63	13.0	12	5.7	51	18.7
Saluda	1	3.8	-	0	1	14.1
Spartanburg	31 *	9.0	18	7.0	12	13.7
Sumter	21	12.5	10	12.0	11	13.3
Union	4	12.5	2	9.3	2	18.9
Williamsburg	7	15.3	1	8.6	6	17.5
York	21 *	7.7	13	6.3	7	10.6
Unknown	-	0	-	0	-	0

¹ Rate calculated per 1,000 deliveries

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

*Includes unknown race

Table F-7.
Fetal Deaths by Age of Mother
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total Fetal	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	525 *	3	76	159	116	88	42	23	1	17
Abbeville	4	-	-	1	1	1	-	1	-	-
Aiken	14	1	2	6	3	1	1	-	-	-
Allendale	2	-	-	1	1	-	-	-	-	-
Anderson	16	-	4	4	4	2	2	-	-	-
Bamberg	1	-	-	1	-	-	-	-	-	-
Barnwell	4	-	2	1	1	-	-	-	-	-
Beaufort	15 *	-	2	6	4	2	1	-	-	-
Berkeley	14	-	2	4	1	4	2	-	-	1
Calhoun	2	-	-	1	-	1	-	-	-	-
Charleston	38	-	3	13	7	7	3	1	-	4
Cherokee	5	-	2	-	1	1	-	-	-	1
Chester	4	-	-	2	-	-	1	-	-	1
Chesterfield	6	-	2	-	2	1	-	1	-	-
Clarendon	2	-	-	-	1	1	-	-	-	-
Colleton	8	-	2	1	5	-	-	-	-	-
Darlington	11 *	-	-	3	3	2	2	1	-	-
Dillon	11	-	2	3	3	2	1	-	-	-
Dorchester	14	-	3	6	2	-	1	1	-	1
Edgefield	3	-	-	1	2	-	-	-	-	-
Fairfield	5	-	1	2	-	1	1	-	-	-
Florence	14	-	3	4	2	3	1	1	-	-
Georgetown	4	-	-	4	-	-	-	-	-	-
Greenville	47 *	-	5	12	11	13	1	3	-	2
Greenwood	8	-	2	2	1	2	1	-	-	-
Hampton	2	-	1	-	1	-	-	-	-	-
Horry	23	-	3	8	2	7	2	-	-	1
Jasper	2	-	-	-	-	2	-	-	-	-
Kershaw	12	-	2	2	3	1	1	3	-	-
Lancaster	7	-	2	4	-	1	-	-	-	-
Laurens	10	1	2	4	1	1	1	-	-	-
Lee	3	-	1	-	2	-	-	-	-	-
Lexington	18	-	3	3	3	5	3	1	-	-
McCormick	2	-	-	1	-	1	-	-	-	-
Marion	4	-	-	2	-	-	-	1	-	1
Marlboro	5	-	1	2	-	2	-	-	-	-
Newberry	6	-	-	2	3	-	-	1	-	-
Oconee	5	-	1	3	1	-	-	-	-	-
Orangeburg	13 *	-	2	3	3	2	1	-	-	2
Pickens	13	-	-	2	6	2	3	-	-	-
Richland	63	-	6	22	16	10	3	3	1	2
Saluda	1	-	1	-	-	-	-	-	-	-
Spartanburg	31 *	-	8	7	5	3	6	2	-	-
Sumter	21	-	3	6	6	3	1	1	-	1
Union	4	-	1	1	1	-	1	-	-	-
Williamsburg	7	1	1	3	-	1	1	-	-	-
York	21 *	-	1	6	8	3	1	2	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

* Includes unknown race

Table F-7A.
Fetal Deaths by Age and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
White

County of Residence	Total Fetal	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	225	1	28	55	58	43	21	12	1	6
Abbeville	2	-	-	1	1	-	-	-	-	-
Aiken	7	-	2	3	1	1	-	-	-	-
Allendale	-	-	-	-	-	-	-	-	-	-
Anderson	7	-	3	1	2	-	1	-	-	-
Bamberg	1	-	-	1	-	-	-	-	-	-
Barnwell	1	-	-	1	-	-	-	-	-	-
Beaufort	6	-	-	2	2	1	1	-	-	-
Berkeley	6	-	1	2	1	1	1	-	-	-
Calhoun	1	-	-	-	-	1	-	-	-	-
Charleston	12	-	2	-	3	4	-	-	-	3
Cherokee	5	-	2	-	1	1	-	-	-	1
Chester	3	-	-	2	-	-	1	-	-	-
Chesterfield	3	-	1	-	2	-	-	-	-	-
Clarendon	-	-	-	-	-	-	-	-	-	-
Colleton	2	-	-	1	1	-	-	-	-	-
Darlington	3	-	-	2	1	-	-	-	-	-
Dillon	4	-	2	-	1	-	1	-	-	-
Dorchester	8	-	1	4	1	-	1	-	-	1
Edgefield	-	-	-	-	-	-	-	-	-	-
Fairfield	2	-	1	-	-	-	1	-	-	-
Florence	3	-	-	1	-	1	-	1	-	-
Georgetown	-	-	-	-	-	-	-	-	-	-
Greenville	31	-	2	6	8	11	1	2	-	1
Greenwood	2	-	-	-	-	1	1	-	-	-
Hampton	1	-	-	-	1	-	-	-	-	-
Horry	14	-	2	3	2	6	1	-	-	-
Jasper	-	-	-	-	-	-	-	-	-	-
Kershaw	3	-	1	-	2	-	-	-	-	-
Lancaster	2	-	-	1	-	1	-	-	-	-
Laurens	5	1	-	2	1	-	1	-	-	-
Lee	-	-	-	-	-	-	-	-	-	-
Lexington	11	-	1	1	2	3	3	1	-	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	-	-	-	-	-	-	-	-	-	-
Marlboro	2	-	-	1	-	1	-	-	-	-
Newberry	5	-	-	1	3	-	-	1	-	-
Oconee	4	-	1	3	-	-	-	-	-	-
Orangeburg	3	-	-	1	1	1	-	-	-	-
Pickens	10	-	-	1	5	1	3	-	-	-
Richland	12	-	-	3	2	4	-	2	1	-
Saluda	-	-	-	-	-	-	-	-	-	-
Spartanburg	18	-	3	4	4	2	3	2	-	-
Sumter	10	-	2	3	3	-	1	1	-	-
Union	2	-	-	1	1	-	-	-	-	-
Williamsburg	1	-	-	1	-	-	-	-	-	-
York	13	-	1	2	6	2	-	2	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

Table F-7A. (continued)
Fetal Deaths by Age and Race of Mother
South Carolina and Each County, 2005
(Residence Data)
Black & Other

County of Residence	Total Fetal	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	294	2	47	102	57	44	21	11		10
Abbeville	2	-	-	-	-	1	-	1	-	-
Aiken	7	1	-	3	2	-	1	-	-	-
Allendale	2	-	-	1	1	-	-	-	-	-
Anderson	9	-	1	3	2	2	1	-	-	-
Bamberg	-	-	-	-	-	-	-	-	-	-
Barnwell	3	-	2	-	1	-	-	-	-	-
Beaufort	8	-	1	4	2	1	-	-	-	-
Berkeley	8	-	1	2	-	3	1	-	-	1
Calhoun	1	-	-	1	-	-	-	-	-	-
Charleston	26	-	1	13	4	3	3	1	-	1
Cherokee	-	-	-	-	-	-	-	-	-	-
Chester	1	-	-	-	-	-	-	-	-	1
Chesterfield	3	-	1	-	-	1	-	1	-	-
Clarendon	2	-	-	-	1	1	-	-	-	-
Colleton	6	-	2	-	4	-	-	-	-	-
Darlington	7	-	-	-	2	2	2	1	-	-
Dillon	7	-	-	3	2	2	-	-	-	-
Dorchester	6	-	2	2	1	-	-	1	-	-
Edgefield	3	-	-	1	2	-	-	-	-	-
Fairfield	3	-	-	2	-	1	-	-	-	-
Florence	11	-	3	3	2	2	1	-	-	-
Georgetown	4	-	-	4	-	-	-	-	-	-
Greenville	15	-	3	6	2	2	-	1	-	1
Greenwood	6	-	2	2	1	1	-	-	-	-
Hampton	1	-	1	-	-	-	-	-	-	-
Horry	9	-	1	5	-	1	1	-	-	1
Jasper	2	-	-	-	-	2	-	-	-	-
Kershaw	9	-	1	2	1	1	1	3	-	-
Lancaster	5	-	2	3	-	-	-	-	-	-
Laurens	5	-	2	2	-	1	-	-	-	-
Lee	3	-	1	-	2	-	-	-	-	-
Lexington	7	-	2	2	1	2	-	-	-	-
McCormick	2	-	-	1	-	1	-	-	-	-
Marion	4	-	-	2	-	-	-	1	-	1
Marlboro	3	-	1	1	-	1	-	-	-	-
Newberry	1	-	-	1	-	-	-	-	-	-
Oconee	1	-	-	-	1	-	-	-	-	-
Orangeburg	9	-	2	2	2	1	1	-	-	1
Pickens	3	-	-	1	1	1	-	-	-	-
Richland	51	-	6	19	14	6	3	1	-	2
Saluda	1	-	1	-	-	-	-	-	-	-
Spartanburg	12	-	5	3	1	-	3	-	-	-
Sumter	11	-	1	3	3	3	-	-	-	1
Union	2	-	1	-	-	-	1	-	-	-
Williamsburg	6	1	1	2	-	1	1	-	-	-
York	7	-	-	3	2	1	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

Table F-8.
Perinatal Mortality and Perinatal Mortality Rates¹ by Race
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	866 *	14.9	386	10.3	473	23.2
Abbeville	7	25.6	-	0	5	56.8
Aiken	31	16.7	16	12.6	15	26.1
Allendale	3	20.1	-	0	-	0
Anderson	29	12.8	15	8.2	14	31.9
Bamberg	-	0	-	0	-	0
Barnwell	8	25.4	2	13.5	6	35.9
Beaufort	22 *	9.7	10	6.1	11	17.9
Berkeley	30	13.6	13	8.4	17	25.9
Calhoun	3	17.8	-	0	2	22.7
Charleston	79 *	16.3	34	11.7	44	22.8
Cherokee	12	17.7	7	14.0	-	0
Chester	9	20.9	6	25.6	3	15.2
Chesterfield	9	16.7	5	15.7	4	18.0
Clarendon	3	7.7	-	0	3	13.0
Colleton	9	16.3	-	0	7	27.2
Darlington	20 *	23.5	8	18.1	11	27.0
Dillon	14	30.6	5	23.8	9	36.3
Dorchester	19	12.0	11	9.9	8	17.1
Edgefield	4	15.9	-	0	-	0
Fairfield	-	0	-	0	-	0
Florence	28	14.2	8	8.4	20	19.8
Georgetown	11	15.5	-	0	8	26.8
Greenville	74 *	12.5	44	9.6	29	21.5
Greenwood	19	20.8	4	6.9	15	44.8
Hampton	3	10.2	-	0	2	11.0
Horry	37	12.6	23	10.1	14	21.4
Jasper	4	10.6	-	0	4	25.3
Kershaw	14	18.1	5	9.1	-	0
Lancaster	13	17.0	4	8.0	9	33.6
Laurens	13	16.7	7	12.9	6	25.4
Lee	8	32.4	-	0	7	38.5
Lexington	26	8.2	13	5.1	13	21.2
McCormick	3	38.0	-	0	3	61.2
Marion	-	0	-	0	-	0
Marlboro	7	18.9	-	0	5	20.5
Newberry	8	15.3	-	0	3	16.6
Oconee	8	10.1	7	9.7	-	0
Orangeburg	26 *	19.0	6	14.4	19	20.1
Pickens	18	13.6	13	10.6	5	51.0
Richland	97	20.0	29	13.7	68	24.9
Saluda	2	7.7	-	0	-	0
Spartanburg	46 *	13.4	30	11.7	15	17.2
Sumter	29	17.3	14	16.8	15	18.1
Union	-	0	-	0	-	0
Williamsburg	10	21.8	2	17.2	8	23.4
York	37 *	13.6	20	9.7	16	24.2
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 deliveries

* Includes unknown race

Table F-9
Causes of Maternal Death¹ by Age Group of Mother
South Carolina, 2005
(Residence Data)

Cause of Maternal Death	Age Group								
	Total	<15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years
Complications of Pregnancy, Childbirth, and the Puerperium (O00-O99)	13	-	-	5	1	2	2	2	1
I. Pregnancy with Abortive Outcome (O00-O07)	1	-	-	1	-	-	-	-	-
1. Ectopic Pregnancy (O00)	-	-	-	-	-	-	-	-	-
2. Spontaneous Abortion (O03)	-	-	-	-	-	-	-	-	-
3. Medical Abortion (O04)	-	-	-	-	-	-	-	-	-
4. Other Abortion (O05)	-	-	-	-	-	-	-	-	-
5. Other and Unspecified Pregnancy With Abortive Outcome (O01, O02, O06-O07)	1	-	-	1	-	-	-	-	-
II. Direct Obstetric Causes (O10-O92)	8	-	-	2	1	1	2	1	1
1. Eclampsia and Pre-Eclampsia (O11, O13-O16)	-	-	-	-	-	-	-	-	-
2. Hemorrhage of Pregnancy and Childbirth and Placenta Previa (O20,O44-O46,O67,O72)	3	-	-	2	-	1	-	-	-
3. Complications Predominantly Related to Puerperium (O85-O92)	-	-	-	-	-	-	-	-	-
Obstetric Embolism (O88)	1	-	-	-	-	-	1	-	-
Other Complications Predominantly Related to Puerperium (O85-O87,O89-O92)	-	-	-	-	-	-	-	-	-
4. All Other Direct Obstetric Causes (O10, O12,O21-O43, O47-O66, O68-O71, O73-O75)	4	-	-	-	1	-	1	1	1
III. Obstetric Death of Unspecified Cause (O95)	-	-	-	-	-	-	-	-	-
IV. Other Deaths Related to Pregnancy, Childbirth and the Puerperium (O96-O97)	1	-	-	1	-	-	-	-	-
V. Indirect Obstetric Deaths (O98-O99)	3	-	-	1	-	1	-	1	-

¹Classified and Coded According to ICD-10

Table F-9A
Causes of Maternal Death¹ by Race and Age Group of Mother
South Carolina, 2005
(Residence Data)

Cause of Maternal Death	White									Black and Other								
	Total	<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Total	<15	15-19	20-24	25-29	30-34	35-39	40-44	45 +
		Years	Years	Years	Years	Years	Years	Years	Years		Years	Years	Years	Years	Years	Years	Years	Years
Complications of Pregnancy, Childbirth, and the Puerperium (O00-O99)	6	-	-	2	1	1	2	-	-	7	-	-	3	-	1	-	2	1
I. Pregnancy with Abortive Outcome (O00-O07)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1. Ectopic Pregnancy (O00)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Spontaneous Abortion (O03)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Medical Abortion (O04)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Other Abortion (O05)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Other and Unspecified Pregnancy With Abortive Outcome (O01, O02, O06-O07)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Direct Obstetric Causes (O10-O92).	4	-	-	1	1	-	2	-	-	4	-	-	1	-	1	-	1	1
1. Eclampsia and Pre-Eclampsia (O11, O13-O16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Hemorrhage of Pregnancy and Childbirth and Placenta Previa (O20, O44-O46, O67, O72)	1	-	-	1	-	-	-	-	-	2	-	-	1	-	1	-	-	-
3. Complications Predominantly Related to Puerperium (O85-O92)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Obstetric Embolism (O88)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Complications Predominantly Related to Puerperium (O85-O87, O89-O92)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. All Other Direct Obstetric Causes (O10, O12, O21-O43, O47-O66, O68-O71, O73-O75)	2	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	1	1
III. Obstetric Death of Unspecified Cause (O95)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. Other Deaths Related to Pregnancy, Childbirth and the Puerperium (O96-O97)	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
V. Indirect Obstetric Deaths (O98-O99)	1	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	1	-

¹Classified & Coded According to ICD-10

The State Flower

“The Yellow Jasmine”



Officially adopted by the General Assembly in 1924

DEATH

Figure G-1.
Death Rates* by County
South Carolina, 2005
(Residence Data)




Table G-1.
Deaths and Death Rates¹ by Race
South Carolina, 1981-2005
(Residence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1981	25,410	7.9	17,199	7.8	8,211	8.2
1982	25,066	7.7	16,823	7.5	8,243	8.1
1983	26,130	7.9	17,717	7.8	8,413	8.1
1984	26,363	8.0	17,815	7.9	8,548	8.2
1985	27,077	8.0	18,390	8.0	8,687	8.2
1986	28,122	8.2	19,098	8.2	9,024	8.3
1987	28,470	8.3	19,437	8.3	9,033	8.3
1988	29,397 *	8.4	19,951	8.3	9,443	8.4
1989	29,576	8.4	20,032	8.3	9,544	8.5
1990	29,621 *	8.5	20,192	8.4	9,427	8.8
1991	29,851 *	8.4	20,364	8.3	9,482	8.6
1992	30,565 *	8.5	20,945	8.4	9,617	8.6
1993	31,943 *	8.8	21,939	8.7	10,002	8.9
1994	32,223 *	8.8	22,295	8.8	9,927	8.8
1995	33,500 *	9.1	23,342	9.2	10,152	9.0
1996	34,035 *	9.2	23,585	9.2	10,448	9.2
1997	33,659 *	9.0	23,362	9.0	10,276	8.8
1998	34,781 *	9.1	24,428	9.2	10,333	8.7
1999	35,972 *	9.3	25,432	9.5	10,523	8.8
2000	36,816 *	9.2	26,013	9.5	10,785	8.5
2001	36,576 *	9.2	25,781	9.2	10,782	8.5
2002	37,679 *	9.2	26,740	9.5	10,924	8.4
2003	37,920 *	9.1	27,043	9.6	10,865	8.2
2004	37,152 *	8.8	26,353	9.1	10,783	8.2
2005	38,585 *	9.1	27,755	9.5	10,810	8.2

¹ Rates per 1,000 population

* Includes unknown race

Figure G-2
Death Rates by Race
South Carolina, 1981-2005
(Residence Data)




Table G-2.
Mortality from Ten Leading Causes of Death by Race
South Carolina, 2005
(Residence Data)

Cause of Death (ICD-10 Code)	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	38,585 *	100.0	27,755	100.0	10,810	100.0
Ten Leading Causes, All Ages	29,322 *	76.0	21,384	77.0	7,933	73.4
Disease Of Heart (I00-I09,I11,I13,I20-I51)	9,328 *	24.2	6,786	24.4	2,541	23.5
Malignant Neoplasms (C00-C97)	8,617	22.3	6,286	22.6	2,331	21.6
Cerebrovascular Disease (I60-I69)	2,449 *	6.3	1,694	6.1	754	7.0
Accidents (V01-X59,Y85-Y86)	2,254 *	5.8	1,648	5.9	605	5.6
Chronic Lower Respiratory Disease (J40-J47)	1,968 *	5.1	1,708	6.2	259	2.4
Alzheimers (G30)	1,315	3.4	1,106	4.0	209	1.9
Diabetes Mellitus (E10-E14)	1,183	3.1	690	2.5	493	4.6
Nephritis And Nephrotic Syn And Nephrosis (N00-N07,N17-N19,N25-N27)	815	2.1	470	1.7	345	3.2
Pneumonia And Influenza (J10-J18)	762	2.0	591	2.1	171	1.6
Septicemia (A40-A41)	631 *	1.6	405	1.5	225	2.1
All Other Causes	9,263 *	24.0	6,371	23.0	2,877	26.6

* Includes unknown race

Figure G-3.
Percent Distribution for the
Ten Leading Causes of Death by Gender
South Carolina, 2005
(Residence Data)




Table G-2A.
Mortality from Ten Leading Causes of Death by Race and Gender
South Carolina, 2005
(Residence Data)

MALES						
Cause of Death (ICD-10 Code)	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	19,556 *	100.0	13,978	100.0	5,566	100.0
Ten Leading Causes, All Ages	15,063 *	77.0	11,038	79.0	4,024	72.3
Disease Of Heart (I00-I09,I11,I13,I20-I51)	4,872	24.9	3,578	25.6	1,294	23.2
Malignant Neoplasms (C00-C97)	4,687	24.0	3,420	24.5	1,267	22.8
Accidents (V01-X59,Y85-Y86)	1,521 *	7.8	1089	7.8	431	7.7
Cerebrovascular Disease (I60-I69)	1,004	5.1	661	4.7	343	6.2
Chronic Lower Respiratory Disease (J40-J47)	990	5.1	828	5.9	162	2.9
Diabetes Mellitus (E10-E14)	555	2.8	347	2.5	208	3.7
Suicide (X60-X84,Y87.0)	398	2.0	344	2.5	54	1.0
Nephritis And Nephrotic Syn And Nephrosis (N00-N07,N17-N19,N25-N27)	356	1.8	225	1.6	131	2.4
Pneumonia And Influenza (J10-J18)	341	1.7	259	1.9	82	1.5
Alzheimers (G30)	339	1.7	287	2.1	52	0.9
All Other Causes	4,493 *	23.0	2,940	21.0	1,542	27.7

FEMALES						
Cause of Death (ICD-10 Code)	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	19,026 *	100.0	13,776	100.0	5,243	100.0
Ten Leading Causes, All Ages	14,377 *	75.6	10,508	76.3	3,866	73.7
Disease Of Heart (I00-I09,I11,I13,I20-I51)	4,456 *	23.4	3,208	23.3	1,247	23.8
Malignant Neoplasms (C00-C97)	3,930	20.7	2,866	20.8	1,064	20.3
Cerebrovascular Disease (I60-I69)	1,444 *	7.6	1,033	7.5	410	7.8
Chronic Lower Respiratory Disease (J40-J47)	978 *	5.1	880	6.4	97	1.9
Alzheimers (G30)	976	5.1	819	5.9	157	3.0
Accidents (V01-X59,Y85-Y86)	733	3.9	559	4.1	174	3.3
Diabetes Mellitus (E10-E14)	628	3.3	343	2.5	285	5.4
Nephritis And Nephrotic Syn And Nephrosis (N00-N07,N17-N19,N25-N27)	459	2.4	245	1.8	214	4.1
Pneumonia And Influenza (J10-J18)	421	2.2	332	2.4	89	1.7
Septicemia (A40-A41)	352	1.9	223	1.6	129	2.5
All Other Causes	4,649 *	24.4	3,268	23.7	1,377	26.3

* Includes unknown race

Table G-3.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race
South Carolina, 2005
(Residence Data)

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	549 *	100.0	261	100.0	286	100.0
Disorders Relating to Short Gest, Etc. (P07)	81	14.8	31	11.9	50	17.5
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q09)	79	14.4	48	18.4	31	10.8
Sudden Infant Death Syndrome (R95)	48	8.7	25	9.6	23	8.0
Newborn Aff by Maternal Comp of Preg (P01)	28	5.1	11	4.2	17	5.9
Accidents (V01-X59, Y85-Y86)	28	5.1	16	6.1	12	4.2
All Other Causes	285 *	51.9	130	49.8	153	53.5
1 - 4 Years						
All Causes	73	100.0	39	100.0	34	100.0
Accidents (V01-X59, Y85-Y86)	34	46.6	19	48.7	15	44.1
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q99)	8	11.0	4	10.3	4	11.8
Malignant Neoplasms (C00-C97)	3	4.1	1	2.6	2	5.9
Homicide (X85-Y09, Y87.1)	3	4.1	0	0.0	3	8.8
All Other Causes	25	34.2	15	38.5	10	29.4
5 - 14 Years						
All Causes	127	100.0	72	100.0	55	100.0
Accidents (V01-X59, Y85-Y86)	47	37.0	26	36.1	21	38.2
Malignant Neoplasms (C00-C97)	17	13.4	8	11.1	9	16.4
Disease Of Heart (I00-I09, I11, I13, I20-I51)	7	5.5	3	4.2	4	7.3
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q99)	5	3.9	4	5.6	1	1.8
Benign Neoplasms (D00-D48)	4	3.1	3	4.2	1	1.8
Suicide (X60-X84, Y87.0)	4	3.1	4	5.6	0	0.0
All Other Causes	43	33.9	24	33.3	19	34.5
15-24 Years						
All Causes	619 *	100.0	364	100.0	253	100.0
Accidents (V01-X59, Y85-Y86)	332	53.6	236	64.8	96	37.9
Homicide (X85-Y09, Y87.1)	88	14.2	21	5.8	67	26.5
Suicide (X60-X84, Y87.0)	70	11.3	52	14.3	18	7.1
Malignant Neoplasms (C00-C97)	25	4.0	16	4.4	9	3.6
Disease Of Heart (I00-I09, I11, I13, I20-I51)	22	3.6	10	2.7	12	4.7
All Other Causes	82 *	13.2	29	8.0	51	20.2
25 - 44 Years						
All Causes	2,388 *	100.0	1,449	100.0	936	100.0
Accidents (V01-X59, Y85-Y86)	669 *	28.0	500	34.5	168	17.9
Disease Of Heart (I00-I09, I11, I13, I20-I51)	359 *	15.0	199	13.7	159	17.0
Malignant Neoplasms (C00-C97)	296	12.4	178	12.3	118	12.6
Suicide (X60-X84, Y87.0)	190	8.0	161	11.1	29	3.1
Homicide (X85-Y09, Y87.1)	143	6.0	51	3.5	92	9.8
All Other Causes	731 *	30.6	360	24.8	370	39.5
45 - 64 Years						
All Causes	8,623 *	100.0	5,498	100.0	3,123	100.0
Malignant Neoplasms (C00-C97)	2,603	30.2	1,733	31.5	870	27.9
Disease Of Heart (I00-I09, I11, I13, I20-I51)	2,031	23.6	1,322	24.0	709	22.7
Accidents (V01-X59, Y85-Y86)	600	7.0	416	7.6	184	5.9
Cerebrovascular Disease (I60-I69)	360	4.2	153	2.8	207	6.6
Chronic Lower Respiratory Disease (J40-J47)	341	4.0	268	4.9	73	2.3
All Other Causes	2,688 *	31.2	1,606	29.2	1,080	34.6
65 - 74 Years						
All Causes	6,979 *	100.0	5,040	100.0	1,936	100.0
Malignant Neoplasms (C00-C97)	2,250	32.2	1,703	33.8	547	28.3
Disease Of Heart (I00-I09, I11, I13, I20-I51)	1,690	24.2	1,187	23.6	503	26.0
Chronic Lower Respiratory Disease (J40-J47)	535	7.7	480	9.5	55	2.8
Cerebrovascular Disease (I60-I69)	389 *	5.6	248	4.9	140	7.2
Diabetes Mellitus (E10-E14)	280	4.0	152	3.0	128	6.6
All Other Causes	1,835 *	26.3	1,270	25.2	563	29.1
75 Years & Over						
All Causes	19,218 *	100.0	15,026	100.0	4,185	100.0
Disease Of Heart (I00-I09, I11, I13, I20-I51)	5,205	27.1	4,056	27.0	1,149	27.5
Malignant Neoplasms (C00-C97)	3,419	17.8	2,643	17.6	776	18.5
Cerebrovascular Disease (I60-I69)	1,634	8.5	1,262	8.4	372	8.9
Alzheimers (G30)	1,240	6.5	1,051	7.0	189	4.5
Chronic Lower Respiratory Disease (J40-J47)	1,061 *	5.5	942	6.3	118	2.8
All Other Causes	6,659 *	34.6	5,072	33.8	1,581	37.8

Table G-3A.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Gender
South Carolina, 2005
(Residence Data)
Males

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	331 *	100.0	151	100.0	178	100.0
Disorders Relating to Short Gest, Etc. (P07)	48	14.5	17	11.3	31	17.4
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q09)	45	13.6	26	17.2	19	10.7
Sudden Infant Death Syndrome (R95)	32	9.7	17	11.3	15	8.4
Newborn Aff by Maternal Comp of Preg (P01)	16	4.8	5	3.3	11	6.2
Accidents (V01-X59, Y85-Y86)	16	4.8	9	6.0	7	3.9
All Other Causes	174 *	52.6	77	51.0	95	53.4
1 - 4 Years						
All Causes	47	100.0	25	100.0	22	100.0
Accidents (V01-X59,Y85-Y86)	20	42.6	11	44.0	9	40.9
Congenital Malform., Deform., Chromosal Abn.(Q00-Q99)	5	10.6	4	16.0	1	4.5
Homicide (X85-Y09,Y87.1)	3	6.4	0	0.0	3	13.6
Malignant Neoplasms (C00-C97)	2	4.3	0	0.0	2	9.1
Benign Neoplasms (D00-D48)	2	4.3	2	8.0	0	0.0
Meningitis (G00,G03)	2	4.3	2	8.0	0	0.0
All Other Causes	13	27.7	6	24.0	7	31.8
5 - 14 Years						
All Causes	78	100.0	47	100.0	31	100.0
Accidents (V01-X59,Y85-Y86)	29	37.2	18	38.3	11	35.5
Malignant Neoplasms (C00-C97)	9	11.5	5	10.6	4	12.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	4	5.1	1	2.1	3	9.7
Suicide (X60-X84,Y87.0)	4	5.1	4	8.5	0	0.0
Congenital Malform., Deform., Chromosal Abn.(Q00-Q99)	3	3.8	3	6.4	0	0.0
All Other Causes	29	37.2	16	34.0	13	41.9
15-24 Years						
All Causes	452 *	100.0	275	100.0	176	100.0
Accidents (V01-X59,Y85-Y86)	249	55.1	182	66.2	67	38.1
Homicide (X85-Y09,Y87.1)	72	15.9	14	5.1	58	33.0
Suicide (X60-X84,Y87.0)	59	13.1	44	16.0	15	8.5
Disease Of Heart (I00-I09,I11,I13,I20-I51)	13	2.9	7	2.5	6	3.4
Malignant Neoplasms (C00-C97)	11	2.4	9	3.3	2	1.1
All Other Causes	48 *	10.6	19	6.9	28	15.9
25 - 44 Years						
All Causes	1,552 *	100.0	971	100.0	580	100.0
Accidents (V01-X59,Y85-Y86)	500 *	32.2	360	37.1	139	24.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	239	15.4	134	13.8	105	18.1
Suicide (X60-X84,Y87.0)	155	10.0	131	13.5	24	4.1
Malignant Neoplasms (C00-C97)	135	8.7	87	9.0	48	8.3
Homicide (X85-Y09,Y87.1)	114	7.3	37	3.8	77	13.3
All Other Causes	409	26.4	222	22.9	187	32.2
45 - 64 Years						
All Causes	5,327 *	100.0	3,401	100.0	1,924	100.0
Malignant Neoplasms (C00-C97)	1,471	27.6	954	28.1	517	26.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1,404	26.4	943	27.7	461	24.0
Accidents (V01-X59,Y85-Y86)	419	7.9	284	8.4	135	7.0
Cerebrovascular Disease (I60-I69)	216	4.1	89	2.6	127	6.6
Diabetes Mellitus (E10-E14)	193	3.6	109	3.2	84	4.4
All Other Causes	1,624 *	30.5	1,022	30.0	600	31.2
65 - 74 Years						
All Causes	3,966 *	100.0	2,914	100.0	1,051	100.0
Malignant Neoplasms (C00-C97)	1,306	32.9	992	34.0	314	29.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1,048	26.4	765	26.3	283	26.9
Chronic Lower Respiratory Disease (J40-J47)	282	7.1	248	8.5	34	3.2
Cerebrovascular Disease (I60-I69)	212	5.3	132	4.5	80	7.6
Diabetes Mellitus (E10-E14)	133	3.4	80	2.7	53	5.0
All Other Causes	985 *	24.8	697	23.9	287	27.3
75 Years & Over						
All Causes	7,796 *	100.0	6,189	100.0	1,602	100.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	2,157	27.7	1,723	27.8	434	27.1
Malignant Neoplasms (C00-C97)	1,750	22.4	1,370	22.1	380	23.7
Cerebrovascular Disease (I60-I69)	541	6.9	422	6.8	119	7.4
Chronic Lower Respiratory Disease (J40-J47)	518	6.6	440	7.1	78	4.9
Alzheimers (G30)	308	4.0	263	4.2	45	2.8
All Other Causes	2,522 *	32.3	1,971	31.8	546	34.1

Table G-3A.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Gender
South Carolina, 2005
(Residence Data)
Females

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	218	100.0	110	100.0	108	100.0
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q09)	34	15.6	22	20.0	12	11.1
Disorders Relating to Short Gest, Etc. (P07)	33	15.1	14	12.7	19	17.6
Sudden Infant Death Syndrome (R95)	16	7.3	8	7.3	8	7.4
Newborn Aff by Maternal Comp of Preg (P01)	12	5.5	6	5.5	6	5.6
Accidents (V01-X59, Y85-Y86)	12	5.5	7	6.4	5	4.6
All Other Causes	111	50.9	53	48.2	58	53.7
1 - 4 Years						
All Causes	26	100.0	14	100.0	12	100.0
Accidents (V01-X59, Y85-Y86)	14	53.8	8	57.1	6	50.0
Congenital Malform., Deform., Chromosal Abn.(Q00-Q99)	3	11.5	0	0.0	3	25.0
Septicemia (A40-A41)	1	3.8	1	7.1	0	0.0
Malignant Neoplasms (C00-C97)	1	3.8	1	7.1	0	0.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1	3.8	0	0.0	1	8.3
Cerebrovascular Disease (I60-I69)	1	3.8	1	7.1	0	0.0
All Other Causes	5	19.2	3	21.4	2	16.7
5 - 14 Years						
All Causes	49	100.0	25	100.0	24	100.0
Accidents (V01-X59, Y85-Y86)	18	36.7	8	32.0	10	41.7
Malignant Neoplasms (C00-C97)	8	16.3	3	12.0	5	20.8
Disease Of Heart (I00-I09,I11,I13,I20-I51)	3	6.1	2	8.0	1	4.2
Benign Neoplasms (D00-D48)	2	4.1	2	8.0	0	0.0
Congenital Malform., Deform., Chromosal Abn.(Q00-Q99)	2	4.1	1	4.0	1	4.2
All Other Causes	16	32.7	9	36.0	7	29.2
15-24 Years						
All Causes	167 *	100.0	89	100.0	77	100.0
Accidents (V01-X59, Y85-Y86)	83	49.7	54	60.7	29	37.7
Homicide (X85-Y09, Y87.1)	16	9.6	7	7.9	9	11.7
Malignant Neoplasms (C00-C97)	14	8.4	7	7.9	7	9.1
Suicide (X60-X84, Y87.0)	11	6.6	8	9.0	3	3.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	9	5.4	3	3.4	6	7.8
All Other Causes	34 *	20.4	10	11.2	23	29.9
25 - 44 Years						
All Causes	836 *	100.0	478	100.0	356	100.0
Accidents (V01-X59, Y85-Y86)	169	20.2	140	29.3	29	8.1
Malignant Neoplasms (C00-C97)	161	19.3	91	19.0	70	19.7
Disease Of Heart (I00-I09,I11,I13,I20-I51)	120 *	14.4	65	13.6	54	15.2
HIV (B20-B24)	41	4.9	5	1.0	36	10.1
Suicide (X60-X84, Y87.0)	35	4.2	30	6.3	5	1.4
All Other Causes	310 *	37.1	147	30.8	162	45.5
45 - 64 Years						
All Causes	3,296	100.0	2,097	100.0	1,199	100.0
Malignant Neoplasms (C00-C97)	1,132	34.3	779	37.1	353	29.4
Disease Of Heart (I00-I09,I11,I13,I20-I51)	627	19.0	379	18.1	248	20.7
Accidents (V01-X59, Y85-Y86)	181	5.5	132	6.3	49	4.1
Chronic Lower Respiratory Disease (J40-J47)	164	5.0	136	6.5	28	2.3
Cerebrovascular Disease (I60-I69)	144	4.4	64	3.1	80	6.7
All Other Causes	1,048	31.8	607	28.9	441	36.8
65 - 74 Years						
All Causes	3,013 *	100.0	2,126	100.0	885	100.0
Malignant Neoplasms (C00-C97)	944	31.3	711	33.4	233	26.3
Disease Of Heart (I00-I09,I11,I13,I20-I51)	642	21.3	422	19.8	220	24.9
Chronic Lower Respiratory Disease (J40-J47)	253	8.4	232	10.9	21	2.4
Cerebrovascular Disease (I60-I69)	177 *	5.9	116	5.5	60	6.8
Diabetes Mellitus (E10-E14)	147	4.9	72	3.4	75	8.5
All Other Causes	850 *	28.2	573	27.0	276	31.2
75 Years & Over						
All Causes	11,420 *	100.0	8,836	100.0	2,582	100.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	3,048	26.7	2,333	26.4	715	27.7
Malignant Neoplasms (C00-C97)	1,669	14.6	1,273	14.4	396	15.3
Cerebrovascular Disease (I60-I69)	1,092	9.6	840	9.5	252	9.8
Alzheimers (G30)	932	8.2	788	8.9	144	5.6
Chronic Lower Respiratory Disease (J40-J47)	543 *	4.8	502	5.7	40	1.5
All Other Causes	4,136 *	36.2	3,100	35.1	1,035	40.1

Table G-4.
Percent Distribution of Deaths by Race and Age
South Carolina, 1985,1995 and 2005
(Residence Data)

Age at Death	Total			White			Black & Other		
	1985	1995	2005	1985	1995	2005	1985	1995	2005
All Ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1	2.7	1.4	1.4	1.6	0.9	0.9	5.0	2.6	2.6
01-04	0.4	0.3	0.2	0.3	0.2	0.1	0.7	0.5	0.3
05-09	0.3	0.2	0.2	0.2	0.1	0.1	0.4	0.3	0.3
10-14	0.3	0.3	0.2	0.3	0.2	0.1	0.3	0.4	0.2
15-19	0.9	0.7	0.6	0.9	0.7	0.5	0.8	0.9	0.9
20-24	1.4	0.9	1.0	1.4	0.7	0.8	1.5	1.4	1.4
25-34	2.9	2.7	2.2	2.4	2.1	1.8	4.0	4.3	3.1
35-44	4.3	5.1	4.0	3.5	3.8	3.4	6.1	8.1	5.5
45-54	7.4	7.5	8.9	6.6	6.3	7.6	8.9	10.1	12.3
55-64	16.1	12.7	13.4	15.5	12.1	12.2	17.3	14.1	16.6
65-74	25.6	22.6	18.1	25.0	23.3	18.2	26.7	21.0	17.9
75 and Over	37.7	45.5	49.8	42.3	49.6	54.1	28.2	36.2	38.7

Table G-5.
Deaths from Major Cardiovascular Diseases
South Carolina, 2005
(Residence Data)

	Number	Percent
Major Cardiovascular Disease (I00 - I78)	12,693	32.9
Disease of the Heart (I00 - I09, I11, I13, I20 - I51)	9,328	24.2
Essential Hypertension & Hypertensive Renal Disease (I11-I13)	424	1.1
Cerebrovascular Disease (I60-I69)	2,449	6.3
Atherosclerosis (I70)	70	0.2
Other Diseases of Circulatory System (I71 - I78)	421	1.1

Table G-6.
Distribution of Malignant Neoplasms by Site and Gender
South Carolina, 2005
(Residence Data)

	Total		Male		Female	
	Number	Percent	Number	Percent	Number	Percent
Malignant Neoplasms (C00-C97)	8,617	100.0	4,687	100.0	3,930	100.0
Lip, Oral Cavity and Pharynx (C00-C14)	137	1.6	93	2.0	44	1.1
Digestive Organs (C15-C26)	1,978	23.0	1140	24.3	838	21.3
Respiratory and Intrathoracic Organs (C30-C39)	2,781	32.3	1,707	36.4	1,074	27.3
Breast (C50)	663	7.7	9	0.2	654	16.6
Female Genital Organs (C51-C58)	383	4.4			383	9.7
Vulva and Vagina (C51-C52)	(16)	(4.2)			(16)	(4.2)
Cervix Uteri (C53)	(64)	(16.7)			(64)	(16.7)
Corpus Uteri and Uterus, part unspecified (C54-C55)	(108)	(28.2)			(108)	(28.2)
Ovary (C56)	(191)	(49.9)			(191)	(49.9)
Other Female Genital Organs (C57, C58)	(4)	(1)			(4)	(1)
Male Genital Organs (C60-C63)	469	5.4	469	10.0		
Prostate (C61)	(462)	(98.5)	(462)	(98.5)		
Testis (C62)	(6)	(1.3)	(6)	(1.3)		
Penis and Other Male Genital Organs (C60, C63)	(1)	(0.2)	(1)	(0.2)		
Urinary Tract (C64-C68)	377	4.4	245	5.2	132	3.4
Leukemia (C91-C95)	278	3.2	166	3.5	112	2.8
Lymphatic & Hematopoietic Tissues (C96)	3	0.0	1	0.0	2	0.1

Table G-7.
Types of Accidental Deaths by Gender
South Carolina, 2005
(Residence Data)

	Total (V01-X59,Y85- Y86)	Transportation (V01-V99,Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Firearms (W32-W34)	Drowning (W61-W74)	Residual
Total	2254	1110	394	207	80	65	34	364
Male	1521	804	252	112	49	55	29	220
Female	733	306	142	95	31	10	5	144

Table G-8.
Methods of Suicidal Deaths by Gender
South Carolina, 2005
(Residence Data)

	All Suicides (X60- X84,Y87.0)	Poisoning (X60-X68)	Hanging Strangulation & Suffocation (X70)	Drowning (X71)	Firearms (X72-X74)	Cutting and Piercing (X78)	Jumping from High Places (X80)	Residual
Total	503	65	103	7	312	2	4	10
Male	398	32	85	3	264	2	3	9
Female	105	33	18	4	48	0	1	1

Table G-9.
Methods of Homicidal Deaths by Gender
South Carolina, 2005
(Residence Data)

	All Homicides (X85- Y09,Y87.1)	Fight,Brawl & Rape (Y04)	Poisoning (Y11-Y17)	Hanging & Strangulation (Y20)	Submersio n (Y21)	Firearms (X93-X95)	Cuting & Piercing (X99)	Residual
Total	331	2	0	2	4	233	40	50
Male	258	1	0	2	2	192	28	33
Female	73	1	0	0	2	41	12	17

Table G-10.
Deaths and Death Rates¹ by Race
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	38,585 *	9.1	27,755	9.5	10,810	8.2
Abbeville	218	8.3	152	8.3	66	8.4
Aiken	1,389	9.2	1,068	9.8	321	7.8
Allendale	137 *	12.5	49	16.5	87	10.9
Anderson	1,865	10.6	1,578	11.0	287	9.1
Bamberg	194 *	12.2	102	17.3	91	9.1
Barnwell	249	10.7	146	11.2	103	10.0
Beaufort	1,055	7.7	833	7.9	222	6.8
Berkeley	1,039 *	6.9	714	6.8	324	6.9
Calhoun	163	10.8	74	9.1	89	12.8
Charleston	2,745 *	8.3	1,755	8.2	986	8.5
Cherokee	555	10.3	449	10.6	106	9.2
Chester	374	11.3	241	11.9	133	10.2
Chesterfield	472	10.9	326	11.5	146	9.7
Clarendon	345	10.3	181	11.3	164	9.5
Colleton	408	10.3	239	10.4	169	10.1
Darlington	732	10.9	476	12.3	256	8.9
Dillon	294	9.5	175	11.0	119	7.9
Dorchester	739	6.5	550	6.8	189	6.0
Edgefield	209	8.2	131	8.8	78	7.3
Fairfield	281	11.7	140	14.0	141	10.0
Florence	1,353 *	10.3	840	11.1	512	9.3
Georgetown	599	9.8	405	10.3	194	8.9
Greenville	3,398 *	8.3	2,782	8.6	615	7.2
Greenwood	700 *	10.3	499	11.1	200	8.8
Hampton	185	8.7	84	9.1	101	8.4
Horry	2,211 *	9.7	1,920	10.2	290	7.6
Jasper	181 *	8.5	82	7.9	97	8.8
Kershaw	505	8.9	360	8.7	145	9.5
Lancaster	552	8.7	415	9.1	137	7.8
Laurens	746	10.6	565	11.0	181	9.6
Lee	231	11.2	100	13.4	131	10.0
Lexington	1,830	7.8	1,620	8.2	210	5.5
McCormick	125	12.4	78	16.1	47	8.9
Marion	381	10.9	175	11.7	206	10.4
Marlboro	320	11.4	178	14.3	142	9.1
Newberry	420	11.3	291	11.6	129	10.6
Oconee	732	10.5	680	10.7	52	8.3
Orangeburg	947 *	10.3	454	13.8	492	8.3
Pickens	971	8.5	897	8.6	74	7.5
Richland	2,636 *	7.8	1,502	8.8	1,132	6.7
Saluda	209	11.1	154	11.4	55	10.1
Spartanburg	2,687 *	10.1	2,164	10.6	522	8.4
Sumter	984	9.3	522	9.8	462	8.8
Union	376 *	13.2	269	13.9	106	11.5
Williamsburg	367 *	10.4	145	12.7	221	9.2
York	1,476 *	7.8	1,195	8.0	280	6.8
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 estimated population

* Includes unknown race

Table G-11.
Deaths and Death Rates¹ by Race
South Carolina and Each County, 2005
(Occurrence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	37,901 *	8.9	27,337	9.3	10,556	8.0
Abbeville	157	6.0	104	5.7	53	6.7
Aiken	1,092	7.3	833	7.7	259	6.3
Allendale	95	8.7	36	12.1	59	7.4
Anderson	1,886	10.7	1,586	11.0	300	9.5
Bamberg	137	8.6	76	12.9	61	6.1
Barnwell	153	6.6	100	7.6	53	5.2
Beaufort	1,003	7.3	792	7.5	211	6.4
Berkeley	508	3.3	355	3.4	153	3.3
Calhoun	85	5.6	41	5.0	44	6.3
Charleston	4,025 *	12.2	2,597	12.1	1,426	12.3
Cherokee	412	7.7	333	7.9	79	6.9
Chester	250	7.5	164	8.1	86	6.6
Chesterfield	318	7.3	227	8.0	91	6.1
Clarendon	249	7.5	125	7.8	124	7.2
Colleton	361	9.1	205	9.0	156	9.3
Darlington	574	8.5	375	9.7	199	6.9
Dillon	216	7.0	137	8.6	79	5.2
Dorchester	518	4.6	409	5.0	109	3.5
Edgefield	134	5.2	82	5.5	52	4.9
Fairfield	172	7.2	93	9.3	79	5.6
Florence	2,050	15.6	1,184	15.6	866	15.7
Georgetown	722	11.8	532	13.6	190	8.7
Greenville	3,898 *	9.6	3,202	9.9	695	8.2
Greenwood	851	12.5	610	13.5	241	10.6
Hampton	134	6.3	60	6.5	74	6.1
Horry	2,118	9.3	1,831	9.7	287	7.6
Jasper	161 *	7.5	83	8.0	77	7.0
Kershaw	411	7.3	296	7.2	115	7.6
Lancaster	482	7.6	356	7.8	126	7.2
Laurens	600	8.5	462	9.0	138	7.3
Lee	99	4.8	45	6.0	54	4.1
Lexington	1,784	7.6	1,552	7.9	232	6.1
McCormick	55	5.4	35	7.2	20	3.8
Marion	288	8.3	147	9.8	141	7.1
Marlboro	221	7.9	123	9.9	98	6.3
Newberry	326	8.8	237	9.5	89	7.3
Oconee	615	8.8	567	9.0	48	7.6
Orangeburg	923 *	10.0	438	13.3	484	8.2
Pickens	746	6.6	698	6.7	48	4.9
Richland	3,411 *	10.0	2,022	11.9	1,387	8.2
Saluda	133	7.0	107	7.9	26	4.8
Spartanburg	2,714	10.2	2,183	10.7	531	8.5
Sumter	946	9.0	494	9.3	452	8.6
Union	313	11.0	228	11.8	85	9.2
Williamsburg	203 *	5.7	92	8.0	110	4.6
York	1,352	7.1	1,083	7.3	269	6.5
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 estimated population

* Includes unknown race

Table G-12.
Deaths by Race and Gender
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	38,585 *	19,556 *	19,026 *	27,755	13,978	13,776	10,810	5,566	5,243
Abbeville	218	109	109	152	76	76	66	33	33
Aiken	1,389	694	695	1,068	529	539	321	165	156
Allendale	137 *	64	73 *	49	22	27	87	42	45
Anderson	1,865	980	883	1,578	821	756	287	159	127
Bamberg	194 *	101	93 *	102	48	54	91	53	38
Barnwell	249	110	139	146	63	83	103	47	56
Beaufort	1,055	578	477	833	452	381	222	126	96
Berkeley	1,039 *	566 *	473	714	388	326	324	177	147
Calhoun	163	82	81	74	46	28	89	36	53
Charleston	2,745 *	1,436 *	1,309 *	1,755	938	817	986	495	491
Cherokee	555	309	246	449	253	196	106	56	50
Chester	374	179	195	241	116	125	133	63	70
Chesterfield	472	252	220	326	174	152	146	78	68
Clarendon	345	184	161	181	97	84	164	87	77
Colleton	408	217	191	239	122	117	169	95	74
Darlington	732	352	380	476	226	250	256	126	130
Dillon	294	145	149	175	91	84	119	54	65
Dorchester	739	372	367	550	283	267	189	89	100
Edgefield	209	107	102	131	72	59	78	35	43
Fairfield	281	149	132	140	67	73	141	82	59
Florence	1,353 *	668	685 *	840	409	431	512	259	253
Georgetown	599	315	284	405	217	188	194	98	96
Greenville	3,398 *	1,689 *	1,709	2,782	1,355	1,427	615	333	282
Greenwood	700 *	322 *	378	499	222	277	200	99	101
Hampton	185	109	76	84	54	30	101	55	46
Horry	2,211 *	1,155	1,056 *	1,920	1,020	900	290	135	155
Jasper	181 *	88 *	93	82	38	44	97	48	49
Kershaw	505	264	241	360	185	175	145	79	66
Lancaster	552	257	295	415	197	218	137	60	77
Laurens	746	363	383	565	273	292	181	90	91
Lee	231	124	107	100	55	45	131	69	62
Lexington	1,830	897	933	1,620	789	831	210	108	102
McCormick	125	61	64	78	34	44	47	27	20
Marion	381	174	207	175	80	95	206	94	112
Marlboro	320	171	149	178	87	91	142	84	58
Newberry	420	206	214	291	148	143	129	58	71
Oconee	732	382	350	680	349	331	52	33	19
Orangeburg	947 *	466	481 *	454	220	234	492	246	246
Pickens	971	482	489	897	440	457	74	42	32
Richland	2,636 *	1,321 *	1,315 *	1,502	708	794	1,132	612	520
Saluda	209	108	101	154	80	74	55	28	27
Spartanburg	2,687 *	1,332 *	1,355	2,164	1,075	1,089	522	256	266
Sumter	984	502	482	522	254	268	462	248	214
Union	376 *	183 *	193	269	136	133	106	46	60
Williamsburg	367 *	189	177	145	80	65	221	109	112
York	1,476 *	742 *	734	1,195	589	606	280	152	128
Unknown	-	-	-	-	-	-	-	-	-

* Includes unknown race

Table G-13.
Deaths by Race and Gender
South Carolina and Each County, 2005
(Occurrence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	37,901 *	19,202 *	18,696 *	27,337	13,739	13,597	10,556	5,458	5,097
Abbeville	157	81	76	104	53	51	53	28	25
Aiken	1,092	514	578	833	384	449	259	130	129
Allendale	95	48	47	36	19	17	59	29	30
Anderson	1,886	994	890	1,586	828	757	300	166	133
Bamberg	137	69	68	76	34	42	61	35	26
Barnwell	153	63	90	100	42	58	53	21	32
Beaufort	1,003	526	477	792	414	378	211	112	99
Berkeley	508	274	234	355	186	169	153	88	65
Calhoun	85	44	41	41	26	15	44	18	26
Charleston	4,025 *	2,185 *	1,840	2,597	1,439	1,158	1,426	744	682
Cherokee	412	224	188	333	180	153	79	44	35
Chester	250	124	126	164	80	84	86	44	42
Chesterfield	318	163	155	227	113	114	91	50	41
Clarendon	249	128	121	125	68	57	124	60	64
Colleton	361	178	183	205	95	110	156	83	73
Darlington	574	280	294	375	176	199	199	104	95
Dillon	216	107	109	137	72	65	79	35	44
Dorchester	518	266	252	409	215	194	109	51	58
Edgefield	134	71	63	82	50	32	52	21	31
Fairfield	172	89	83	93	44	49	79	45	34
Florence	2,050	1,016	1,034	1,184	587	597	866	429	437
Georgetown	722	372	350	532	279	253	190	93	97
Greenville	3,898 *	1,957 *	1,941	3,202	1,581	1,621	695	375	320
Greenwood	851	409	442	610	285	325	241	124	117
Hampton	134	71	63	60	37	23	74	34	40
Horry	2,118	1,115	1,003	1,831	971	860	287	144	143
Jasper	161 *	90 *	71	83	51	32	77	38	39
Kershaw	411	202	209	296	140	156	115	62	53
Lancaster	482	222	260	356	162	194	126	60	66
Laurens	600	280	320	462	212	250	138	68	70
Lee	99	49	50	45	25	20	54	24	30
Lexington	1,784	849	935	1,552	732	820	232	117	115
McCormick	55	25	30	35	15	20	20	10	10
Marion	288	129	159	147	66	81	141	63	78
Marlboro	221	120	101	123	58	65	98	62	36
Newberry	326	147	179	237	109	128	89	38	51
Oconee	615	318	297	567	287	280	48	31	17
Orangeburg	923 *	457	466 *	438	215	223	484	242	242
Pickens	746	348	398	698	325	373	48	23	25
Richland	3,411 *	1,780 *	1,631 *	2,022	1,016	1,006	1,387	763	624
Saluda	133	69	64	107	54	53	26	15	11
Spartanburg	2,714	1,361	1,353	2,183	1,098	1,085	531	263	268
Sumter	946	478	468	494	239	255	452	239	213
Union	313	144	169	228	106	122	85	38	47
Williamsburg	203 *	107	95	92	53	39	110	54	56
York	1,352	659	693	1,083	518	565	269	141	128
Unknown	-	-	-	-	-	-	-	-	-

* Includes unknown race

Table G-14.
Deaths by Burial Disposition
South Carolina and Each County, 2005
(Occurrence Data)

County of Residence	Total	Burial	Cremation	Removal	Entombment	Other
South Carolina	37,901 *	27,973	7,914	901	865	241
Abbeville	157	135	19	2	-	1
Aiken	1,092	775	268	30	9	10
Allendale	95	89	6	-	-	-
Anderson	1,886	1,417	328	38	94	8
Bamberg	137	117	19	-	-	1
Barnwell	153	137	15	-	-	1
Beaufort	1,003	479	482	30	5	7
Berkeley	508	338	141	15	12	2
Calhoun	85	72	12	1	-	-
Charleston	4,025 *	2,727	1,055	125	94	24
Cherokee	412	342	54	6	9	1
Chester	250	212	33	2	1	1
Chesterfield	318	279	33	1	3	2
Clarendon	249	204	38	5	-	1
Colleton	361	302	48	5	4	2
Darlington	574	503	58	2	8	3
Dillon	216	193	12	2	8	1
Dorchester	518	315	168	15	16	4
Edgefield	134	108	22	3	-	1
Fairfield	172	148	21	2	-	1
Florence	2,050	1,727	213	39	56	15
Georgetown	722	421	225	53	16	7
Greenville	3,898 *	2,791	825	118	153	11
Greenwood	851	692	130	1	24	4
Hampton	134	119	14	1	-	-
Horry	2,118	1,076	798	177	51	16
Jasper	161 *	128	30	2	1	-
Kershaw	411	317	80	11	1	2
Lancaster	482	405	61	4	6	6
Laurens	600	493	87	7	9	3
Lee	99	86	12	1	-	-
Lexington	1,784	1,231	425	35	68	25
McCormick	55	41	12	2	-	-
Marion	288	257	20	2	8	1
Marlboro	221	196	20	2	1	2
Newberry	326	282	35	4	4	1
Oconee	615	414	161	16	19	5
Orangeburg	923 *	774	121	16	5	7
Pickens	746	561	153	16	15	1
Richland	3,411 *	2,533	698	61	76	43
Saluda	133	114	13	2	3	1
Spartanburg	2,714	2,145	466	21	70	11
Sumter	946	788	139	9	6	4
Union	313	289	20	-	2	1
Williamsburg	203 *	187	12	3	-	-
York	1,352	1,014	312	14	8	4
Unknown	-	-	-	-	-	-

* Includes unknown race

Table G-14A.
Deaths by Burial Disposition and Race
South Carolina and Each County, 2005
(Occurrence Data)
White

County of Residence	Total	Burial	Cremation	Removal	Entombment	Other
South Carolina	27,337	18,382	7,084	829	828	210
Abbeville	104	86	16	2	-	-
Aiken	833	555	239	23	8	8
Allendale	36	31	5	-	-	-
Anderson	1,586	1,155	296	36	91	7
Bamberg	76	60	15	-	-	1
Barnwell	100	86	13	-	-	1
Beaufort	792	289	467	25	5	6
Berkeley	355	198	130	13	12	2
Calhoun	41	32	8	1	-	-
Charleston	2,597	1,442	931	116	86	22
Cherokee	333	268	50	5	9	1
Chester	164	128	32	2	1	1
Chesterfield	227	190	31	1	3	2
Clarendon	125	88	33	3	-	1
Colleton	205	152	42	5	4	2
Darlington	375	310	52	2	8	3
Dillon	137	117	9	2	8	1
Dorchester	409	222	155	13	15	4
Edgefield	82	62	16	3	-	1
Fairfield	93	72	19	2	-	-
Florence	1,184	916	166	34	55	13
Georgetown	532	244	213	53	16	6
Greenville	3,202	2,185	742	114	150	11
Greenwood	610	469	113	1	24	3
Hampton	60	47	12	1	-	-
Horry	1,831	817	775	173	51	15
Jasper	83	52	28	2	1	-
Kershaw	296	206	76	11	1	2
Lancaster	356	290	54	4	6	2
Laurens	462	359	83	7	9	3
Lee	45	35	9	1	-	-
Lexington	1,552	1,034	399	29	66	24
McCormick	35	22	11	2	-	-
Marion	147	122	15	1	8	1
Marlboro	123	107	13	-	1	2
Newberry	237	196	32	4	4	1
Oconee	567	374	154	15	19	5
Orangeburg	438	326	89	13	4	6
Pickens	698	517	149	16	15	1
Richland	2,022	1,334	541	51	63	33
Saluda	107	92	10	2	3	-
Spartanburg	2,183	1,679	407	19	67	10
Sumter	494	365	113	6	6	4
Union	228	207	17	-	2	1
Williamsburg	92	81	9	2	-	-
York	1,083	763	295	14	7	4
Unknown	-	-	-	-	-	-

* Includes unknown race

Table G-14A. (continued)
Deaths by Burial Disposition and Race
South Carolina and Each County, 2005
(Occurrence Data)
Black & Other

County of Residence	Total	Burial	Cremation	Removal	Entombment	Other
South Carolina	10,556	9,589	825	72	37	31
Abbeville	53	49	3	-	-	1
Aiken	259	220	29	7	1	2
Allendale	59	58	1	-	-	-
Anderson	300	262	32	2	3	1
Bamberg	61	57	4	-	-	-
Barnwell	53	51	2	-	-	-
Beaufort	211	190	15	5	-	1
Berkeley	153	140	11	2	-	-
Calhoun	44	40	4	-	-	-
Charleston	1,426	1,285	122	9	8	2
Cherokee	79	74	4	1	-	-
Chester	86	84	1	-	-	-
Chesterfield	91	89	2	-	-	-
Clarendon	124	116	5	2	-	-
Colleton	156	150	6	-	-	-
Darlington	199	193	6	-	-	-
Dillon	79	76	3	-	-	-
Dorchester	109	93	13	2	1	-
Edgefield	52	46	6	-	-	-
Fairfield	79	76	2	-	-	1
Florence	866	811	47	5	1	2
Georgetown	190	177	12	-	-	1
Greenville	695	605	83	4	3	-
Greenwood	241	223	17	-	-	1
Hampton	74	72	2	-	-	-
Horry	287	259	23	4	-	1
Jasper	77	75	2	-	-	-
Kershaw	115	111	4	-	-	-
Lancaster	126	115	7	-	-	4
Laurens	138	134	4	-	-	-
Lee	54	51	3	-	-	-
Lexington	232	197	26	6	2	1
McCormick	20	19	1	-	-	-
Marion	141	135	5	1	-	-
Marlboro	98	89	7	2	-	-
Newberry	89	86	3	-	-	-
Oconee	48	40	7	1	-	-
Orangeburg	484	448	31	3	1	1
Pickens	48	44	4	-	-	-
Richland	1,387	1,199	155	10	13	10
Saluda	26	22	3	-	-	1
Spartanburg	531	466	59	2	3	1
Sumter	452	423	26	3	-	-
Union	85	82	3	-	-	-
Williamsburg	110	106	3	1	-	-
York	269	251	17	-	1	-
Unknown	-	-	-	-	-	-

* Includes unknown race

Table G-15.
Deaths by Certifier ¹
South Carolina and Each County, 2005
(Occurrence Data)

County of Residence	Total	Coroner	Physician	Medical Examiner
South Carolina	37,901 *	7,437	30,196	203
Abbeville	157	96	61	-
Aiken	1,092	192	900	-
Allendale	95	56	39	-
Anderson	1,886	312	1,565	-
Bamberg	137	73	64	-
Barnwell	153	86	66	-
Beaufort	1,003	99	893	-
Berkeley	508	402	103	-
Calhoun	85	57	28	-
Charleston	4,025 *	528	3,492	-
Cherokee	412	73	338	-
Chester	250	147	101	-
Chesterfield	318	109	209	-
Clarendon	249	86	163	-
Colleton	361	186	174	-
Darlington	574	253	319	-
Dillon	216	102	113	-
Dorchester	518	121	397	-
Edgefield	134	50	83	-
Fairfield	172	58	114	-
Florence	2,050	231	1,819	-
Georgetown	722	111	609	-
Greenville	3,898 *	40	3,659	196
Greenwood	851	77	772	-
Hampton	134	24	110	-
Horry	2,118	419	1,692	4
Jasper	161 *	98	62	-
Kershaw	411	111	299	-
Lancaster	482	188	294	-
Laurens	600	158	442	-
Lee	99	73	26	-
Lexington	1,784	281	1,500	-
McCormick	55	26	29	-
Marion	288	78	210	-
Marlboro	221	128	93	-
Newberry	326	172	153	-
Oconee	615	96	517	1
Orangeburg	923 *	324	599	-
Pickens	746	150	595	-
Richland	3,411 *	513	2,891	1
Saluda	133	43	90	-
Spartanburg	2,714	437	2,275	1
Sumter	946	156	789	-
Union	313	59	254	-
Williamsburg	203 *	129	74	-
York	1,352	229	1,121	-
Unknown	-	-	-	-

¹ Person certifying the original death certificate

* Includes unknown race

Table G-15A.
Deaths by Certifier ¹ and Race
South Carolina and Each County, 2005
(Occurrence Data)

County of Residence	White				Black & Other			
	Total	Coroner	Physician	Medical Examiner	Total	Coroner	Physician	Medical Examiner
South Carolina	27,337	4,932	22,215	144	10,556	2,503	7,977	58
Abbeville	104	67	37	-	53	29	24	-
Aiken	833	136	697	-	259	56	203	-
Allendale	36	17	19	-	59	39	20	-
Anderson	1,586	255	1,324	-	300	57	241	-
Bamberg	76	36	40	-	61	37	24	-
Barnwell	100	58	42	-	53	28	24	-
Beaufort	792	70	712	-	211	29	181	-
Berkeley	355	296	58	-	153	106	45	-
Calhoun	41	27	14	-	44	30	14	-
Charleston	2,597	333	2,260	-	1,426	195	1,230	-
Cherokee	333	58	274	-	79	15	64	-
Chester	164	100	62	-	86	47	39	-
Chesterfield	227	82	145	-	91	27	64	-
Clarendon	125	53	72	-	124	33	91	-
Colleton	205	112	93	-	156	74	81	-
Darlington	375	160	214	-	199	93	105	-
Dillon	137	71	65	-	79	31	48	-
Dorchester	409	84	325	-	109	37	72	-
Edgefield	82	30	52	-	52	20	31	-
Fairfield	93	28	65	-	79	30	49	-
Florence	1,184	124	1,060	-	866	107	759	-
Georgetown	532	78	453	-	190	33	156	-
Greenville	3,202	33	3,025	141	695	7	634	54
Greenwood	610	44	564	-	241	33	208	-
Hampton	60	13	47	-	74	11	63	-
Horry	1,831	342	1,485	2	287	77	207	2
Jasper	83	57	26	-	77	40	36	-
Kershaw	296	72	223	-	115	39	76	-
Lancaster	356	150	206	-	126	38	88	-
Laurens	462	114	348	-	138	44	94	-
Lee	45	31	14	-	54	42	12	-
Lexington	1,552	235	1,315	-	232	46	185	-
McCormick	35	16	19	-	20	10	10	-
Marion	147	38	109	-	141	40	101	-
Marlboro	123	69	54	-	98	59	39	-
Newberry	237	123	113	-	89	49	40	-
Oconee	567	89	476	1	48	7	41	-
Orangeburg	438	146	292	-	484	178	306	-
Pickens	698	143	554	-	48	7	41	-
Richland	2,022	237	1,782	-	1,387	276	1,108	1
Saluda	107	36	71	-	26	7	19	-
Spartanburg	2,183	318	1,864	-	531	119	411	1
Sumter	494	71	423	-	452	85	366	-
Union	228	45	183	-	85	14	71	-
Williamsburg	92	58	34	-	110	70	40	-
York	1,083	177	905	-	269	52	216	-
Unknown	-	-	-	-	-	-	-	-

¹ Person certifying the original death certificate

Table G-16.
Major Causes ¹ of Accidental Deaths
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total (V01-X59,Y85-Y86)	Transportation (V01-V99,Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Firearms (W32-W34)	Drowning (W61-W74)	Residual
South Carolina	2,254	1,110	394	207	80	65	34	364
Abbeville	11	4	1	1	1	3	-	1
Aiken	64	24	19	2	5	2	-	12
Allendale	5	1	-	1	-	-	-	3
Anderson	93	43	23	7	4	1	2	13
Bamberg	19	12	-	2	1	-	-	4
Barnwell	15	13	1	-	-	-	-	1
Beaufort	61	34	7	9	2	2	-	7
Berkeley	83	51	13	3	-	2	-	14
Calhoun	15	9	2	1	-	1	-	2
Charleston	139	54	28	21	10	5	2	19
Cherokee	36	17	8	2	-	-	1	8
Chester	22	18	1	-	-	1	-	2
Chesterfield	42	18	4	11	5	1	-	3
Clarendon	19	12	3	1	-	-	-	3
Colleton	34	23	4	2	-	1	-	4
Darlington	34	16	6	2	2	-	1	7
Dillon	31	16	4	-	2	-	1	8
Dorchester	41	21	3	5	2	1	1	8
Edgefield	9	4	3	1	-	-	-	1
Fairfield	23	19	-	1	-	-	1	2
Florence	40	23	3	4	-	1	-	9
Georgetown	34	22	1	1	1	1	1	7
Greenville	227	96	53	36	3	4	1	34
Greenwood	39	21	3	5	-	1	-	9
Hampton	7	2	-	1	-	-	-	4
Horry	134	59	28	11	4	12	1	19
Jasper	17	9	4	-	1	1	-	2
Kershaw	21	12	2	2	-	1	-	4
Lancaster	31	21	4	3	-	1	-	2
Laurens	44	15	13	2	1	-	2	11
Lee	16	12	2	2	-	-	-	-
Lexington	102	55	16	9	2	2	1	17
McCormick	9	6	1	-	-	-	-	2
Marion	20	13	-	-	1	-	1	5
Marlboro	10	7	-	1	1	-	-	1
Newberry	27	19	2	1	-	2	-	3
Oconee	49	23	9	4	3	2	-	8
Orangeburg	58	39	3	5	-	3	-	8
Pickens	55	21	17	5	1	-	-	11
Richland	139	61	24	15	7	5	3	24
Saluda	14	6	5	-	-	1	-	2
Spartanburg	175	64	43	13	14	3	8	30
Sumter	49	31	3	3	3	3	2	4
Union	18	9	2	2	-	-	1	4
Williamsburg	16	11	2	1	-	-	2	-
York	107	44	24	9	4	2	2	22
Unknown	-	-	-	-	-	-	-	-

¹ Classified and Coded According to ICD-10

Table G-17.
Major Causes ¹ of Accidental Deaths
South Carolina and Each County, 2005
(Occurrence Data)

County of Residence	Total (V01-X59,Y85-Y86)	Transportation (V01-V99,Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Firearms (W32-W34)	Drowning (W61-W74)	Residual
South Carolina	2,255	1,140	402	193	69	70	31	350
Abbeville	6	2	2	-	1	-	-	1
Aiken	60	19	22	-	4	2	-	13
Allendale	3	-	-	-	-	1	-	2
Anderson	88	40	21	8	4	1	1	13
Bamberg	7	5	-	1	1	-	-	-
Barnwell	11	10	1	-	-	-	-	-
Beaufort	48	23	7	7	2	2	-	7
Berkeley	58	46	5	-	-	3	-	4
Calhoun	11	11	-	-	-	-	-	-
Charleston	217	81	42	34	9	4	5	42
Cherokee	31	18	6	1	-	-	-	6
Chester	21	15	1	-	-	1	1	3
Chesterfield	25	15	1	2	4	1	-	2
Clarendon	21	17	3	-	-	-	-	1
Colleton	34	21	6	2	1	1	-	3
Darlington	28	15	3	3	2	-	1	4
Dillon	25	12	5	-	2	-	1	5
Dorchester	32	22	1	2	-	1	-	6
Edgefield	5	4	1	-	-	-	-	-
Fairfield	21	19	-	1	-	1	-	-
Florence	75	37	6	9	-	1	2	20
Georgetown	34	23	2	1	1	1	1	5
Greenville	267	118	63	40	3	4	2	37
Greenwood	38	20	2	5	-	2	-	9
Hampton	6	3	-	-	-	-	-	3
Horry	131	62	28	8	3	18	-	12
Jasper	34	25	4	-	1	1	-	3
Kershaw	25	13	2	3	-	3	-	4
Lancaster	25	16	4	1	-	-	-	4
Laurens	39	18	10	-	-	1	-	10
Lee	9	9	-	-	-	-	-	-
Lexington	88	37	17	12	2	3	1	16
McCormick	5	2	1	-	-	1	-	1
Marion	19	14	-	-	-	-	-	5
Marlboro	7	6	-	1	-	-	-	-
Newberry	19	16	1	-	-	-	-	2
Oconee	40	16	10	3	1	4	-	6
Orangeburg	61	43	2	-	-	5	-	11
Pickens	45	18	14	4	1	-	-	8
Richland	200	102	30	25	6	2	4	31
Saluda	14	8	3	-	-	1	-	2
Spartanburg	186	73	46	13	14	2	9	29
Sumter	34	22	2	1	3	1	2	3
Union	15	5	3	2	-	-	1	4
Williamsburg	12	10	2	-	-	-	-	-
York	75	29	23	4	4	2	-	13
Unknown	-	-	-	-	-	-	-	-

¹ Classified and Coded According to ICD-10

Table G-18.
Deaths Due to Suicide by Method ¹
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total (X60-X84,Y87.0)	Firearms (X72-X74)	Hanging, Strangulation & Suffocation (X70)	Poisoning (X60-X69)	Residual
South Carolina	503	312	103	65	23
Abbeville	10	8	0	1	1
Aiken	14	9	3	2	0
Allendale	1	1	0	0	0
Anderson	30	17	5	6	2
Bamberg	1	1	0	0	0
Barnwell	3	1	1	1	0
Beaufort	15	7	5	2	1
Berkeley	23	11	5	2	5
Calhoun	4	3	0	0	1
Charleston	42	24	7	8	3
Cherokee	7	4	3	0	0
Chester	6	4	0	1	1
Chesterfield	4	4	0	0	0
Clarendon	5	3	0	1	1
Colleton	6	6	0	0	0
Darlington	6	4	1	0	1
Dillon	1	1	0	0	0
Dorchester	8	5	3	0	0
Edgefield	1	1	0	0	0
Fairfield	1	1	0	0	0
Florence	13	9	3	0	1
Georgetown	5	4	1	0	0
Greenville	71	38	11	20	2
Greenwood	6	5	1	0	0
Hampton	2	2	0	0	0
Horry	27	14	11	1	1
Jasper	3	1	1	1	0
Kershaw	4	4	0	0	0
Lancaster	7	5	1	1	0
Laurens	7	5	2	0	0
Lee	0	0	0	0	0
Lexington	29	16	5	5	3
McCormick	2	0	2	0	0
Marion	2	1	1	0	0
Marlboro	2	1	1	0	0
Newberry	5	4	1	0	0
Oconee	14	11	1	2	0
Orangeburg	11	11	0	0	0
Pickens	16	9	4	3	0
Richland	28	15	9	4	0
Saluda	0	0	0	0	0
Spartanburg	31	24	5	2	0
Sumter	7	4	3	0	0
Union	3	2	1	0	0
Williamsburg	2	1	1	0	0
York	18	11	5	2	0
Unknown	0	0	0	0	0

¹ Classified and Coded According to ICD-10

Table G-19.
Deaths Due to Homicide by Method ¹
South Carolina and Each County, 2005
(Residence Data)

County of Residence	Total (X85-Y09, Y87.1)	Firearms (X93-X95)	Assault by Cutting & Piercing (X99)	Residual
South Carolina	331	233	40	58
Abbeville	3	2	0	1
Aiken	8	6	0	2
Allendale	2	2	0	0
Anderson	19	15	0	4
Bamberg	3	3	0	0
Barnwell	2	2	0	0
Beaufort	6	4	2	0
Berkeley	13	10	0	3
Calhoun	0	0	0	0
Charleston	28	21	3	4
Cherokee	4	3	0	1
Chester	2	1	0	1
Chesterfield	3	2	1	0
Clarendon	5	5	0	0
Colleton	5	5	0	0
Darlington	5	3	0	2
Dillon	4	4	0	0
Dorchester	3	0	3	0
Edgefield	1	1	0	0
Fairfield	4	4	0	0
Florence	13	8	1	4
Georgetown	2	0	0	0
Greenville	29	18	4	7
Greenwood	2	2	0	0
Hampton	3	3	0	0
Horry	25	15	5	5
Jasper	3	1	1	1
Kershaw	4	2	1	1
Lancaster	3	2	1	0
Laurens	4	3	1	0
Lee	2	2	0	0
Lexington	7	5	1	1
McCormick	0	0	0	0
Marion	1	0	1	0
Marlboro	5	2	1	2
Newberry	1	1	0	0
Oconee	1	1	0	0
Orangeburg	14	10	2	2
Pickens	4	3	1	0
Richland	39	23	6	10
Saluda	0	0	0	0
Spartanburg	29	23	4	2
Sumter	9	5	1	3
Union	2	2	0	0
Williamsburg	1	1	0	0
York	8	8	0	0
Unknown	0	0	0	0

¹ Classified and Coded According to ICD-10

MULTIPLE CAUSES OF DEATH

Table G-20 presents information concerning the number of times certain causes of death are mentioned on death certificates compared to the number of times they are selected as the underlying cause of death. The third column of the table shows the ratio of the number of times mentioned to the number of times selected as the underlying cause. A ratio of 1.0 means that cause of death is usually selected as the underlying cause of death each time that it is mentioned on the death certificate. A large ratio indicates that a cause is usually not selected as the underlying cause of death when it is mentioned on the death certificate. An example of this is Anemia with a ratio of 9.1. In 2005, it was mentioned on 786 death certificates but only selected as the underlying cause on 86 of those certificates. This would indicate that Anemia is a contributing factor to approximately 9.1 times as many deaths as it is the actual underlying cause of death.

Examples of causes of death with ratios of 1.0 (or close to 1.0) include Malignant Neoplasms (Cancer) of the Stomach and Pancreas, Accidental Drownings, Suicides, and Homicides.

Due to coding rule changes, beginning with the Tenth Revision of the ICD (1999 deaths), it is possible for a cause of death to be selected as the underlying cause of death even though it is not mentioned on the death certificate. This is due to the fact that some conditions mentioned on the certificate can be used to modify other conditions. For example, "History of Alcohol Abuse" can be listed on the certificate and then used to modify "Liver Disease" to make it "Alcoholic Liver Disease". Conditions such as these are reflected in ratios of less than 1.0. These are rare occurrences as shown in Table G-20. Hypertensive Heart Disease, Hypertensive Heart & Renal Disease, Alcoholic Liver Disease, and Transport Accidents are examples of causes of death which fall into that category in 2005.

Caution should be used in interpreting cause of death information based only on the underlying cause of death.

Table G-20.
Total Times Mentioned Versus Times Selected as Underlying Cause of Death
South Carolina, 2005
(Residence Data)

Cause of Death	Number of Times Mentioned on Death Certificate	Number of Times Selected as Underlying Cause of Death	Ratio of Mentioned to Selected Underlying Cause of Death
SALMONELLE INFECTIONS (A01-A02)	4	2	2.0
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	0.0
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	87	51	1.7
TUBERCULOSIS (A16-A19)	23	9	2.6
RESPIRATORY TUBERCULOSIS (A16)	19	9	2.1
OTHER TUBERCULOSIS (A17-A19)	4	-	0.0
WHOOPING COUGH (A37)	2	2	1.0
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	0.0
MENINGOCOCCAL INFECTION (A39)	2	2	1.0
SEPTICEMIA (A40-A41)	2,514	631	4.0
SYPHILIS (A50-A53)	8	3	2.7
ACUTE POLIOMELITIS (A80)	2	-	0.0
ARTHROPHOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	0.0
MEASLES (B05)	1	-	0.0
VIRAL HEPATITIS (B15-B19)	187	77	2.4
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	290	249	1.2
MALARIA (B50-B54)	1	1	1.0
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE*	336	93	3.6
MALIGNANT NEOPLASMS (C00-C97)	10,299	8,617	1.2
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	178	137	1.3
OF ESOPHAGUS (C15)	219	212	1.0
OF STOMACH (C16)	190	179	1.1
OF COLON, RECTUM & ANUS (C18-C21)	905	812	1.1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	231	221	1.0
OF PANCREAS (C25)	475	471	1.0
OF LARYNX (C32)	81	64	1.3
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	2,792	2,703	1.0
OF SKIN (C43)	107	101	1.1
OF BREAST (C50)	737	663	1.1
OF CERVIX UTERI (C53)	71	64	1.1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	120	108	1.1
OF OVARY (C56)	194	191	1.0
OF PROSTATE (C61)	627	462	1.4
OF KIDNEY & RENAL PELVIS (C64-C65)	209	196	1.1
OF BLADDER (C67)	224	176	1.3
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	192	198	1.0
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	835	732	1.1
HODGKIN'S DISEASE (C81)	19	11	1.7
NON-HODGKIN'S LYMPHOMA (C82-C85)	324	286	1.1
LEUKEMIA (C91-C95)	309	278	1.1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	179	154	1.2
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	4	3	1.3
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)*	1,912	927	2.1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	316	201	1.6
ANEMIAS (D50-D64)	786	86	9.1
DIABETES MELLITUS (E10-E14)	3,622	1,183	3.1
NUTRITIONAL DEFICIENCIES (E40-E64)	522	69	7.6
MALNUTRITION (E40-E46)	483	65	7.4
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	39	4	9.8
MENINGITIS (G00-G03)	45	19	2.4
PARKINSON'S DISEASE (G20-G21)	449	261	1.7
ALZHEIMER'S DISEASE (G30)	1,838	1,315	1.4
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	33,508	12,693	2.6
DISEASE OF HEART (I00-I09, I11, I13, I20-I51)	23,621	9,328	2.5
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	92	58	1.6
HYPERTENSIVE HEART DISEASE (I11)	285	366	0.8
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	37	46	0.8
ISCHEMIC HEART DISEASE (I20-I25)	9,169	5,614	1.6
ACUTE MYOCARDIAL INFARCTION (I21-I22)	3,142	2,462	1.3
OTHER ACUTE HEART DISEASE (I24)	358	228	1.6
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20, I25)	5,669	2,924	1.9
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	721	459	1.6
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20, I25.1-I25.9)	4,948	2,465	2.0
OTHER HEART DISEASE (I26-I51)	14,038	3,244	4.3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	38	16	2.4
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31, I40)	74	16	4.6
HEART FAILURE (I50)	4,291	1,050	4.1
ALL OTHER FORMS OF HEART DISEASE (I26-I28, I34-I38, I42-I49, I51)	9,635	2,162	4.5

* See APPENDIX for ICD-10 codes

Table G-20.
Total Times Mentioned Versus Times Selected as Underlying Cause of Death
South Carolina, 2005
(Residence Data)

Cause of Death	Number of Times Mentioned on Death Certificate	Number of Times Selected as Underlying Cause of Death	Ratio of Mentioned to Selected Underlying Cause of Death
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	4,566	424	10.8
CEREBROVASCULAR DISEASE (I60-I69)	4,046	2,449	1.7
ATHEROSCLEROSIS (I70)	480	70	6.9
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	795	421	1.9
AORTIC ANEURYSM & DISSECTION (I71)	275	230	1.2
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	520	191	2.7
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	611	79	7.7
INFLUENZA & PNEUMONIA (J10-J18)	2,867	762	3.8
INFLUENZA (J10-J11)	37	30	1.2
PNEUMONIA (J12-J18)	2,830	732	3.9
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	12	6	2.0
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	8	3	2.7
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	4	3	1.3
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	3,909	1,968	2.0
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	37	12	3.1
EMPHYSEMA (J43)	337	222	1.5
ASTHMA (J45-J46)	153	77	2.0
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	3,382	1,657	2.0
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	30	11	2.7
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	1,091	299	3.6
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	3,727	435	8.6
PEPTIC ULCER (K25-K28)	93	42	2.2
DISEASE OF APPENDIX (K35-K38)	13	6	2.2
HERNIA (K40-K46)	46	26	1.8
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	706	481	1.5
ALCOHOLIC LIVER DISEASE (K70)	225	251	0.9
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	481	230	2.1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	89	52	1.7
NEPHRITIS, NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	3,836	815	4.7
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	7	2	3.5
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED *	27	8	3.4
RENAL FAILURE (N17-N19)	3,797	805	4.7
OTHER DISORDERS OF KIDNEY (N25,N27)	5	-	0.0
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	29	15	1.9
HYPERPLASIA OF PROSTATE (N40)	20	5	4.0
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	6	4	1.5
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	30	13	2.3
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	2	1	2.0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	27	12	2.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	584	293	2.0
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	245	156	1.6
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS, NOT CLASSIFIED (R0-99)	6,121	463	13.2
ALL OTHER DISEASE (RESIDUAL) *	18,332	3,905	4.7
ACCIDENT (V01-X59,Y85-Y86)	2,704	2,254	1.2
TRANSPORT ACCIDENTS (V01-V99,Y85)	1,031	1,110	0.9
MOTOR VEHICLE ACCIDENT*	991	1,062	0.9
OTHER & TRANSPORT ACCIDENT*	37	44	0.8
WATER, AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	3	4	0.8
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	1,673	1,144	1.5
ACCIDENTAL FALLS (W00-W19)	235	207	1.1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	32	34	0.9
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	64	65	1.0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	72	80	0.9
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	418	394	1.1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE*	852	364	2.3
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	487	503	1.0
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARM (X72-X74)	298	312	1.0
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	189	191	1.0
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	327	336	1.0
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	224	233	1.0
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	103	103	1.0
LEGAL INTERVENTION (Y35,Y89.0)	8	9	0.9
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	41	41	1.0
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	2	2	1.0
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT*	39	39	1.0
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	1	-	0.0
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	569	42	13.5

* See APPENDIX for ICD-10 codes

Table G-21.
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Deaths				
	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	38,585 *	13,978	13,776	5,566	5,243
SALMONELLE INFECTIONS (A01-A02)	2	1	1	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	51	20	21	4	6
TUBERCULOSIS (A16-A19)	9	5	-	3	1
RESPIRATORY TUBERCULOSIS (A16)	9	5	-	3	1
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	2	2	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	2 *	-	1	-	-
SEPTICEMIA (A40-A41)	631 *	182	223	96	129
SYPHILIS (A50-A53)	3	-	-	1	2
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	77	42	20	3	12
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	249	45	11	128	65
MALARIA (B50-B54)	1	-	-	1	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	93	39	30	15	9
MALIGNANT NEOPLASMS (C00-C97)	8,617	3,420	2,866	1,267	1,064
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	137	54	29	39	15
OF ESOPHAGUS (C15)	212	114	22	60	16
OF STOMACH (C16)	179	53	44	53	29
OF COLON, RECTUM & ANUS (C18-C21)	812	297	244	130	141
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	221	111	47	47	16
OF PANCREAS (C25)	471	177	167	61	66
OF LARYNX (C32)	64	35	5	21	3
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	2,703	1,272	863	372	196
OF SKIN (C43)	101	64	33	1	3
OF BREAST (C50)	663	7	460	2	194
OF CERVIX UTERI (C53)	64	-	29	-	35
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	108	-	52	-	56
OF OVARY (C56)	191	-	151	-	40
OF PROSTATE (C61)	462	266	-	195	1
OF KIDNEY & RENAL PELVIS (C64-C65)	196	94	57	28	17
OF BLADDER (C67)	176	106	44	13	13
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	198	93	78	13	14
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	732	311	239	100	82
HODGKIN'S DISEASE (C81)	11	6	3	2	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	286	128	100	31	27
LEUKEMIA (C91-C95)	278	123	89	43	23
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	154	53	45	24	32
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	3	1	2	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	927	366	302	132	127
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	201	73	74	24	30
ANEMIAS (D50-D64)	86	18	29	13	26
DIABETES MELLITUS (E10-E14)	1,183	347	343	208	285
NUTRITIONAL DEFICIENCIES (E40-E64)	69	23	20	7	19
MALNUTRITION (E40-E46)	65	23	19	6	17
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	4	-	1	1	2
MENINGITIS (G00-G03)	19	7	4	5	3
PARKINSON'S DISEASE (G20-G21)	261	138	104	11	8
ALZHEIMER'S DISEASE (G30)	1,315	287	819	52	157
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	12,693 *	4,488	4,550	1,808	1,843
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	9,328 *	3,578	3,208	1,294	1,247
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	58	9	33	5	11
HYPERTENSIVE HEART DISEASE (I11)	366	90	123	60	93
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	46	9	13	10	14
ISCHEMIC HEART DISEASE (I20-I25)	5,614 *	2,436	1,785	739	653
ACUTE MYOCARDIAL INFARCTION (I21-I22)	2,462	1,026	751	367	318
OTHER ACUTE HEART DISEASE (I24)	228	74	40	65	49
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	2,924 *	1,336	994	307	286
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	459 *	187	159	63	49
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	2,465	1,149	835	244	237
OTHER HEART DISEASE (I26-I51)	3,244	1,034	1,254	480	476
ACUTE & SUBACUTE ENDOCARDITIS (I33)	16	6	9	-	1
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	16	7	4	3	2
HEART FAILURE (I50)	1,050	333	447	117	153
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	2,162	688	794	360	320

Table G-21.
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Death				
	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	424 *	71	138	109	105
CEREBROVASCULAR DISEASE (I60-I69)	2,449 *	661	1,033	343	410
ATHEROSCLEROSIS (I70)	70	20	34	6	10
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	421	157	137	56	71
AORTIC ANEURYSM & DISSECTION (I71)	230	105	72	26	27
OTHER DISEASE OF ARTERIS, ARTERIOLES & CAPILLARIES (I72-I78)	191	52	65	30	44
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	79	31	24	14	10
INFLUENZA & PNEUMONIA (J10-J18)	762	259	332	82	89
INFLUENZA (J10-J11)	30	11	15	2	2
PNEUMONIA (J12-J18)	732	248	317	80	87
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	6	1	3	-	2
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	3	1	1	-	1
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	3	-	2	-	1
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	1,968 *	828	880	162	97
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	12	3	7	1	1
EMPHYSEMA (J43)	222	112	75	24	11
ASTHMA (J45-J46)	77	9	34	14	20
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	1,657 *	704	764	123	65
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	11	9	1	1	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	299	129	101	35	34
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	435	180	163	44	48
PEPTIC ULCER (K25-K28)	42	14	16	6	6
DISEASE OF APPENDIX (K35-K38)	6	4	-	1	1
HERNIA (K40-K46)	26	7	11	4	4
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	481 *	241	139	65	35
ALCOHOLIC LIVER DISEASE (K70)	251 *	140	45	41	24
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	230	101	94	24	11
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	52	16	19	7	10
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	815	225	245	131	214
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	2	-	-	-	2
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	8	3	3	-	2
RENAL FAILURE (N17-N19)	805	222	242	131	210
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	15	6	6	1	2
HYPERPLASIA OF PROSTATE (N40)	5	5	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	4	-	3	-	1
PREGNANCY, CHIRLDBIRTH & THE PUERPERIUM (O00-O99)	13	-	6	-	7
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	1	-	1	-	-
OTHER COMPLICAITONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	12	-	5	-	7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	293 *	70	54	105	63
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	156	49	51	31	25
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	463 *	122	193	71	67
ALL OTHER DISEASE (RESIDUAL) **	3,905 *	1,095	1,698	474	636
ACCIDENT (V01-X59,Y85-Y86)	2,254 *	1,089	559	431	174
TRANSPORT ACCIDENTS (V01-V99,Y85)	1,110 *	563	221	240	85
MOTOR VEHICLE ACCIDENT*	1,062 *	530	218	228	85
OTHER & TRANSPORT ACCIDENT*	44	30	3	11	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	4	3	-	1	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	1,144	526	338	191	89
ACCIDENTAL FALLS (W00-W19)	207	87	79	25	16
ACCIDENTAL DISEASECHARGE OF FIREARMS (W32-W34)	34	16	4	13	1
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	65	31	6	24	4
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	80	28	16	21	15
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	394	205	122	47	20
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	364	159	111	61	33
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	503	344	94	54	11
INTENTIONAL SELF-HARM BY DISEASECHARGE OF FIREARM (X72-X74)	312	230	42	34	6
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	191	114	52	20	5
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	336	84	37	179	36
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	233	61	22	131	19
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	103	23	15	48	17
LEGAL INTERVENTION (Y35,Y89.0)	9	5	-	4	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	41	15	12	8	6
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	2	2	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	39	13	12	8	6
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	42	13	13	10	6

** See APPENDIX for ICD-10 codes

Table G-21. (continued)
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Rate ¹		
	Total	White	Black & Other
ALL CAUSES	9.1	9.5	8.6
SALMONELLE INFECTIONS (A01-A02)	0.0	0.1	0
SHIGELLOSIS & AMEBIASIS (A03,A06)	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1.2	1.4	0.8
TUBERCULOSIS (A16-A19)	0.2	0.2	0.3
RESPIRATORY TUBERCULOSIS (A16)	0.2	0.2	0.3
OTHER TUBERCULOSIS (A17-A19)	0	0	0
WHOOPING COUGH (A37)	0.0	0.1	0
SCARLET FEVER AND ERYSIPELAS (A38, A46)	0	0	0
MENINGOCOCCAL INFECTION (A39)	0.0	0.0	0
SEPTICEMIA (A40-A41)	14.8	13.8	17.9
SYPHILIS (A50-A53)	0.1	0	0.2
ACUTE POLIOMELITIS (A80)	0	0	0
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	0	0	0
MEASLES (B05)	0	0	0
VIRAL HEPATITIS (B15-B19)	1.8	2.1	1.2
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	5.9	1.9	15.3
MALARIA (B50-B54)	0.0	0	0.1
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	2.2	2.4	1.9
MALIGNANT NEOPLASMS (C00-C97)	202.5	214.6	185.3
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	3.2	2.8	4.3
OF ESOPHAGUS (C15)	5.0	4.6	6.0
OF STOMACH (C16)	4.2	3.3	6.5
OF COLON, RECTUM & ANUS (C18-C21)	19.1	18.5	21.5
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5.2	5.4	5.0
OF PANCREAS (C25)	11.1	11.7	10.1
OF LARYNX (C32)	1.5	1.4	1.9
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	63.5	72.9	45.2
OF SKIN (C43)	2.4	3.3	0.3
OF BREAST (C50)	15.6	15.9	15.6
OF CERVIX UTERI (C53)	1.5	1.0	2.8
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2.5	1.8	4.5
OF OVARY (C56)	4.5	5.2	3.2
OF PROSTATE (C61)	10.9	9.1	15.6
OF KIDNEY & RENAL PELVIS (C64-C65)	4.6	5.2	3.6
OF BLADDER (C67)	4.1	5.1	2.1
OF MENINGS, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4.7	5.8	2.1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	17.2	18.8	14.5
HODGKIN'S DISEASE (C81)	0.3	0.3	0.2
NON-HODGKIN'S LYMPHOMA (C82-C85)	6.7	7.8	4.6
LEUKEMIA (C91-C95)	6.5	7.2	5.2
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3.6	3.3	4.5
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	0.1	0.1	0
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	21.8	22.8	20.6
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4.7	5.0	4.3
ANEMIAS (D50-D64)	2.0	1.6	3.1
DIABETES MELLITUS (E10-E14)	27.8	23.6	39.2
NUTRITIONAL DEFICIENCIES (E40-E64)	1.6	1.5	2.1
MALNUTRITION (E40-E46)	1.5	1.4	1.8
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	0.1	0.0	0.2
MENINGITIS (G00-G03)	0.4	0.4	0.6
PARKINSON'S DISEASE (G20-G21)	6.1	8.3	1.5
ALZHEIMER'S DISEASE (G30)	30.9	37.8	16.6
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	298.3	308.5	290.3
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	219.2	231.7	202.0
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1.4	1.4	1.3
HYPERTENSIVE HEART DISEASE (I11)	8.6	7.3	12.2
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1.1	0.8	1.9
ISCHEMIC HEART DISEASE (I20-I25)	131.9	144.1	110.7
ACUTE MYOCARDIAL INFARCTION (I21-I22)	57.9	60.7	54.5
OTHER ACUTE HEART DISEASE (I24)	5.4	3.9	9.1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	68.7	79.5	47.2
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	10.8	11.8	8.9
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	57.9	67.7	38.2
OTHER HEART DISEASE (I26-I51)	76.2	78.1	76.0
ACUTE & SUBACUTE ENDOCARDITIS (I33)	0.4	0.5	0.1
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	0.4	0.4	0.4
HEART FAILURE (I50)	24.7	26.6	21.5
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	50.8	50.6	54.1

Table G-21. (continued)
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Rate ¹		
	Total	White	Black & Other
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	10.0	7.1	17.0
CEREBROVASCULAR DISEASE (I60-I69)	57.6	57.8	59.9
ATHEROSCLEROSIS (I70)	1.6	1.8	1.3
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	9.9	10.0	10.1
AORTIC ANEURYSM & DISSECTION (I71)	5.4	6.0	4.2
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4.5	4.0	5.9
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1.9	1.9	1.9
INFLUENZA & PNEUMONIA (J10-J18)	17.9	20.2	13.6
INFLUENZA (J10-J11)	0.7	0.9	0.3
PNEUMONIA (J12-J18)	17.2	19.3	13.3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	0.1	0.1	0.2
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	0.1	0.1	0.1
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	0.1	0.1	0.1
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	46.3	58.3	20.6
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	0.3	0.3	0.2
EMPHYSEMA (J43)	5.2	6.4	2.8
ASTHMA (J45-J46)	1.8	1.5	2.7
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	38.9	50.1	14.9
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	0.3	0.3	0.1
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	7.0	7.9	5.5
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	10.2	11.7	7.3
PEPTIC ULCER (K25-K28)	1.0	1.0	1.0
DISEASE OF APPENDIX (K35-K38)	0.1	0.1	0.2
HERNIA (K40-K46)	0.6	0.6	0.6
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	11.3	13.0	8.0
ALCOHOLIC LIVER DISEASE (K70)	5.9	6.3	5.2
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	5.4	6.7	2.8
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1.2	1.2	1.4
NEPHRITIS, NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	19.2	16.0	27.4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	0.0	0	0.2
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	0.2	0.2	0.2
RENAL FAILURE (N17-N19)	18.9	15.8	27.1
OTHER DISORDERS OF KIDNEY (N25,N27)	0	0	0
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	0.4	0.4	0.2
HYPERPLASIA OF PROSTATE (N40)	0.1	0.2	0
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	0.1	0.1	0.1
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	0.3	0.2	0.6
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	0.0	0.0	0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	0.3	0.2	0.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	6.9	4.2	13.4
CONGENITAL MALFORMATIONS, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3.7	3.4	4.5
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS, NOT CLASSIFIED (R0-R99)	10.9	10.8	11.0
ALL OTHER DISEASE (RESIDUAL) **	91.8	95.3	88.3
ACCIDENT (V01-X59,Y85-Y86)	53.0	56.3	48.1
TRANSPORT ACCIDENTS (V01-V99,Y85)	26.1	26.8	25.8
MOTOR VEHICLE ACCIDENT*	25.0	25.5	24.9
OTHER & TRANSPORT ACCIDENT*	1.0	1.1	0.9
WATER, AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	0.1	0.1	0.1
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	26.9	29.5	22.3
ACCIDENTAL FALLS (W00-W19)	4.9	5.7	3.3
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	0.8	0.7	1.1
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1.5	1.3	2.2
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1.9	1.5	2.9
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	9.3	11.2	5.3
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	8.6	9.2	7.5
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	11.8	15.0	5.2
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARM (X72-X74)	7.3	9.3	3.2
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	4.5	5.7	2.0
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	7.9	4.1	17.1
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	5.5	2.8	11.9
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	2.4	1.3	5.2
LEGAL INTERVENTION (Y35,Y89.0)	0.2	0.2	0.3
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1.0	0.9	1.1
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	0.0	0.1	0
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	0.9	0.9	1.1
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	0	0	0
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1.0	0.9	1.3

¹ Rate per 1,000 population for all causes; Rate per 100,000 population for individual category

* Includes unknown race

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Abbeville

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	218	76	76	33	33
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	-	1	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	1	1	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	1	-	-	1	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	1	-	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	46	18	12	8	8
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	1	-	-	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	3	1	1	1	-
OF COLON, RECTUM & ANUS (C18-C21)	5	1	2	-	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	1	-	-	-
OF PANCREAS (C25)	2	-	1	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	13	9	3	-	1
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	3	-	1	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	5	3	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	5	2	2	1	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	2	1	-	-
LEUKEMIA (C91-C95)	2	-	1	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	6	-	1	4	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	1	-	-
ANEMIAS (D50-D64)	2	1	-	-	1
DIABETES MELLITUS (E10-E14)	5	-	5	-	-
NUTRITIONAL DEFICIENCIES (E40-E64)	4	1	2	-	1
MALNUTRITION (E40-E46)	4	1	2	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	2	-	-	-
ALZHEIMER'S DISEASE (G30)	9	2	5	-	2
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	71	27	19	10	15
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	50	22	13	7	8
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	3	1	1	1	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	28	13	7	3	5
ACUTE MYOCARDIAL INFARCTION (I21-I22)	23	11	6	2	4
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	5	2	1	1	1
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	-	-	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	5	2	1	1	1
OTHER HEART DISEASE (I26-I51)	18	8	5	3	2
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	8	2	2	2	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	10	6	3	1	-

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Abbeville

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	2	1	-	-	1
CEREBROVASCULAR DISEASE (I60-I69)	16	3	6	2	5
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	3	1	-	1	1
AORTIC ANEURYSM & DISSECTION (I71)	2	1	-	1	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	-	-	1
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	-	-	-	-	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	-	-	-	-	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	6	1	3	2	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	5	1	3	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	2	-	2	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	3	1	2	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	1	-	-	1	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	2	2	-	-
ALCOHOLIC LIVER DISEASE (K70)	3	2	1	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	1	-	1	-	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	1	-	1	-	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	-	-	-	2
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	-	1	1	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	2	-	2	-	-
ALL OTHER DISEASE (RESIDUAL) **	24	6	12	4	2
ACCIDENT (V01-X59,Y85-Y86)	11	6	3	1	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	4	3	-	-	1
MOTOR VEHICLE ACCIDENT*	3	2	-	-	1
OTHER & TRANSPORT ACCIDENT*	1	1	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	7	3	3	1	-
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	3	1	1	1	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	1	-	1	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	1	1	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	10	7	1	2	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	8	7	-	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	-	1	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	1	-	2	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	1	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Aiken

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,389	529	539	165	156
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	3	1	1	-	1
TUBERCULOSIS (A16-A19)	1	1	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	1	1	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	33	12	14	4	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	1	-	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	5	1	1	3	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	2	2	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	315	139	114	34	28
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	6	5	-	1	-
OF ESOPHAGUS (C15)	10	7	1	-	2
OF STOMACH (C16)	10	4	3	3	-
OF COLON, RECTUM & ANUS (C18-C21)	22	10	9	2	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	7	5	1	-	1
OF PANCREAS (C25)	17	9	5	-	3
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	93	46	27	15	5
OF SKIN (C43)	5	2	3	-	-
OF BREAST (C50)	23	1	18	1	3
OF CERVIX UTERI (C53)	2	-	2	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	2	-	-
OF OVARY (C56)	10	-	9	-	1
OF PROSTATE (C61)	17	12	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	5	3	2	-	-
OF BLADDER (C67)	9	6	1	1	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	5	2	2	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	27	15	9	-	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	14	9	4	-	1
LEUKEMIA (C91-C95)	9	6	2	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	4	-	3	-	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	44	11	20	5	8
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	7	2	4	1	-
ANEMIAS (D50-D64)	3	1	-	1	1
DIABETES MELLITUS (E10-E14)	53	12	17	13	11
NUTRITIONAL DEFICIENCIES (E40-E64)	3	2	1	-	-
MALNUTRITION (E40-E46)	3	2	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	1	1	-	-	-
PARKINSON'S DISEASE (G20-G21)	9	8	1	-	-
ALZHEIMER'S DISEASE (G30)	52	10	33	2	7
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	419	156	170	46	47
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	317	122	125	35	35
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	3	1	1	1	-
HYPERTENSIVE HEART DISEASE (I11)	14	2	7	1	4
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1	-	-	1	-
ISCHEMIC HEART DISEASE (I20-I25)	149	58	64	12	15
ACUTE MYOCARDIAL INFARCTION (I21-I22)	47	16	16	6	9
OTHER ACUTE HEART DISEASE (I24)	1	1	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	101	41	48	6	6
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	13	5	8	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	88	36	40	6	6
OTHER HEART DISEASE (I26-I51)	150	61	53	20	16
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	1	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	-	-	1	-
HEART FAILURE (I50)	42	20	15	3	4
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	106	40	38	16	12

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Aiken

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	24	2	13	6	3
CEREBROVASCULAR DISEASE (I60-I69)	57	19	28	4	6
ATHEROSCLEROSIS (I70)	4	4	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	17	9	4	1	3
AORTIC ANEURYSM & DISSECTION (I71)	8	7	1	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	9	2	3	1	3
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	2	1	-	-	1
INFLUENZA & PNEUMONIA (J10-J18)	34	14	15	4	1
INFLUENZA (J10-J11)	3	-	3	-	-
PNEUMONIA (J12-J18)	31	14	12	4	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	83	30	42	7	4
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	6	5	1	-	-
ASTHMA (J45-J46)	4	-	2	1	1
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	73	25	39	6	3
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	2	2	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	10	6	3	1	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	18	9	5	3	1
PEPTIC ULCER (K25-K28)	2	-	1	-	1
DISEASE OF APPENDIX (K35-K38)	1	-	-	-	1
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	8	3	4	1	-
ALCOHOLIC LIVER DISEASE (K70)	1	-	-	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	7	3	4	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	30	5	12	4	9
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	30	5	12	4	9
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	14	3	4	3	4
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	6	1	3	-	2
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	28	10	10	3	5
ALL OTHER DISEASE (RESIDUAL) **	150	49	61	19	21
ACCIDENT (V01-X59,Y85-Y86)	64	32	19	9	4
TRANSPORT ACCIDENTS (V01-V99,Y85)	24	13	5	5	1
MOTOR VEHICLE ACCIDENT*	24	13	5	5	1
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	40	19	14	4	3
ACCIDENTAL FALLS (W00-W19)	2	-	2	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	2	1	-	1	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	5	1	2	1	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	19	13	4	1	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	12	4	6	1	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	14	11	1	2	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	9	8	-	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	5	3	1	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	10	4	-	4	2
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	6	3	-	2	1
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	4	1	-	2	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	-	-	1
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	-	-	-	1
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	3	-	2	-	1

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Allendale

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	137 *	22	27	42	45
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	8	1	2	3	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	29	7	3	12	7
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	1	1	-	-	-
OF STOMACH (C16)	1	-	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	-	-	-	-	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	1	-	-	-	1
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	9	3	1	3	2
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	2	-	1	-	1
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	4	1	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	2	1	-	1	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	-	-	-	-	-
LEUKEMIA (C91-C95)	1	-	-	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	1	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	4	-	-	1	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	1	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	11	4	1	2	4
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	4	-	3	1	-
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	47	5	12	14	16
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	40	5	10	11	14
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	1	1	-	-	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	21	2	3	11	5
ACUTE MYOCARDIAL INFARCTION (I21-I22)	16	-	2	10	4
OTHER ACUTE HEART DISEASE (I24)	1	-	-	1	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	4	2	1	-	1
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	-	-	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	4	2	1	-	1
OTHER HEART DISEASE (I26-I51)	17	2	7	-	8
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	4	1	1	-	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	13	1	6	-	6

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Allendale

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	-	-	-	-	-
CEREBROVASCULAR DISEASE (I60-I69)	6	-	2	3	1
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	1	-	-	-	1
AORTIC ANEURYSM & DISSECTION (I71)	1	-	-	-	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	1	-	-	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	1	-	-	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	7	-	3	2	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	-	-	-	1
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	5	-	3	1	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	1	-	-	-	1
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	1	-	-	-	1
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	1	-	-	1	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	-	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	1	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	5	-	1	1	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	5	-	1	1	3
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	1	-	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	3 *	-	-	-	2
ALL OTHER DISEASE (RESIDUAL) **	8	-	1	2	5
ACCIDENT (V01-X59,Y85-Y86)	5	1	1	1	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	1	-	-	1	-
MOTOR VEHICLE ACCIDENT*	1	-	-	1	-
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	4	1	1	-	2
ACCIDENTAL FALLS (W00-W19)	1	1	-	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	3	-	1	-	2
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	1	1	-	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	-	-	2	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Anderson

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,865 *	821	756	159	127
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	1	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	22	3	12	2	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	6	3	2	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	7	3	-	2	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	2	-	2	-	-
MALIGNANT NEOPLASMS (C00-C97)	446	196	183	41	26
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	3	2	1	-	-
OF ESOPHAGUS (C15)	15	8	2	5	-
OF STOMACH (C16)	7	1	2	2	2
OF COLON, RECTUM & ANUS (C18-C21)	47	17	23	3	4
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	6	2	3	1	-
OF PANCREAS (C25)	35	15	17	3	-
OF LARYNX (C32)	4	3	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	137	84	40	6	7
OF SKIN (C43)	4	3	1	-	-
OF BREAST (C50)	28	-	27	-	1
OF CERVIX UTERI (C53)	3	-	1	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	9	-	6	-	3
OF OVARY (C56)	15	-	15	-	-
OF PROSTATE (C61)	29	20	-	9	-
OF KIDNEY & RENAL PELVIS (C64-C65)	10	2	5	-	3
OF BLADDER (C67)	12	7	4	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	15	6	8	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	35	16	13	4	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	11	6	3	1	1
LEUKEMIA (C91-C95)	14	6	6	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	10	4	4	2	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	32	10	14	6	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	11	8	3	-	-
ANEMIAS (D50-D64)	2	-	2	-	-
DIABETES MELLITUS (E10-E14)	61	26	19	5	11
NUTRITIONAL DEFICIENCIES (E40-E64)	5	-	4	-	1
MALNUTRITION (E40-E46)	5	-	4	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	1	1	-	-	-
PARKINSON'S DISEASE (G20-G21)	17	11	6	-	-
ALZHEIMER'S DISEASE (G30)	116	35	69	4	8
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	584 *	267	229	49	37
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	444	219	155	41	29
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	4	-	3	-	1
HYPERTENSIVE HEART DISEASE (I11)	8	2	3	1	2
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	3	-	1	1	1
ISCHEMIC HEART DISEASE (I20-I25)	297	162	94	24	17
ACUTE MYOCARDIAL INFARCTION (I21-I22)	131	70	38	12	11
OTHER ACUTE HEART DISEASE (I24)	3	1	2	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	163	91	54	12	6
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	22	7	10	4	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	141	84	44	8	5
OTHER HEART DISEASE (I26-I51)	132	55	54	15	8
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	1	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	46	19	19	5	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	85	35	35	10	5

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Anderson

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	18 *	3	9	4	1
CEREBROVASCULAR DISEASE (I60-I69)	101 *	36	56	1	7
ATHEROSCLEROSIS (I70)	2	1	1	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	19	8	8	3	-
AORTIC ANEURYSM & DISSECTION (I71)	11	3	6	2	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	8	5	2	1	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	2	-	2	-	-
INFLUENZA & PNEUMONIA (J10-J18)	31	16	11	2	2
INFLUENZA (J10-J11)	1	-	1	-	-
PNEUMONIA (J12-J18)	30	16	10	2	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	1	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	1	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	103	44	48	8	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	11	5	2	2	2
ASTHMA (J45-J46)	2	-	2	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	90	39	44	6	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	19	10	6	2	1
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	27	13	14	-	-
PEPTIC ULCER (K25-K28)	2	-	2	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	27	17	8	1	1
ALCOHOLIC LIVER DISEASE (K70)	12	8	2	1	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	15	9	6	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	33	10	16	3	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	33	10	16	3	4
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	13	2	5	5	1
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	6	1	3	1	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	13	6	6	1	-
ALL OTHER DISEASE (RESIDUAL) **	161	60	70	12	19
ACCIDENT (V01-X59,Y85-Y86)	93	57	22	12	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	43	27	9	7	-
MOTOR VEHICLE ACCIDENT*	42	27	9	6	-
OTHER & TRANSPORT ACCIDENT*	1	-	-	1	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	50	30	13	5	2
ACCIDENTAL FALLS (W00-W19)	7	3	2	1	1
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	2	1	-	1	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	4	2	1	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	23	15	7	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	13	8	3	1	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	30	19	7	3	1
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	17	9	5	2	1
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	13	10	2	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	19	9	3	5	2
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	15	8	2	5	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	4	1	1	-	2
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	1	1	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	2	1	1	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Bamberg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	194 *	48	54	53	38
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	7	1	-	3	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	-	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	34	7	6	13	8
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	1	-	-	1	-
OF STOMACH (C16)	1	-	-	-	1
OF COLON, RECTUM & ANUS (C18-C21)	1	-	-	1	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	2	1	-	1	-
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	13	3	4	5	1
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	3	-	-	-	3
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	2	1	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	1	-	-	1	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	-	-	-	-	-
LEUKEMIA (C91-C95)	-	-	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	-	-	1	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	7	1	2	2	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	-	-	1
ANEMIAS (D50-D64)	1	-	1	-	-
DIABETES MELLITUS (E10-E14)	1	-	1	-	-
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	-	1	-	-
ALZHEIMER'S DISEASE (G30)	4	-	2	-	2
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	72	19	23	18	12
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	40	9	13	12	6
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	-	1	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	27	8	9	8	2
ACUTE MYOCARDIAL INFARCTION (I21-I22)	16	3	4	7	2
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	11	5	5	1	-
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	1	1	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	10	4	5	1	-
OTHER HEART DISEASE (I26-I51)	12	1	4	3	4
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	1	-	1	-	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	11	1	3	3	4

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Bamberg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	5	2	-	2	1
CEREBROVASCULAR DISEASE (I60-I69)	23	7	8	4	4
ATHEROSCLEROSIS (I70)	1	-	1	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	3	1	1	-	1
AORTIC ANEURYSM & DISSECTION (I71)	2	1	-	-	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	1	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	-	1
INFLUENZA & PNEUMONIA (J10-J18)	4	1	2	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	4	1	2	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	14	5	5	3	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	3	1	1	1	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	10	4	3	2	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	1	-	-	1	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	1	-	1	-	-
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	3	1	1	-	1
ALCOHOLIC LIVER DISEASE (K70)	2	1	-	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	4	2	-	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	1	-	-	-
RENAL FAILURE (N17-N19)	3	1	-	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	3 *	1	1	-	-
ALL OTHER DISEASE (RESIDUAL) **	16	2	4	6	4
ACCIDENT (V01-X59,Y85-Y86)	19	7	3	6	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	12	3	2	5	2
MOTOR VEHICLE ACCIDENT*	12	3	2	5	2
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	7	4	1	1	1
ACCIDENTAL FALLS (W00-W19)	2	2	-	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	4	2	1	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	1	-	1	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	1	-	1	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	1	1	1	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	3	1	1	1	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	1	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Barnwell

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	249	63	83	47	56
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	2	-	-	1	1
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	-	-	-	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	1	-	1	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	2	-	1	1	-
MALIGNANT NEOPLASMS (C00-C97)	58	17	18	9	14
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	1	-	-	-
OF ESOPHAGUS (C15)	3	2	-	1	-
OF STOMACH (C16)	2	-	2	-	-
OF COLON, RECTUM & ANUS (C18-C21)	8	2	3	2	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	2	-	-	-
OF PANCREAS (C25)	2	1	-	-	1
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	15	5	4	4	2
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	7	-	5	-	2
OF CERVIX UTERI (C53)	2	-	-	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	1	-	1
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	2	2	-	-	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	1	-	-
OF BLADDER (C67)	2	-	2	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	3	1	-	-	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	-	-	-	-	-
LEUKEMIA (C91-C95)	3	1	-	-	2
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	4	1	-	-	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	-	-	1
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	10	3	3	3	1
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	-	1
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	-	-	1
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	5	3	2	-	-
ALZHEIMER'S DISEASE (G30)	6	1	5	-	-
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	82	16	32	14	20
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	59	13	24	9	13
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	-	-	1
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	2	-	-	1	1
ISCHEMIC HEART DISEASE (I20-I25)	32	9	14	5	4
ACUTE MYOCARDIAL INFARCTION (I21-I22)	7	3	1	2	1
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	25	6	13	3	3
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	5	2	2	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	20	4	11	2	3
OTHER HEART DISEASE (I26-I51)	24	4	10	3	7
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	12	4	4	2	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	12	-	6	1	5

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Barnwell

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	4	-	1	2	1
CEREBROVASCULAR DISEASE (I60-I69)	17	2	7	2	6
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	2	1	-	1	-
AORTIC ANEURYSM & DISSECTION (I71)	1	1	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	-	1	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	3	1	-	-	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	3	1	-	-	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	15	5	6	2	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	-	-	1	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	14	5	6	1	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	3	1	1	1	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	2	1	1	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	-	-	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	7	2	-	3	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	7	2	-	3	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	-	-	-	1
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	-	1	2	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	4	2	1	-	1
ALL OTHER DISEASE (RESIDUAL) **	18	2	7	5	4
ACCIDENT (V01-X59,Y85-Y86)	15	5	4	3	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	13	4	4	2	3
MOTOR VEHICLE ACCIDENT*	12	4	4	1	3
OTHER & TRANSPORT ACCIDENT*	1	-	-	1	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	2	1	-	1	-
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	1	-	-	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	3	2	-	-	1
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	1	-	-	1
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	-	-	2	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	2	1	1	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	2	1	1	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Beaufort

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,055	452	381	126	96
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	1	-	-	-
TUBERCULOSIS (A16-A19)	2	-	-	1	1
RESPIRATORY TUBERCULOSIS (A16)	2	-	-	1	1
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	12	5	3	2	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	6	1	-	1	4
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	3	2	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	279	124	108	28	19
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	2	-	2	-	-
OF ESOPHAGUS (C15)	8	5	1	1	1
OF STOMACH (C16)	4	1	3	-	-
OF COLON, RECTUM & ANUS (C18-C21)	26	14	8	3	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	7	4	-	2	1
OF PANCREAS (C25)	19	9	8	2	-
OF LARYNX (C32)	2	1	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	74	34	32	4	4
OF SKIN (C43)	5	3	2	-	-
OF BREAST (C50)	20	-	16	-	4
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	3	-	3	-	-
OF OVARY (C56)	7	-	5	-	2
OF PROSTATE (C61)	19	13	-	6	-
OF KIDNEY & RENAL PELVIS (C64-C65)	9	7	1	1	-
OF BLADDER (C67)	6	3	1	1	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	8	5	3	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	28	13	8	5	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	9	3	4	2	-
LEUKEMIA (C91-C95)	11	7	2	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	8	3	2	2	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	31	12	15	2	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	1	2	1	-
ANEMIAS (D50-D64)	3	2	-	-	1
DIABETES MELLITUS (E10-E14)	25	8	8	4	5
NUTRITIONAL DEFICIENCIES (E40-E64)	4	2	1	1	-
MALNUTRITION (E40-E46)	4	2	1	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	14	7	6	1	-
ALZHEIMER'S DISEASE (G30)	40	11	24	2	3
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	335	149	118	37	31
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	232	112	73	27	20
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	3	-	1	1	1
HYPERTENSIVE HEART DISEASE (I11)	7	1	3	1	2
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1	-	-	1	-
ISCHEMIC HEART DISEASE (I20-I25)	126	65	35	18	8
ACUTE MYOCARDIAL INFARCTION (I21-I22)	49	24	14	8	3
OTHER ACUTE HEART DISEASE (I24)	2	2	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	75	39	21	10	5
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	8	4	3	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	67	35	18	9	5
OTHER HEART DISEASE (I26-I51)	95	46	34	6	9
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	40	20	16	1	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	55	26	18	5	6

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Beaufort

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	13	5	2	4	2
CEREBROVASCULAR DISEASE (I60-I69)	67	20	33	6	8
ATHEROSCLEROSIS (I70)	3	-	2	-	1
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	20	12	8	-	-
AORTIC ANEURYSM & DISSECTION (I71)	15	10	5	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	5	2	3	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	3	2	-	1	-
INFLUENZA & PNEUMONIA (J10-J18)	14	5	6	1	2
INFLUENZA (J10-J11)	2	1	-	1	-
PNEUMONIA (J12-J18)	12	4	6	-	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	43	21	15	5	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	1	-	-	-
EMPHYSEMA (J43)	6	3	1	2	-
ASTHMA (J45-J46)	2	-	-	-	2
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	34	17	14	3	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	7	6	-	-	1
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	13	8	2	-	3
PEPTIC ULCER (K25-K28)	2	-	1	1	-
DISEASE OF APPENDIX (K35-K38)	2	2	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	15	6	5	4	-
ALCOHOLIC LIVER DISEASE (K70)	10	5	3	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	5	1	2	2	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	20	9	7	3	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	20	9	7	3	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	1	1	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	6	4	-	1	1
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	-	2	1	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	25	5	16	3	1
ALL OTHER DISEASE (RESIDUAL) **	85	27	40	8	10
ACCIDENT (V01-X59,Y85-Y86)	61	27	15	12	7
TRANSPORT ACCIDENTS (V01-V99,Y85)	34	13	7	9	5
MOTOR VEHICLE ACCIDENT*	33	13	7	8	5
OTHER & TRANSPORT ACCIDENT*	1	-	-	1	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	27	14	8	3	2
ACCIDENTAL FALLS (W00-W19)	9	4	4	-	1
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	2	2	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	2	1	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	7	5	1	-	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	7	2	3	2	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	15	10	-	4	1
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	7	4	-	3	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	8	6	-	1	1
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	6	2	-	4	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	4	1	-	3	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	2	1	-	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	1	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	2	2	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Berkeley

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,039 *	388	326	177	147
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	2	1	-	1	-
TUBERCULOSIS (A16-A19)	1	1	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	1	1	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	13	4	5	3	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	2	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	7	2	-	3	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	3	2	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	242	88	82	48	24
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	6	3	1	2	-
OF ESOPHAGUS (C15)	5	1	-	4	-
OF STOMACH (C16)	3	2	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	21	6	7	4	4
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	6	3	1	2	-
OF PANCREAS (C25)	18	5	8	2	3
OF LARYNX (C32)	2	1	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	76	30	32	10	4
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	13	-	9	-	4
OF CERVIX UTERI (C53)	2	-	2	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	1	-	1
OF OVARY (C56)	8	-	6	-	2
OF PROSTATE (C61)	24	11	-	13	-
OF KIDNEY & RENAL PELVIS (C64-C65)	9	3	4	2	-
OF BLADDER (C67)	4	4	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	5	3	2	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	20	8	6	4	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	8	3	2	1	2
LEUKEMIA (C91-C95)	11	4	4	3	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	1	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	17	7	2	4	4
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	6	3	2	1	-
ANEMIAS (D50-D64)	4	-	3	-	1
DIABETES MELLITUS (E10-E14)	31	10	7	7	7
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	1	1	-	-	-
PARKINSON'S DISEASE (G20-G21)	6	4	2	-	-
ALZHEIMER'S DISEASE (G30)	32	4	19	3	6
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	319	120	97	48	54
DISEASE OF HEART (I00-I09, I11, I13, I20-I51)	232	101	60	38	33
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	15	4	5	2	4
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	139	70	33	21	15
ACUTE MYOCARDIAL INFARCTION (I21-I22)	92	47	20	17	8
OTHER ACUTE HEART DISEASE (I24)	1	-	-	-	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20, I25)	46	23	13	4	6
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	2	1	-	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20, I25.1-I25.9)	44	22	13	4	5
OTHER HEART DISEASE (I26-I51)	78	27	22	15	14
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	1	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31, I40)	2	1	-	-	1
HEART FAILURE (I50)	39	14	12	5	8
ALL OTHER FORMS OF HEART DISEASE (I26-I28, I34-I38, I42-I49, I51)	36	12	9	10	5

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Berkeley

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	7	1	2	1	3
CEREBROVASCULAR DISEASE (I60-I69)	69	13	31	9	16
ATHEROSCLEROSIS (I70)	1	-	1	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	10	5	3	-	2
AORTIC ANEURYSM & DISSECTION (I71)	7	4	2	-	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	1	1	-	1
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	18	4	7	3	4
INFLUENZA (J10-J11)	2	-	2	-	-
PNEUMONIA (J12-J18)	16	4	5	3	4
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	71	38	30	1	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	5	3	2	-	-
ASTHMA (J45-J46)	3	2	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	63	33	28	-	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	4	-	2	1	1
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	6	2	3	1	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	8	6	1	-	1
ALCOHOLIC LIVER DISEASE (K70)	4	3	-	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	4	3	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	32	11	8	7	6
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	32	11	8	7	6
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	1	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	1	-	1	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	16	2	4	6	4
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	8 *	3	1	1	2
ALL OTHER DISEASE (RESIDUAL) **	81	18	30	13	20
ACCIDENT (V01-X59,Y85-Y86)	83	37	18	21	7
TRANSPORT ACCIDENTS (V01-V99,Y85)	51	21	10	15	5
MOTOR VEHICLE ACCIDENT*	49	19	10	15	5
OTHER & TRANSPORT ACCIDENT*	2	2	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	32	16	8	6	2
ACCIDENTAL FALLS (W00-W19)	3	2	1	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	2	1	-	1	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	13	5	6	1	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	14	8	1	4	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	23	20	1	-	2
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	11	10	1	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	12	10	-	-	2
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	13	3	2	7	1
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	10	3	2	4	1
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	3	-	-	3	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	-	-	1
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	-	-	-	1
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	2	1	-	1	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Calhoun

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	163	46	28	36	53
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	1	1	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	38	9	7	9	13
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	1	-	-	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	1	-	-	-	1
OF COLON, RECTUM & ANUS (C18-C21)	4	1	1	1	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	2	-	-	1	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	12	3	3	6	-
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	3	-	2	-	1
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	-	-	2
OF OVARY (C56)	2	-	1	-	1
OF PROSTATE (C61)	2	1	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	1	-	-	-
OF BLADDER (C67)	2	2	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	1	-	-	-	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	-	-	-	1
LEUKEMIA (C91-C95)	-	-	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	3	-	-	-	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	9	3	-	3	3
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	3	1	1	-	1
ALZHEIMER'S DISEASE (G30)	8	2	1	1	4
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	44	10	8	9	17
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	37	9	4	8	16
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	3	-	-	-	3
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1	-	-	-	1
ISCHEMIC HEART DISEASE (I20-I25)	20	5	3	5	7
ACUTE MYOCARDIAL INFARCTION (I21-I22)	16	5	2	3	6
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	4	-	1	2	1
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	-	-	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	4	-	1	2	1
OTHER HEART DISEASE (I26-I51)	13	4	1	3	5
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	-	-	-	1
HEART FAILURE (I50)	4	3	-	-	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	8	1	1	3	3

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Calhoun

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	1	-	-	1	-
CEREBROVASCULAR DISEASE (I60-I69)	6	1	4	-	1
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	-	-	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	2	1	-	-	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	2	1	-	-	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	6	1	-	3	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	2	-	-	-	2
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	4	1	-	3	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	2	1	-	-	1
PEPTIC ULCER (K25-K28)	1	-	-	1	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	1	-	-	-	1
ALCOHOLIC LIVER DISEASE (K70)	1	-	-	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	2	1	1	-	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	2	1	1	-	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	-	-	-	1
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	2	1	-	1	-
ALL OTHER DISEASE (RESIDUAL) **	22	7	5	5	5
ACCIDENT (V01-X59,Y85-Y86)	15	6	3	4	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	9	4	2	2	1
MOTOR VEHICLE ACCIDENT*	9	4	2	2	1
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	6	2	1	2	1
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	-	-	1	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	2	1	-	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	4	2	1	-	1
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	3	2	-	-	1
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	-	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	-	-	-	-	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Charleston

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	2,745 *	938	817	495	491
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	11	5	3	2	1
TUBERCULOSIS (A16-A19)	1	1	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	1	1	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	48	21	8	9	10
SYPHILIS (A50-A53)	1	-	-	-	1
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	6	4	-	-	2
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	24	3	2	13	6
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	6	1	2	1	2
MALIGNANT NEOPLASMS (C00-C97)	583	215	155	107	106
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	13	3	4	2	4
OF ESOPHAGUS (C15)	11	4	1	2	4
OF STOMACH (C16)	18	2	3	9	4
OF COLON, RECTUM & ANUS (C18-C21)	59	17	15	16	11
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	16	5	7	2	2
OF PANCREAS (C25)	23	10	5	2	6
OF LARYNX (C32)	6	1	-	5	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	169	82	45	25	17
OF SKIN (C43)	3	1	2	-	-
OF BREAST (C50)	52	-	27	-	25
OF CERVIX UTERI (C53)	5	-	1	-	4
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	9	-	3	-	6
OF OVARY (C56)	8	-	4	-	4
OF PROSTATE (C61)	36	15	-	21	-
OF KIDNEY & RENAL PELVIS (C64-C65)	16	6	3	4	3
OF BLADDER (C67)	12	7	3	1	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	14	9	4	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	41	18	12	7	4
HODGKIN'S DISEASE (C81)	1	1	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	17	6	5	3	3
LEUKEMIA (C91-C95)	17	10	5	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	1	2	3	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	72	35	16	11	10
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	13	6	3	2	2
ANEMIAS (D50-D64)	6	-	-	3	3
DIABETES MELLITUS (E10-E14)	94	18	24	22	30
NUTRITIONAL DEFICIENCIES (E40-E64)	2	1	1	-	-
MALNUTRITION (E40-E46)	2	1	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	4	-	1	2	1
PARKINSON'S DISEASE (G20-G21)	20	15	5	-	-
ALZHEIMER'S DISEASE (G30)	118	24	79	3	12
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	882	284	274	152	172
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	615	221	177	108	109
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	3	1	1	1	-
HYPERTENSIVE HEART DISEASE (I11)	23	5	10	4	4
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	4	1	1	1	1
ISCHEMIC HEART DISEASE (I20-I25)	375	162	92	65	56
ACUTE MYOCARDIAL INFARCTION (I21-I22)	92	42	21	20	9
OTHER ACUTE HEART DISEASE (I24)	58	18	11	11	18
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	225	102	60	34	29
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	24	10	7	4	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	201	92	53	30	26
OTHER HEART DISEASE (I26-I51)	210	52	73	37	48
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	3	2	-	1	-
HEART FAILURE (I50)	53	18	16	4	15
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	154	32	57	32	33

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Charleston

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	29	3	11	6	9
CEREBROVASCULAR DISEASE (I60-I69)	197	51	75	29	42
ATHEROSCLEROSIS (I70)	5	1	3	-	1
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	36	8	8	9	11
AORTIC ANEURYSM & DISSECTION (I71)	18	6	4	4	4
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	18	2	4	5	7
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	4	1	2	1	-
INFLUENZA & PNEUMONIA (J10-J18)	47	17	16	6	8
INFLUENZA (J10-J11)	1	-	1	-	-
PNEUMONIA (J12-J18)	46	17	15	6	8
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	132	47	63	10	12
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	19	10	8	1	-
ASTHMA (J45-J46)	5	-	-	1	4
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	108	37	55	8	8
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	2	1	-	1	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	21	9	3	5	4
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	32	19	7	2	4
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	1	1	-	-	-
HERNIA (K40-K46)	3	1	2	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	27 *	16	6	4	-
ALCOHOLIC LIVER DISEASE (K70)	20 *	12	3	4	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	7	4	3	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	1	-	1	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	59	8	14	11	26
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	59	8	14	11	26
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	2	1	1	-	-
HYPERPLASIA OF PROSTATE (N40)	1	1	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	34 *	10	7	12	4
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	17	8	2	5	2
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	20 *	8	3	3	4
ALL OTHER DISEASE (RESIDUAL) **	308	96	94	52	66
ACCIDENT (V01-X59,Y85-Y86)	139	63	28	38	10
TRANSPORT ACCIDENTS (V01-V99,Y85)	54	27	7	17	3
MOTOR VEHICLE ACCIDENT*	49	23	7	16	3
OTHER & TRANSPORT ACCIDENT*	4	4	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	1	-	-	1	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	85	36	21	21	7
ACCIDENTAL FALLS (W00-W19)	21	8	8	4	1
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	2	1	-	1	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	5	3	-	1	1
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	10	2	2	2	4
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	28	14	8	6	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	19	8	3	7	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	42	26	12	4	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	24	17	4	3	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	18	9	8	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	28	3	-	23	2
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	21	2	-	18	1
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	7	1	-	5	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	4	2	-	1	1
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	4	2	-	1	1
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	1	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Cherokee

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	555	253	196	56	50
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	7	3	2	1	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	2	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	2	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	1	1	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	125	63	38	12	12
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	1	-	-	-
OF ESOPHAGUS (C15)	5	3	1	1	-
OF STOMACH (C16)	1	-	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	13	7	2	2	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	2	-	-	1
OF PANCREAS (C25)	7	5	2	-	-
OF LARYNX (C32)	2	1	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	43	24	12	4	3
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	8	-	7	-	1
OF CERVIX UTERI (C53)	1	-	1	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	1	-	1
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	4	3	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	4	3	1	-	-
OF BLADDER (C67)	3	2	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	1	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	13	4	6	1	2
HODGKIN'S DISEASE (C81)	1	-	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	-	-	1	-
LEUKEMIA (C91-C95)	8	4	3	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	-	2	-	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	13	7	3	1	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	-	3	1	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	18	8	8	1	1
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	1	-	-
MALNUTRITION (E40-E46)	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	-	2	-	-
ALZHEIMER'S DISEASE (G30)	8	3	4	-	1
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	176	78	64	17	17
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	126	60	41	12	13
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	5	4	-	1	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	78	40	22	9	7
ACUTE MYOCARDIAL INFARCTION (I21-I22)	29	10	12	4	3
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	49	30	10	5	4
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	12	5	2	2	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	37	25	8	3	1
OTHER HEART DISEASE (I26-I51)	42	16	18	2	6
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	14	4	8	1	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	28	12	10	1	5

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Cherokee

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	6	1	2	1	2
CEREBROVASCULAR DISEASE (I60-I69)	37	13	19	3	2
ATHEROSCLEROSIS (I70)	2	-	1	1	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	5	4	1	-	-
AORTIC ANEURYSM & DISSECTION (I71)	3	3	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	1	1	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	2	2	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	12	3	7	2	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	12	3	7	2	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	53	33	18	2	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	1	-	-	-
ASTHMA (J45-J46)	3	1	2	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	49	31	16	2	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	2	1	1	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	7	4	2	-	1
PEPTIC ULCER (K25-K28)	1	-	-	1	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	8	4	2	-	2
ALCOHOLIC LIVER DISEASE (K70)	5	3	-	-	2
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	1	2	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	-	2	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	6	3	1	-	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	6	3	1	-	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	5	-	-	4	1
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	5	3	1	-	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	3	1	2	-	-
ALL OTHER DISEASE (RESIDUAL) **	53	14	23	6	10
ACCIDENT (V01-X59,Y85-Y86)	36	15	12	8	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	17	8	4	4	1
MOTOR VEHICLE ACCIDENT*	16	8	4	3	1
OTHER & TRANSPORT ACCIDENT*	1	-	-	1	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	19	7	8	4	-
ACCIDENTAL FALLS (W00-W19)	2	-	-	2	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	1	-	-	1	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	8	4	4	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	8	3	4	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	7	6	1	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	4	3	1	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	3	3	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	4	2	1	1	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	3	1	1	1	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	1	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	1	1	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	1	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	-	1	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Chester

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	374	116	125	63	70
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	-	1	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	8	2	4	2	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	-	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	-	-	2	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	81	29	23	16	13
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	1	1	-	-	-
OF STOMACH (C16)	5	2	1	1	1
OF COLON, RECTUM & ANUS (C18-C21)	5	1	2	1	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5	1	2	2	-
OF PANCREAS (C25)	3	-	2	1	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	26	13	7	5	1
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	7	-	3	-	4
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	-	-	2
OF OVARY (C56)	4	-	2	-	2
OF PROSTATE (C61)	1	1	-	-	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	4	1	1	1	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	1	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	12	6	2	3	1
HODGKIN'S DISEASE (C81)	1	-	-	1	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	2	2	-	-
LEUKEMIA (C91-C95)	4	3	-	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	1	-	1	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	5	2	1	2	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	1	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	13	3	4	4	2
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	1	-	-
MALNUTRITION (E40-E46)	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	-	-	1	-
ALZHEIMER'S DISEASE (G30)	5	2	1	-	2
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	133	32	46	24	31
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	93	27	35	15	16
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	-	1	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	60	21	20	8	11
ACUTE MYOCARDIAL INFARCTION (I21-I22)	36	15	10	4	7
OTHER ACUTE HEART DISEASE (I24)	2	1	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	22	5	9	4	4
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	4	-	2	-	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	18	5	7	4	2
OTHER HEART DISEASE (I26-I51)	32	6	15	6	5
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	8	1	6	1	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	24	5	9	5	5

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Chester

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	7	-	-	2	5
CEREBROVASCULAR DISEASE (I60-I69)	27	4	9	6	8
ATHEROSCLEROSIS (I70)	1	-	1	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	5	1	1	1	2
AORTIC ANEURYSM & DISSECTION (I71)	5	1	1	1	2
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	1	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	10	-	5	2	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	10	-	5	2	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	18	8	8	1	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	3	2	1	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	15	6	7	1	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	2	-	-	1	1
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	1	-	-	-	1
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	2	2	-	-
ALCOHOLIC LIVER DISEASE (K70)	2	1	1	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	1	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	14	5	5	1	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	14	5	5	1	3
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	4	1	1	2	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	8	1	4	-	3
ALL OTHER DISEASE (RESIDUAL) **	33	13	11	2	7
ACCIDENT (V01-X59,Y85-Y86)	22	13	5	3	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	18	12	4	2	-
MOTOR VEHICLE ACCIDENT*	16	10	4	2	-
OTHER & TRANSPORT ACCIDENT*	2	2	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	4	1	1	1	1
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	2	-	1	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	6	4	2	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	4	4	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	-	2	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	-	1	1	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	1	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	1	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Chesterfield

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	472	174	152	78	68
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	8	3	3	2	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	2	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	100	43	27	18	12
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	3	1	-	2	-
OF ESOPHAGUS (C15)	1	1	-	-	-
OF STOMACH (C16)	1	-	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	19	7	5	3	4
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	1	-	-	-
OF PANCREAS (C25)	2	-	1	1	-
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	33	18	8	5	2
OF SKIN (C43)	2	2	-	-	-
OF BREAST (C50)	5	-	2	-	3
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	5	3	-	1	1
OF KIDNEY & RENAL PELVIS (C64-C65)	3	2	-	1	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	13	4	5	3	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	6	1	3	1	1
LEUKEMIA (C91-C95)	3	1	1	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	4	2	1	1	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	9	3	4	1	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	1	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	10	3	2	3	2
NUTRITIONAL DEFICIENCIES (E40-E64)	1	1	-	-	-
MALNUTRITION (E40-E46)	1	1	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	1	-	1	-	-
PARKINSON'S DISEASE (G20-G21)	1	1	-	-	-
ALZHEIMER'S DISEASE (G30)	6	-	4	-	2
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	169	68	47	28	26
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	121	47	38	17	19
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	-	1	-
HYPERTENSIVE HEART DISEASE (I11)	10	2	3	2	3
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	84	35	25	10	14
ACUTE MYOCARDIAL INFARCTION (I21-I22)	53	27	17	3	6
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	31	8	8	7	8
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	5	1	1	-	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	26	7	7	7	5
OTHER HEART DISEASE (I26-I51)	26	10	10	4	2
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	5	-	4	-	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	21	10	6	4	1

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Chesterfield

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	14	2	3	5	4
CEREBROVASCULAR DISEASE (I60-I69)	25	14	4	4	3
ATHEROSCLEROSIS (I70)	2	2	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	7	3	2	2	-
AORTIC ANEURYSM & DISSECTION (I71)	3	1	-	2	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4	2	2	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	10	2	5	1	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	10	2	5	1	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	-	1	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	-	1	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	22	10	11	-	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	1	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	21	9	11	-	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	3	1	1	1	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	5	1	2	1	1
PEPTIC ULCER (K25-K28)	1	-	-	1	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	5	2	2	1	-
ALCOHOLIC LIVER DISEASE (K70)	2	1	-	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	1	2	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	6	1	1	2	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	6	1	1	2	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	1	-	-	1
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	-	2	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	1	1	-	-	-
ALL OTHER DISEASE (RESIDUAL) **	63	12	30	8	13
ACCIDENT (V01-X59,Y85-Y86)	42	17	13	9	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	18	8	6	4	-
MOTOR VEHICLE ACCIDENT*	16	6	6	4	-
OTHER & TRANSPORT ACCIDENT*	1	1	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	1	1	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	24	9	7	5	3
ACCIDENTAL FALLS (W00-W19)	11	3	6	1	1
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	5	2	-	1	2
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	4	3	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	3	1	-	2	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	4	4	-	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	4	4	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	-	-	3	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	-	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	-	1

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Clarendon

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	345	97	84	87	77
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	2	-	-	1	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	6	-	-	5	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	2	1	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	88	24	27	24	13
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	2	1	-	1	-
OF ESOPHAGUS (C15)	5	2	-	3	-
OF STOMACH (C16)	3	-	1	1	1
OF COLON, RECTUM & ANUS (C18-C21)	11	2	4	3	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	-	1	-
OF PANCREAS (C25)	5	1	2	-	2
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	23	8	9	6	-
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	8	-	3	-	5
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	5	2	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	4	1	2	1	-
OF BLADDER (C67)	3	-	-	1	2
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	2	2	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	7	2	1	3	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	2	1	-	1
LEUKEMIA (C91-C95)	3	-	-	3	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	5	2	2	1	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	-	-	2	-
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	14	3	1	6	4
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	1	-	-	-
ALZHEIMER'S DISEASE (G30)	11	4	4	-	3
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	120	31	29	28	32
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	76	18	21	17	20
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	-	2	2	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	2	-	2	-	-
ISCHEMIC HEART DISEASE (I20-I25)	44	12	12	10	10
ACUTE MYOCARDIAL INFARCTION (I21-I22)	20	6	6	5	3
OTHER ACUTE HEART DISEASE (I24)	1	-	-	-	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	23	6	6	5	6
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	2	-	1	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	21	6	5	5	5
OTHER HEART DISEASE (I26-I51)	26	6	5	5	10
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	6	-	1	1	4
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	20	6	4	4	6

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Clarendon

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	10	2	2	4	2
CEREBROVASCULAR DISEASE (I60-I69)	30	8	6	7	9
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	4	3	-	-	1
AORTIC ANEURYSM & DISSECTION (I71)	1	1	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	2	-	-	1
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	1	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	3	-	-	-	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	3	-	-	-	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	15	3	7	2	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	4	1	2	-	1
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	10	2	5	1	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	1	-	-	1	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	4	2	-	2	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	-	-	1
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	5	1	2	2	-
ALCOHOLIC LIVER DISEASE (K70)	3	1	1	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	-	1	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	10	4	-	2	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	10	4	-	2	4
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	-	-	2	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS, NOT CLASSIFIED (R0-99)	6	3	2	1	-
ALL OTHER DISEASE (RESIDUAL) **	20	7	5	3	5
ACCIDENT (V01-X59,Y85-Y86)	19	7	4	4	4
TRANSPORT ACCIDENTS (V01-V99,Y85)	12	5	3	2	2
MOTOR VEHICLE ACCIDENT*	12	5	3	2	2
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER, AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	7	2	1	2	2
ACCIDENTAL FALLS (W00-W19)	1	-	-	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	-	1	-	2
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	3	2	-	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	5	3	1	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARM (X72-X74)	3	2	-	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	1	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	5	2	-	1	2
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	5	2	-	1	2
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Colleton

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	408	122	117	95	74
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	10	2	4	1	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	6	-	1	4	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	6	2	3	1	-
MALIGNANT NEOPLASMS (C00-C97)	98	29	33	18	18
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	4	3	-	1	-
OF STOMACH (C16)	1	-	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	11	1	5	2	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	2	-	1	1
OF PANCREAS (C25)	5	2	2	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	35	11	14	6	4
OF SKIN (C43)	2	1	-	-	1
OF BREAST (C50)	5	-	3	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	2	-	2	-	-
OF PROSTATE (C61)	4	1	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	2	1	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	-	2	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	10	3	2	2	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	5	3	1	-	1
LEUKEMIA (C91-C95)	3	-	-	2	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	-	1	-	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	8	3	2	2	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	3	1	2	-	-
DIABETES MELLITUS (E10-E14)	15	2	5	3	5
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	1	1	-	-
ALZHEIMER'S DISEASE (G30)	5	-	3	1	1
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	133	37	35	34	27
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	105	32	28	23	22
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	7	1	-	2	4
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	2	1	-	1	-
ISCHEMIC HEART DISEASE (I20-I25)	67	19	22	12	14
ACUTE MYOCARDIAL INFARCTION (I21-I22)	33	10	11	7	5
OTHER ACUTE HEART DISEASE (I24)	2	1	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	32	8	10	5	9
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	2	-	1	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	30	8	9	4	9
OTHER HEART DISEASE (I26-I51)	29	11	6	8	4
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	13	7	3	2	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	16	4	3	6	3

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Colleton

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	6	1	2	3	-
CEREBROVASCULAR DISEASE (I60-I69)	14	1	3	8	2
ATHEROSCLEROSIS (I70)	2	1	1	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	6	2	1	-	3
AORTIC ANEURYSM & DISSECTION (I71)	3	1	1	-	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	1	-	-	2
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	2	-	-	2	-
INFLUENZA & PNEUMONIA (J10-J18)	5	3	1	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	5	3	1	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	16	5	7	3	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	1	-	-
EMPHYSEMA (J43)	1	-	-	1	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	14	5	6	2	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	8	3	4	1	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	2	1	1	-	-
PEPTIC ULCER (K25-K28)	2	1	-	-	1
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	7	1	4	-	2
ALCOHOLIC LIVER DISEASE (K70)	3	-	1	-	2
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	4	1	3	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	1	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	6	2	2	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	1	-	-	-
RENAL FAILURE (N17-N19)	5	1	2	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	-	-	-	1
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	1	-	1	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	2	-	2	-	-
ALL OTHER DISEASE (RESIDUAL) **	29	7	5	9	8
ACCIDENT (V01-X59,Y85-Y86)	34	16	4	9	5
TRANSPORT ACCIDENTS (V01-V99,Y85)	23	12	3	4	4
MOTOR VEHICLE ACCIDENT*	23	12	3	4	4
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	11	4	1	5	1
ACCIDENTAL FALLS (W00-W19)	2	1	1	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	4	-	-	3	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	4	2	-	2	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	6	4	-	2	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	6	4	-	2	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	5	3	-	2	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	5	3	-	2	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	1	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Darlington

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	732	226	250	126	130
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	1	-	-	-
TUBERCULOSIS (A16-A19)	1	-	-	1	-
RESPIRATORY TUBERCULOSIS (A16)	1	-	-	1	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	15	3	4	4	4
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	-	3	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	165	54	53	37	21
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	5	2	1	1	1
OF ESOPHAGUS (C15)	6	4	1	1	-
OF STOMACH (C16)	4	-	-	3	1
OF COLON, RECTUM & ANUS (C18-C21)	20	8	5	6	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	-	1	1	-
OF PANCREAS (C25)	10	4	1	3	2
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	53	23	13	10	7
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	13	-	10	-	3
OF CERVIX UTERI (C53)	2	-	2	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	3	-	2	-	1
OF OVARY (C56)	5	-	4	-	1
OF PROSTATE (C61)	10	2	-	8	-
OF KIDNEY & RENAL PELVIS (C64-C65)	4	-	2	1	1
OF BLADDER (C67)	2	-	2	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	2	-	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	15	4	6	3	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	5	2	2	-	1
LEUKEMIA (C91-C95)	5	1	2	2	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	5	1	2	1	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	6	3	3	-	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	1	1	-	2
ANEMIAS (D50-D64)	2	-	2	-	-
DIABETES MELLITUS (E10-E14)	18	2	3	4	9
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	-	1
MALNUTRITION (E40-E46)	1	-	-	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	-	2	-	-
ALZHEIMER'S DISEASE (G30)	15	2	9	2	2
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	268	86	91	39	52
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	187	73	56	25	33
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	6	1	2	-	3
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	2	-	-	-	2
ISCHEMIC HEART DISEASE (I20-I25)	68	37	19	3	9
ACUTE MYOCARDIAL INFARCTION (I21-I22)	36	16	12	1	7
OTHER ACUTE HEART DISEASE (I24)	1	-	-	-	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	31	21	7	2	1
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	3	-	3	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	28	21	4	2	1
OTHER HEART DISEASE (I26-I51)	111	35	35	22	19
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	59	18	18	13	10
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	52	17	17	9	9

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Darlington

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	6	1	1	3	1
CEREBROVASCULAR DISEASE (I60-I69)	59	9	27	9	14
ATHEROSCLEROSIS (I70)	3	-	3	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	13	3	4	2	4
AORTIC ANEURYSM & DISSECTION (I71)	5	2	1	1	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	8	1	3	1	3
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	15	8	6	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	15	8	6	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	37	16	18	3	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	3	2	-	1	-
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	33	14	18	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	7	3	2	1	1
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	7	2	2	1	2
PEPTIC ULCER (K25-K28)	2	-	1	-	1
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	14	7	5	1	1
ALCOHOLIC LIVER DISEASE (K70)	4	4	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	10	3	5	1	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	-	1	-	1
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	15	4	4	1	6
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	-	-	1
RENAL FAILURE (N17-N19)	14	4	4	1	5
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	7	1	2	2	2
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	5	2	3	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	10	1	6	1	2
ALL OTHER DISEASE (RESIDUAL) **	66	13	24	11	18
ACCIDENT (V01-X59,Y85-Y86)	34	14	9	8	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	16	9	1	4	2
MOTOR VEHICLE ACCIDENT*	15	8	1	4	2
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	1	1	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	18	5	8	4	1
ACCIDENTAL FALLS (W00-W19)	2	-	1	1	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	1	-	1	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	2	-	2	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	6	4	2	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	7	1	2	3	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	6	5	-	1	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	4	3	-	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	2	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	5	-	-	3	2
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	3	-	-	3	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	2	-	-	-	2
LEGAL INTERVENTION (Y35,Y89.0)	1	1	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	3	-	1	2	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Dillon

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	294	91	84	54	65
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	5	3	1	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	-	3	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	51	14	16	11	10
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	4	1	-	2	1
OF ESOPHAGUS (C15)	2	1	-	1	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	10	2	2	2	4
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	-	1	-
OF PANCREAS (C25)	4	-	1	1	2
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	9	4	4	1	-
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	6	-	4	-	2
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	-	-	-	-	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	2	-	-	-
OF BLADDER (C67)	1	-	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	7	3	4	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	5	2	3	-	-
LEUKEMIA (C91-C95)	2	1	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	3	1	-	2	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	1	-	-
ANEMIAS (D50-D64)	2	-	-	-	2
DIABETES MELLITUS (E10-E14)	7	3	3	-	1
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	3	1	2	-	-
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	111	31	29	18	33
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	86	27	21	16	22
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	3	-	-	1	2
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1	-	-	-	1
ISCHEMIC HEART DISEASE (I20-I25)	39	11	10	7	11
ACUTE MYOCARDIAL INFARCTION (I21-I22)	15	3	4	3	5
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	24	8	6	4	6
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	8	3	2	1	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	16	5	4	3	4
OTHER HEART DISEASE (I26-I51)	43	16	11	8	8
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	-	-	1
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	9	3	4	-	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	33	13	7	8	5

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Dillon

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	4	1	1	-	2
CEREBROVASCULAR DISEASE (I60-I69)	18	2	6	2	8
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	3	1	1	-	1
AORTIC ANEURYSM & DISSECTION (I71)	2	1	-	-	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	1	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	1	-
INFLUENZA & PNEUMONIA (J10-J18)	8	1	5	2	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	8	1	5	2	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	-	-	-	1
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	-	-	-	1
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	12	5	6	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	-	1	1	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	10	5	5	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	2	1	1	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	6	4	1	1	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	6	1	2	1	2
ALCOHOLIC LIVER DISEASE (K70)	4	1	-	1	2
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	-	2	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	1	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	8	1	1	2	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	8	1	1	2	4
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	1	2	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	7	2	3	-	2
ALL OTHER DISEASE (RESIDUAL) **	18	4	7	1	6
ACCIDENT (V01-X59,Y85-Y86)	31	16	5	7	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	16	7	3	3	3
MOTOR VEHICLE ACCIDENT*	15	6	3	3	3
OTHER & TRANSPORT ACCIDENT*	1	1	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	15	9	2	4	-
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	1	-	-	1	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	2	2	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	4	3	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	8	4	2	2	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	1	1	-	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	4	-	-	4	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	4	-	-	4	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	1	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Dorchester

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	739	283	267	89	100
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	-	1	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	7	2	3	1	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	1	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	1	-	3	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	171	68	61	19	23
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	2	2	-	-	-
OF ESOPHAGUS (C15)	7	4	2	1	-
OF STOMACH (C16)	2	1	1	-	-
OF COLON, RECTUM & ANUS (C18-C21)	15	7	2	-	6
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	3	-	-	1
OF PANCREAS (C25)	10	4	3	2	1
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	63	26	27	6	4
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	13	-	8	-	5
OF CERVIX UTERI (C53)	2	-	1	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	2	-	-
OF OVARY (C56)	3	-	2	-	1
OF PROSTATE (C61)	9	4	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	1	-	-	-
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	2	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	11	4	4	2	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	-	2	-	-
LEUKEMIA (C91-C95)	3	2	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	2	1	2	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	21	8	8	2	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	2	-	2	-
ANEMIAS (D50-D64)	4	2	-	2	-
DIABETES MELLITUS (E10-E14)	25	7	9	4	5
NUTRITIONAL DEFICIENCIES (E40-E64)	4	2	-	-	2
MALNUTRITION (E40-E46)	4	2	-	-	2
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	5	3	2	-	-
ALZHEIMER'S DISEASE (G30)	13	5	7	-	1
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	271	102	102	28	39
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	180	80	58	15	27
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	5	-	1	1	3
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1	-	-	1	-
ISCHEMIC HEART DISEASE (I20-I25)	110	57	32	8	13
ACUTE MYOCARDIAL INFARCTION (I21-I22)	49	28	14	4	3
OTHER ACUTE HEART DISEASE (I24)	1	-	-	-	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	60	29	18	4	9
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	13	5	4	-	4
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	47	24	14	4	5
OTHER HEART DISEASE (I26-I51)	63	23	24	5	11
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	11	5	4	-	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	52	18	20	5	9

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Dorchester

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	12	3	8	1	-
CEREBROVASCULAR DISEASE (I60-I69)	67	16	32	9	10
ATHEROSCLEROSIS (I70)	1	-	-	1	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	11	3	4	2	2
AORTIC ANEURYSM & DISSECTION (I71)	4	2	1	1	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	7	1	3	1	2
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	1	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	6	2	1	1	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	6	2	1	1	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	35	14	17	2	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	3	1	2	-	-
EMPHYSEMA (J43)	1	-	1	-	-
ASTHMA (J45-J46)	2	-	1	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	29	13	13	2	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	4	2	1	1	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	7	2	3	-	2
PEPTIC ULCER (K25-K28)	2	1	-	1	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	9	5	1	3	-
ALCOHOLIC LIVER DISEASE (K70)	6	3	1	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	2	-	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	22	4	9	2	7
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	22	4	9	2	7
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	5	2	1	2	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	5	4	1	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	9	3	4	-	2
ALL OTHER DISEASE (RESIDUAL) **	65	18	28	9	10
ACCIDENT (V01-X59,Y85-Y86)	41	21	12	5	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	21	12	6	2	1
MOTOR VEHICLE ACCIDENT*	21	12	6	2	1
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	20	9	6	3	2
ACCIDENTAL FALLS (W00-W19)	5	2	1	1	1
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	2	-	-	1	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	2	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	8	3	4	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	8	6	1	1	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	5	4	1	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	3	2	-	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	1	1	1	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	3	1	1	1	-
LEGAL INTERVENTION (Y35,Y89.0)	2	1	-	1	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	-	1	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	-	-	1	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	1	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Edgefield

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	209	72	59	35	43
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	1	-	1	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	59	25	14	8	12
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	1	-	-	-
OF ESOPHAGUS (C15)	1	-	-	1	-
OF STOMACH (C16)	3	1	-	1	1
OF COLON, RECTUM & ANUS (C18-C21)	4	1	1	1	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	-	-	1
OF PANCREAS (C25)	3	-	1	1	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	15	9	3	2	1
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	8	-	5	-	3
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	4	-	2	-	2
OF PROSTATE (C61)	3	3	-	-	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	6	4	1	1	-
HODGKIN'S DISEASE (C81)	1	1	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	1	1	-	-
LEUKEMIA (C91-C95)	2	1	-	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	1	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	7	5	1	1	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	2	1	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	3	-	1	-	2
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	6	1	2	-	3
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	81	26	23	16	16
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	61	21	15	13	12
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	7	3	2	1	1
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	39	15	10	6	8
ACUTE MYOCARDIAL INFARCTION (I21-I22)	22	10	3	4	5
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	17	5	7	2	3
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	7	1	4	-	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	10	4	3	2	1
OTHER HEART DISEASE (I26-I51)	15	3	3	6	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	4	1	1	1	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	11	2	2	5	2

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Edgefield

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	8	1	-	3	4
CEREBROVASCULAR DISEASE (I60-I69)	8	2	6	-	-
ATHEROSCLEROSIS (I70)	2	-	2	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	1	1	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	1	-	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	5	1	2	-	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	5	1	2	-	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	14	6	3	4	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	1	-	1	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	12	5	3	3	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	1	-	-	1	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	2	1	1	-	-
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	3	1	-	1	1
ALCOHOLIC LIVER DISEASE (K70)	2	-	-	1	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	6	1	1	2	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	6	1	1	2	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	1	-	-	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	2	-	-	-	2
ALL OTHER DISEASE (RESIDUAL) **	10	1	5	2	2
ACCIDENT (V01-X59,Y85-Y86)	9	4	4	1	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	4	1	2	1	-
MOTOR VEHICLE ACCIDENT*	3	-	2	1	-
OTHER & TRANSPORT ACCIDENT*	1	1	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	5	3	2	-	-
ACCIDENTAL FALLS (W00-W19)	1	1	-	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	1	2	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	1	1	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	1	1	-	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	1	-	-	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	1	1	-	-	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Fairfield

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	281	67	73	82	59
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	4	2	-	1	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	1	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	58	24	11	14	9
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	4	1	-	3	-
OF ESOPHAGUS (C15)	1	1	-	-	-
OF STOMACH (C16)	1	1	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	9	5	-	3	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	1	1	-	-
OF PANCREAS (C25)	-	-	-	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	20	7	8	3	2
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	2	-	-	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	1	-	1
OF OVARY (C56)	2	-	-	-	2
OF PROSTATE (C61)	4	2	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	1	-	-
OF BLADDER (C67)	2	-	-	2	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	2	1	-	-	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	1	-	-	-
LEUKEMIA (C91-C95)	1	-	-	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	6	5	-	1	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	6	-	3	2	1
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	-	-	2
MALNUTRITION (E40-E46)	2	-	-	-	2
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	1	-	-	-
ALZHEIMER'S DISEASE (G30)	16	2	12	1	1
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	87	15	18	28	26
DISEASE OF HEART (I00-I09, I11, I13, I20-I51)	70	14	16	20	20
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	-	-	1
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	54	11	13	16	14
ACUTE MYOCARDIAL INFARCTION (I21-I22)	37	8	8	13	8
OTHER ACUTE HEART DISEASE (I24)	2	-	-	1	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20, I25)	15	3	5	2	5
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	4	1	1	1	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20, I25.1-I25.9)	11	2	4	1	4
OTHER HEART DISEASE (I26-I51)	15	3	3	4	5
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31, I40)	-	-	-	-	-
HEART FAILURE (I50)	6	1	1	1	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28, I34-I38, I42-I49, I51)	9	2	2	3	2

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Fairfield

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	3	-	1	2	-
CEREBROVASCULAR DISEASE (I60-I69)	14	1	1	6	6
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	-	-	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	2	-	-	2	-
INFLUENZA & PNEUMONIA (J10-J18)	6	1	2	2	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	6	1	2	2	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	18	4	5	6	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	18	4	5	6	3
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	5	2	1	-	2
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	3	-	2	1	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	-	1	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	2	2	-	-
ALCOHOLIC LIVER DISEASE (K70)	2	1	1	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	1	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	4	-	-	-	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	4	-	-	-	4
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	-	-	1	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	-	-	-	-	-
ALL OTHER DISEASE (RESIDUAL) **	31	6	12	8	5
ACCIDENT (V01-X59,Y85-Y86)	23	6	4	10	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	19	5	3	8	3
MOTOR VEHICLE ACCIDENT*	18	5	3	7	3
OTHER & TRANSPORT ACCIDENT*	1	-	-	1	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	4	1	1	2	-
ACCIDENTAL FALLS (W00-W19)	1	-	-	1	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	2	-	1	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	1	1	-	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	4	-	-	4	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	4	-	-	4	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Florence

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,353 *	409	431	259	253
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	1	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	1	1	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	1 *	-	-	-	-
SEPTICEMIA (A40-A41)	25	4	8	8	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	1	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	19	2	1	10	6
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	4	2	-	1	1
MALIGNANT NEOPLASMS (C00-C97)	286	95	85	58	48
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	4	2	1	-	1
OF ESOPHAGUS (C15)	11	3	1	7	-
OF STOMACH (C16)	4	1	1	-	2
OF COLON, RECTUM & ANUS (C18-C21)	30	9	7	6	8
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	3	1	-	-
OF PANCREAS (C25)	13	4	1	6	2
OF LARYNX (C32)	2	1	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	90	41	26	18	5
OF SKIN (C43)	3	2	1	-	-
OF BREAST (C50)	22	-	14	-	8
OF CERVIX UTERI (C53)	3	-	1	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	4	-	1	-	3
OF OVARY (C56)	7	-	6	-	1
OF PROSTATE (C61)	10	5	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	6	2	2	2	-
OF BLADDER (C67)	7	4	1	-	2
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	7	-	5	1	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	30	9	4	9	8
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	9	2	1	3	3
LEUKEMIA (C91-C95)	11	5	1	4	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	10	2	2	2	4
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	29	9	11	4	5
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	6	-	2	1	3
ANEMIAS (D50-D64)	2	-	-	-	2
DIABETES MELLITUS (E10-E14)	50	14	12	7	17
NUTRITIONAL DEFICIENCIES (E40-E64)	3	1	-	-	2
MALNUTRITION (E40-E46)	3	1	-	-	2
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	9	2	5	1	1
ALZHEIMER'S DISEASE (G30)	46	4	33	2	7
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	509	170	151	92	96
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	392	139	117	67	69
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	8	4	1	2	1
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1	-	1	-	-
ISCHEMIC HEART DISEASE (I20-I25)	239	91	67	38	43
ACUTE MYOCARDIAL INFARCTION (I21-I22)	114	46	23	22	23
OTHER ACUTE HEART DISEASE (I24)	1	-	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	124	45	43	16	20
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	33	9	15	3	6
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	91	36	28	13	14
OTHER HEART DISEASE (I26-I51)	143	44	47	27	25
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	58	15	23	10	10
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	85	29	24	17	15

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Florence

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	9	1	4	3	1
CEREBROVASCULAR DISEASE (I60-I69)	94	25	25	21	23
ATHEROSCLEROSIS (I70)	2	2	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	12	3	5	1	3
AORTIC ANEURYSM & DISSECTION (I71)	5	2	2	-	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	7	1	3	1	2
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	2	1	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	23	5	10	3	5
INFLUENZA (J10-J11)	1	-	-	1	-
PNEUMONIA (J12-J18)	22	5	10	2	5
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	64	25	28	9	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	2	-	2	-	-
EMPHYSEMA (J43)	7	4	2	1	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	54	21	23	8	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	11	4	3	2	2
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	21	7	9	2	3
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	-	-	1
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	14	3	5	3	3
ALCOHOLIC LIVER DISEASE (K70)	5	1	-	3	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	9	2	5	-	2
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	19	4	3	4	8
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	19	4	3	4	8
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	13	2	1	8	2
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	9	-	5	2	2
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	25	5	8	8	4
ALL OTHER DISEASE (RESIDUAL) **	119	25	47	19	28
ACCIDENT (V01-X59,Y85-Y86)	40	21	9	7	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	23	12	5	5	1
MOTOR VEHICLE ACCIDENT*	21	10	5	5	1
OTHER & TRANSPORT ACCIDENT*	2	2	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	17	9	4	2	2
ACCIDENTAL FALLS (W00-W19)	4	-	2	1	1
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	3	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	9	5	2	1	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	13	9	1	3	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	9	8	-	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	4	1	1	2	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	13	2	1	8	2
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	8	1	-	6	1
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	5	1	1	2	1
LEGAL INTERVENTION (Y35,Y89.0)	1	-	-	1	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	1	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	-	1	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Georgetown

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	599	217	188	98	96
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	14	6	2	1	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	3	2	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	1	-	1	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	1	-	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	129	52	41	19	17
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	5	2	1	1	1
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	15	4	5	1	5
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	2	-	2	-
OF PANCREAS (C25)	2	1	-	1	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	40	20	14	4	2
OF SKIN (C43)	2	-	2	-	-
OF BREAST (C50)	11	-	5	-	6
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	3	-	3	-	-
OF PROSTATE (C61)	5	3	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	6	3	-	2	1
OF BLADDER (C67)	5	2	2	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	11	6	4	1	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	7	5	1	1	-
LEUKEMIA (C91-C95)	3	1	2	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	-	1	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	17	9	4	3	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	6	3	1	2	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	21	5	4	6	6
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	3	-	2	1	-
ALZHEIMER'S DISEASE (G30)	25	5	16	2	2
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	189	63	58	33	35
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	138	49	47	20	22
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	1	-	1	2
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	89	35	29	15	10
ACUTE MYOCARDIAL INFARCTION (I21-I22)	51	18	13	12	8
OTHER ACUTE HEART DISEASE (I24)	1	-	-	1	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	37	17	16	2	2
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	2	1	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	35	16	15	2	2
OTHER HEART DISEASE (I26-I51)	44	13	17	4	10
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	13	4	5	1	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	31	9	12	3	7

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Georgetown

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	9	2	1	2	4
CEREBROVASCULAR DISEASE (I60-I69)	37	10	8	11	8
ATHEROSCLEROSIS (I70)	2	-	1	-	1
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	3	2	1	-	-
AORTIC ANEURYSM & DISSECTION (I71)	2	2	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	1	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	-	1
INFLUENZA & PNEUMONIA (J10-J18)	11	6	4	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	11	6	4	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	37	19	13	3	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	1	1	-	-
ASTHMA (J45-J46)	1	-	-	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	34	18	12	3	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	4	2	2	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	7	2	4	-	1
PEPTIC ULCER (K25-K28)	1	1	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	14	9	4	-	1
ALCOHOLIC LIVER DISEASE (K70)	9	5	3	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	5	4	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	1	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	14	2	3	4	5
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	14	2	3	4	5
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	1	1	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	6	-	2	1	3
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	2	1	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	7	3	2	1	1
ALL OTHER DISEASE (RESIDUAL) **	55	13	20	7	15
ACCIDENT (V01-X59,Y85-Y86)	34	16	6	11	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	22	10	1	10	1
MOTOR VEHICLE ACCIDENT*	21	10	1	9	1
OTHER & TRANSPORT ACCIDENT*	1	-	-	1	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	12	6	5	1	-
ACCIDENTAL FALLS (W00-W19)	1	-	-	1	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	-	1	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	1	1	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	7	3	4	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	5	3	-	2	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	4	3	-	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	-	-	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	-	2	-	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	2	-	2	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	-	1	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	-	-	1	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	1	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Greenville

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	3,398 *	1,355	1,427	333	282
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	7	3	4	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	53	12	32	3	6
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	5	3	1	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	20	7	2	7	4
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	12	5	6	1	-
MALIGNANT NEOPLASMS (C00-C97)	730	328	262	79	61
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	8	3	3	2	-
OF ESOPHAGUS (C15)	12	8	2	2	-
OF STOMACH (C16)	16	7	5	3	1
OF COLON, RECTUM & ANUS (C18-C21)	70	36	19	8	7
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	17	9	5	2	1
OF PANCREAS (C25)	37	16	16	2	3
OF LARYNX (C32)	5	3	-	2	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	233	115	73	32	13
OF SKIN (C43)	10	7	3	-	-
OF BREAST (C50)	60	1	47	-	12
OF CERVIX UTERI (C53)	7	-	5	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	7	-	3	-	4
OF OVARY (C56)	15	-	13	-	2
OF PROSTATE (C61)	28	19	-	9	-
OF KIDNEY & RENAL PELVIS (C64-C65)	17	13	2	-	2
OF BLADDER (C67)	16	10	4	2	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	20	11	9	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	76	34	28	6	8
HODGKIN'S DISEASE (C81)	1	-	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	31	13	13	4	1
LEUKEMIA (C91-C95)	32	17	9	2	4
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	12	4	5	-	3
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	76	36	25	9	6
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	16	2	12	1	1
ANEMIAS (D50-D64)	7	1	6	-	-
DIABETES MELLITUS (E10-E14)	120	42	45	14	19
NUTRITIONAL DEFICIENCIES (E40-E64)	7	3	1	1	2
MALNUTRITION (E40-E46)	7	3	1	1	2
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	1	-	-	1	-
PARKINSON'S DISEASE (G20-G21)	29	14	14	1	-
ALZHEIMER'S DISEASE (G30)	87	16	61	3	7
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	1,030	410	438	103	79
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	778	333	303	79	63
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	5	-	3	-	2
HYPERTENSIVE HEART DISEASE (I11)	29	11	7	5	6
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	5	3	1	1	-
ISCHEMIC HEART DISEASE (I20-I25)	525	246	182	57	40
ACUTE MYOCARDIAL INFARCTION (I21-I22)	178	76	68	16	18
OTHER ACUTE HEART DISEASE (I24)	2	1	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	345	169	113	41	22
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	60	28	15	13	4
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	285	141	98	28	18
OTHER HEART DISEASE (I26-I51)	214	73	110	16	15
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	1	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	-	1	-	-
HEART FAILURE (I50)	72	27	40	1	4
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	140	46	68	15	11

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Greenville

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	25	7	12	5	1
CEREBROVASCULAR DISEASE (I60-I69)	195	61	104	15	15
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	32	9	19	4	-
AORTIC ANEURYSM & DISSECTION (I71)	19	6	9	4	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	13	3	10	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	7	4	2	1	-
INFLUENZA & PNEUMONIA (J10-J18)	89	24	51	7	7
INFLUENZA (J10-J11)	5	1	4	-	-
PNEUMONIA (J12-J18)	84	23	47	7	7
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	2	-	1	-	1
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	2	-	1	-	1
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	176	77	80	12	7
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	18	11	6	1	-
ASTHMA (J45-J46)	7	1	5	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	151	65	69	10	7
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	26	12	10	1	3
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	39	18	15	4	2
PEPTIC ULCER (K25-K28)	4	2	1	-	1
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	39	19	14	5	1
ALCOHOLIC LIVER DISEASE (K70)	19	10	7	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	20	9	7	3	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	3	-	2	1	-
NEPHRITIS, NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	79	28	28	5	18
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	2	-	2	-	-
RENAL FAILURE (N17-N19)	77	28	26	5	18
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	1	-	1	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	21	5	3	7	6
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	10	5	4	-	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS, NOT CLASSIFIED (R0-99)	32	6	19	5	2
ALL OTHER DISEASE (RESIDUAL) **	412 *	144	207	27	33
ACCIDENT (V01-X59,Y85-Y86)	227	110	73	29	15
TRANSPORT ACCIDENTS (V01-V99,Y85)	96	52	27	13	4
MOTOR VEHICLE ACCIDENT*	93	51	27	11	4
OTHER & TRANSPORT ACCIDENT*	3	1	-	2	-
WATER, AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	131	58	46	16	11
ACCIDENTAL FALLS (W00-W19)	36	14	16	4	2
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	-	1	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	4	1	2	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	3	-	2	-	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	53	26	16	7	4
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	34	17	9	4	4
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	71	45	22	4	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARM (X72-X74)	38	28	6	4	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	33	17	16	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	29	9	7	10	3
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	18	6	4	5	3
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	11	3	3	5	-
LEGAL INTERVENTION (Y35,Y89.0)	1	-	-	1	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	4	1	2	-	1
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	4	1	2	-	1
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	1	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Greenwood

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	700 *	222	277	99	101
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	6	2	3	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	-	-	2	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	5	2	3	-	-
MALIGNANT NEOPLASMS (C00-C97)	152	54	58	21	19
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	5	3	-	1	1
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	9	1	5	2	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	7	4	1	1	1
OF PANCREAS (C25)	11	2	6	1	2
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	50	26	12	9	3
OF SKIN (C43)	2	-	2	-	-
OF BREAST (C50)	14	-	10	-	4
OF CERVIX UTERI (C53)	3	-	2	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	2	-	-
OF OVARY (C56)	4	-	2	-	2
OF PROSTATE (C61)	6	4	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	-	1	-
OF BLADDER (C67)	2	1	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	-	1	2	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	12	4	5	-	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	5	1	3	-	1
LEUKEMIA (C91-C95)	5	2	2	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	1	-	-	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	20	8	9	2	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	1	1	-	1
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	20	5	5	3	7
NUTRITIONAL DEFICIENCIES (E40-E64)	3	1	2	-	-
MALNUTRITION (E40-E46)	3	1	2	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	1	1	-	-	-
PARKINSON'S DISEASE (G20-G21)	5	1	3	1	-
ALZHEIMER'S DISEASE (G30)	26	6	16	2	2
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	231	62	96	34	39
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	156	44	64	22	26
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	12	3	5	-	4
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1	-	1	-	-
ISCHEMIC HEART DISEASE (I20-I25)	86	30	35	13	8
ACUTE MYOCARDIAL INFARCTION (I21-I22)	40	11	14	8	7
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	46	19	21	5	1
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	1	-	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	45	19	20	5	1
OTHER HEART DISEASE (I26-I51)	56	11	22	9	14
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	23	5	12	3	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	33	6	10	6	11

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Greenwood

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	9	2	3	2	2
CEREBROVASCULAR DISEASE (I60-I69)	50	12	24	5	9
ATHEROSCLEROSIS (I70)	3	-	1	1	1
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	13	4	4	4	1
AORTIC ANEURYSM & DISSECTION (I71)	7	2	2	2	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	6	2	2	2	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	2	-	-	1	1
INFLUENZA & PNEUMONIA (J10-J18)	14	5	6	1	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	14	5	6	1	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	32	16	16	-	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	1	-	-	-
EMPHYSEMA (J43)	7	4	3	-	-
ASTHMA (J45-J46)	2	-	2	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	22	11	11	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	5	3	1	-	1
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	8	4	4	-	-
PEPTIC ULCER (K25-K28)	3	2	1	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	-	1	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	2	1	-	1
ALCOHOLIC LIVER DISEASE (K70)	2	1	-	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	1	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	-	1	1	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	21	5	7	4	5
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	1	-	-	-	1
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	20	5	7	4	4
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	11	1	1	7	2
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	-	2	-	2
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	3 *	1	-	1	-
ALL OTHER DISEASE (RESIDUAL) **	89	23	43	10	13
ACCIDENT (V01-X59,Y85-Y86)	39	20	7	8	4
TRANSPORT ACCIDENTS (V01-V99,Y85)	21	10	3	6	2
MOTOR VEHICLE ACCIDENT*	21	10	3	6	2
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	18	10	4	2	2
ACCIDENTAL FALLS (W00-W19)	5	1	2	1	1
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	2	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	9	6	2	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	6	5	-	1	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	5	4	-	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	-	-	1	1
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	2	-	-	1	1
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Hampton

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	185	54	30	55	46
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	4	1	-	2	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	-	3	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	1	-	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	43	15	7	10	11
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	1	-	-	-	1
OF COLON, RECTUM & ANUS (C18-C21)	4	1	2	1	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	-	-	-	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	13	8	-	3	2
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	5	1	2	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	6	1	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	6	2	2	-	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	-	2	-	1
LEUKEMIA (C91-C95)	1	1	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	1	-	-	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	7	2	1	1	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	13	1	1	4	7
NUTRITIONAL DEFICIENCIES (E40-E64)	2	1	1	-	-
MALNUTRITION (E40-E46)	2	1	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	4	-	3	1	-
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	53	14	7	16	16
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	35	10	6	11	8
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	1	2	-	1
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	19	5	3	7	4
ACUTE MYOCARDIAL INFARCTION (I21-I22)	7	1	2	2	2
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	12	4	1	5	2
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	5	1	-	2	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	7	3	1	3	-
OTHER HEART DISEASE (I26-I51)	12	4	1	4	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	6	2	1	2	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	6	2	-	2	2

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Hampton

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	4	1	-	-	3
CEREBROVASCULAR DISEASE (I60-I69)	14	3	1	5	5
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	-	-	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	-	1
INFLUENZA & PNEUMONIA (J10-J18)	5	1	2	1	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	5	1	2	1	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	8	6	-	1	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	1	-	-	-
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	6	5	-	-	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	1	1	-	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	2	2	-	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	2	-	2	-
ALCOHOLIC LIVER DISEASE (K70)	4	2	-	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	8	1	4	1	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	8	1	4	1	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	-	-	1	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	-	-	-	-	-
ALL OTHER DISEASE (RESIDUAL) **	17	4	4	5	4
ACCIDENT (V01-X59,Y85-Y86)	7	2	-	4	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	2	-	-	2	-
MOTOR VEHICLE ACCIDENT*	2	-	-	2	-
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	5	2	-	2	1
ACCIDENTAL FALLS (W00-W19)	1	-	-	1	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	4	2	-	1	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	1	-	1	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	2	1	-	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	1	-	2	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	3	1	-	2	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	1	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	1	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Horry

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	2,211 *	1,020	900	135	155
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	2	1	1	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	34	12	14	4	4
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	6	4	1	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	9	4	1	1	3
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	4	3	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	556	274	228	28	26
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	4	2	2	-	-
OF ESOPHAGUS (C15)	15	14	1	-	-
OF STOMACH (C16)	3	2	1	-	-
OF COLON, RECTUM & ANUS (C18-C21)	59	36	17	2	4
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	20	10	7	3	-
OF PANCREAS (C25)	32	12	16	2	2
OF LARYNX (C32)	3	3	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	185	99	70	10	6
OF SKIN (C43)	5	4	1	-	-
OF BREAST (C50)	37	-	33	-	4
OF CERVIX UTERI (C53)	2	-	2	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	5	-	4	-	1
OF OVARY (C56)	15	-	14	-	1
OF PROSTATE (C61)	19	15	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	7	3	3	-	1
OF BLADDER (C67)	11	10	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	18	11	7	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	53	22	25	4	2
HODGKIN'S DISEASE (C81)	1	-	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	19	8	10	1	-
LEUKEMIA (C91-C95)	22	9	9	3	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	11	5	5	-	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	63	31	24	3	5
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	16	8	5	1	2
ANEMIAS (D50-D64)	5	3	1	-	1
DIABETES MELLITUS (E10-E14)	64	24	28	5	7
NUTRITIONAL DEFICIENCIES (E40-E64)	3	3	-	-	-
MALNUTRITION (E40-E46)	3	3	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	1	1	-	-	-
PARKINSON'S DISEASE (G20-G21)	16	9	7	-	-
ALZHEIMER'S DISEASE (G30)	86	29	51	-	6
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	723 *	331	294	43	54
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	541 *	268	211	33	28
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	4	1	3	-	-
HYPERTENSIVE HEART DISEASE (I11)	16	4	8	2	2
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	2	-	1	1	-
ISCHEMIC HEART DISEASE (I20-I25)	358 *	202	114	21	20
ACUTE MYOCARDIAL INFARCTION (I21-I22)	187	115	47	13	12
OTHER ACUTE HEART DISEASE (I24)	2	1	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	169 *	86	66	8	8
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	33 *	17	10	4	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	136	69	56	4	7
OTHER HEART DISEASE (I26-I51)	161	61	85	9	6
ACUTE & SUBACUTE ENDOCARDITIS (I33)	2	1	1	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	2	2	-	-	-
HEART FAILURE (I50)	43	19	21	1	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	114	39	63	8	4

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Horry

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	19	2	10	1	6
CEREBROVASCULAR DISEASE (I60-I69)	138	46	68	9	15
ATHEROSCLEROSIS (I70)	5	2	1	-	2
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	20	13	4	-	3
AORTIC ANEURYSM & DISSECTION (I71)	12	10	2	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	8	3	2	-	3
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	4	1	3	-	-
INFLUENZA & PNEUMONIA (J10-J18)	40	20	17	1	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	40	20	17	1	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	105	44	57	3	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	14	6	8	-	-
ASTHMA (J45-J46)	3	-	3	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	88	38	46	3	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	5	3	2	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	29	11	15	1	2
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	38	22	11	2	3
ALCOHOLIC LIVER DISEASE (K70)	14	9	4	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	24	13	7	2	2
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	5	1	3	1	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	44	18	18	1	7
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	44	18	18	1	7
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	1	1	-	-	-
HYPERPLASIA OF PROSTATE (N40)	1	1	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	1	-	-	-	1
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	12	3	5	1	3
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	2	-	-	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	24	9	13	-	2
ALL OTHER DISEASE (RESIDUAL) **	182	74	79	14	15
ACCIDENT (V01-X59,Y85-Y86)	134	67	34	21	12
TRANSPORT ACCIDENTS (V01-V99,Y85)	59	30	14	8	7
MOTOR VEHICLE ACCIDENT*	58	29	14	8	7
OTHER & TRANSPORT ACCIDENT*	1	1	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	75	37	20	13	5
ACCIDENTAL FALLS (W00-W19)	11	5	3	2	1
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	1	-	1	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	12	4	-	5	3
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	4	3	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	28	14	13	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	19	11	3	4	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	27	19	7	-	1
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	14	10	3	-	1
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	13	9	4	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	25	14	4	6	1
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	15	9	3	3	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	10	5	1	3	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	4	3	-	1	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	1	1	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	3	2	-	1	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Jasper

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	181 *	38	44	48	49
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	4 *	2	-	1	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	-	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	1	-	1	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	42	12	8	7	15
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	2	1	-	-	1
OF STOMACH (C16)	1	-	-	-	1
OF COLON, RECTUM & ANUS (C18-C21)	3	1	1	-	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	3	2	-	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	7	2	4	-	1
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	3	-	1	-	2
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	4	-	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	1	-	-	-
OF BLADDER (C67)	2	1	-	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	-	-	-	2
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	5	3	-	1	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	2	-	-	-
LEUKEMIA (C91-C95)	1	1	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	-	-	1	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	7	1	2	1	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	-	-	1	2
ANEMIAS (D50-D64)	1	-	-	1	-
DIABETES MELLITUS (E10-E14)	4	-	1	2	1
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	-	1	-	-
ALZHEIMER'S DISEASE (G30)	1	-	-	-	1
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	55	11	20	14	10
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	48	10	18	11	9
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	1	1	-	-	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	17	4	5	4	4
ACUTE MYOCARDIAL INFARCTION (I21-I22)	13	4	5	1	3
OTHER ACUTE HEART DISEASE (I24)	2	-	-	1	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	2	-	-	2	-
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	-	-	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	2	-	-	2	-
OTHER HEART DISEASE (I26-I51)	29	5	13	7	4
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	24	5	12	5	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	5	-	1	2	2

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Jasper

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	1	-	1	-	-
CEREBROVASCULAR DISEASE (I60-I69)	5	-	1	3	1
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	1	1	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	1	1	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	1	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	5	-	1	-	4
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	5	-	1	-	4
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	5	-	4	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	3	-	2	1	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	2	-	2	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	2	-	-	1	1
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	1	-	1	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	-	-	1
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	-	-	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	5	1	-	-	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	5	1	-	-	4
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	1	-	1	1
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	-	1	1	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	4	-	-	4	-
ALL OTHER DISEASE (RESIDUAL) **	14	2	3	5	4
ACCIDENT (V01-X59,Y85-Y86)	17 *	3	3	6	4
TRANSPORT ACCIDENTS (V01-V99,Y85)	9 *	2	1	3	2
MOTOR VEHICLE ACCIDENT*	9 *	2	1	3	2
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	8	1	2	3	2
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	4	1	1	1	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	2	-	1	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	3	3	-	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	2	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	1	1	1	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	1	1	-	-	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	2	-	1	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Kershaw

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	505	185	175	79	66
SALMONELLE INFECTIONS (A01-A02)	1	1	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	-	1	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	10	5	2	-	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	-	-	2	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	1	1	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	136	54	43	27	12
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	3	-	-	3	-
OF ESOPHAGUS (C15)	6	2	1	3	-
OF STOMACH (C16)	2	-	1	1	-
OF COLON, RECTUM & ANUS (C18-C21)	8	2	1	3	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	1	1	2	-
OF PANCREAS (C25)	9	5	4	-	-
OF LARYNX (C32)	2	1	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	41	22	12	5	2
OF SKIN (C43)	1	-	1	-	-
OF BREAST (C50)	6	-	3	-	3
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	3	-	3	-	-
OF PROSTATE (C61)	7	5	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	-	1	-
OF BLADDER (C67)	5	4	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	1	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	8	1	5	1	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	5	1	4	-	-
LEUKEMIA (C91-C95)	2	-	-	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	-	1	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	25	9	9	5	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	1	-	-
ANEMIAS (D50-D64)	2	-	-	-	2
DIABETES MELLITUS (E10-E14)	18	7	7	2	2
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	1	1	-	-
ALZHEIMER'S DISEASE (G30)	10	3	7	-	-
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	171	58	57	28	28
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	124	48	40	19	17
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	2	1	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	5	1	-	2	2
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	68	28	22	10	8
ACUTE MYOCARDIAL INFARCTION (I21-I22)	31	8	12	6	5
OTHER ACUTE HEART DISEASE (I24)	1	-	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	36	20	9	4	3
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	1	1	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	35	19	9	4	3
OTHER HEART DISEASE (I26-I51)	49	18	17	7	7
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	15	7	6	-	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	34	11	11	7	5

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Kershaw

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	4	1	2	1	-
CEREBROVASCULAR DISEASE (I60-I69)	37	8	11	7	11
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	6	1	4	1	-
AORTIC ANEURYSM & DISSECTION (I71)	1	-	1	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	5	1	3	1	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	-	1
INFLUENZA & PNEUMONIA (J10-J18)	12	5	4	1	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	12	5	4	1	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	24	10	10	2	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	1	-	-	-
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	22	9	10	1	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	6	2	3	-	1
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	5	3	2	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	8	5	3	-	-
ALCOHOLIC LIVER DISEASE (K70)	3	1	2	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	5	4	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	12	5	2	2	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	12	5	2	2	3
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	1	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	1	-	1	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	1	-	-	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	1	1	1	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	4	1	-	2	1
ALL OTHER DISEASE (RESIDUAL) **	40	8	20	7	5
ACCIDENT (V01-X59,Y85-Y86)	21	12	5	1	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	12	8	1	1	2
MOTOR VEHICLE ACCIDENT*	12	8	1	1	2
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	9	4	4	-	1
ACCIDENTAL FALLS (W00-W19)	2	2	-	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	1	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	4	-	3	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	4	2	2	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	4	2	2	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	4	-	1	2	1
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	2	-	1	1	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	2	-	-	1	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	-	1	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	-	-	1	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	1	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Lancaster

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	552	197	218	60	77
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	1	-	1	-	-
SEPTICEMIA (A40-A41)	17	5	12	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	1	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	2	1	-	-	1
MALIGNANT NEOPLASMS (C00-C97)	106	50	40	5	11
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	-	1	-	-
OF ESOPHAGUS (C15)	3	1	2	-	-
OF STOMACH (C16)	4	1	1	1	1
OF COLON, RECTUM & ANUS (C18-C21)	9	3	3	-	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	-	2	-	-
OF PANCREAS (C25)	2	1	-	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	43	28	12	-	3
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	5	-	4	-	1
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	5	-	4	-	1
OF PROSTATE (C61)	8	6	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	4	2	2	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	1	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	5	3	1	-	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	1	1	-	-
LEUKEMIA (C91-C95)	3	2	-	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	14	4	8	2	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	1	1	-	1
ANEMIAS (D50-D64)	2	-	1	1	-
DIABETES MELLITUS (E10-E14)	9	2	4	1	2
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	1	1	-	-
ALZHEIMER'S DISEASE (G30)	12	1	7	-	4
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	213	64	86	28	35
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	161	55	64	20	22
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	3	-	2	1	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	97	40	32	13	12
ACUTE MYOCARDIAL INFARCTION (I21-I22)	59	21	18	10	10
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	38	19	14	3	2
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	4	-	3	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	34	19	11	2	2
OTHER HEART DISEASE (I26-I51)	60	15	29	6	10
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	18	8	6	2	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	42	7	23	4	8

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Lancaster

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	3	1	-	-	2
CEREBROVASCULAR DISEASE (I60-I69)	39	5	19	6	9
ATHEROSCLEROSIS (I70)	1	-	-	-	1
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	9	3	3	2	1
AORTIC ANEURYSM & DISSECTION (I71)	6	3	2	1	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	-	1	1	1
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	2	-	1	-	1
INFLUENZA & PNEUMONIA (J10-J18)	15	4	9	2	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	15	4	9	2	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	23	10	9	2	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	6	3	1	1	1
ASTHMA (J45-J46)	1	-	-	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	16	7	8	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	-	1	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	4	2	1	-	1
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	9	5	2	1	1
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	10	5	4	1	-
ALCOHOLIC LIVER DISEASE (K70)	4	2	2	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	6	3	2	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	1	1	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	17	4	6	5	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	1	-	-	-
RENAL FAILURE (N17-N19)	16	3	6	5	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	5	1	-	1	3
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	-	1	-	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	7	1	4	1	1
ALL OTHER DISEASE (RESIDUAL) **	43	14	18	3	8
ACCIDENT (V01-X59,Y85-Y86)	31	19	5	4	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	21	12	4	2	3
MOTOR VEHICLE ACCIDENT*	21	12	4	2	3
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	10	7	1	2	-
ACCIDENTAL FALLS (W00-W19)	3	2	1	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	4	4	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	2	-	-	2	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	7	5	1	1	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	5	3	1	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	2	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	-	2	1	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	2	-	1	1	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	1	-	-
LEGAL INTERVENTION (Y35,Y89.0)	1	-	-	1	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	1	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Laurens

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	746	273	292	90	91
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	9	5	1	-	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	1	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	1	1	1	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	155	65	43	28	19
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	1	-	-	-
OF ESOPHAGUS (C15)	3	3	-	-	-
OF STOMACH (C16)	8	2	3	3	-
OF COLON, RECTUM & ANUS (C18-C21)	15	2	5	2	6
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	12	5	3	3	1
OF PANCREAS (C25)	7	3	2	2	-
OF LARYNX (C32)	2	2	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	51	24	14	9	4
OF SKIN (C43)	2	2	-	-	-
OF BREAST (C50)	7	-	5	-	2
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	12	6	-	6	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	1	-	-	-
OF BLADDER (C67)	2	2	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	1	2	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	11	5	2	3	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	2	1	1	-
LEUKEMIA (C91-C95)	4	2	1	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	1	-	1	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	15	6	6	-	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	1	1	-	1
ANEMIAS (D50-D64)	3	1	1	1	-
DIABETES MELLITUS (E10-E14)	31	10	13	4	4
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	1	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	-	1	-
MENINGITIS (G00-G03)	1	-	-	1	-
PARKINSON'S DISEASE (G20-G21)	2	1	-	1	-
ALZHEIMER'S DISEASE (G30)	34	8	26	-	-
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	270	95	108	31	36
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	201	72	83	19	27
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	2	-	1	-	1
HYPERTENSIVE HEART DISEASE (I11)	11	2	4	3	2
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1	1	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	71	37	22	4	8
ACUTE MYOCARDIAL INFARCTION (I21-I22)	33	14	10	4	5
OTHER ACUTE HEART DISEASE (I24)	3	1	1	-	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	35	22	11	-	2
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	2	2	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	33	20	11	-	2
OTHER HEART DISEASE (I26-I51)	116	32	56	12	16
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	25	7	14	-	4
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	91	25	42	12	12

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Laurens

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	11	2	3	6	-
CEREBROVASCULAR DISEASE (I60-I69)	44	15	17	4	8
ATHEROSCLEROSIS (I70)	3	2	1	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	11	4	4	2	1
AORTIC ANEURYSM & DISSECTION (I71)	7	3	3	1	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4	1	1	1	1
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	2	-	2	-	-
INFLUENZA & PNEUMONIA (J10-J18)	22	7	10	3	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	22	7	10	3	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	42	18	19	2	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	5	4	-	-	1
ASTHMA (J45-J46)	1	1	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	36	13	19	2	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	4	1	3	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	10	2	6	1	1
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	9	6	3	-	-
ALCOHOLIC LIVER DISEASE (K70)	2	2	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	7	4	3	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS, NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	12	4	3	3	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	12	4	3	3	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	1	1	1	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS, NOT CLASSIFIED (R0-99)	4	4	-	-	-
ALL OTHER DISEASE (RESIDUAL) **	67	14	35	5	13
ACCIDENT (V01-X59,Y85-Y86)	44	22	13	4	5
TRANSPORT ACCIDENTS (V01-V99,Y85)	15	8	4	3	-
MOTOR VEHICLE ACCIDENT*	15	8	4	3	-
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER, AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	29	14	9	1	5
ACCIDENTAL FALLS (W00-W19)	2	1	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	2	1	-	1	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	1	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	13	7	5	-	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	11	5	2	-	4
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	7	5	1	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARM (X72-X74)	5	3	1	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	2	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	4	1	-	2	1
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	3	-	-	2	1
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	1	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Lee

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	231	55	45	69	62
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	8	2	1	1	4
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	-	-	1	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	56	16	9	19	12
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	5	-	-	3	2
OF STOMACH (C16)	1	-	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	3	1	-	2	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	2	-	1	-
OF PANCREAS (C25)	1	-	-	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	20	7	5	5	3
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	4	-	3	-	1
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	6	1	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	-	-	1
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	2	1	1	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	-	1	-	-
LEUKEMIA (C91-C95)	-	-	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	1	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	7	3	-	2	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	5	1	3	-	1
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	13	3	2	6	2
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	-	-	1	-
ALZHEIMER'S DISEASE (G30)	5	1	2	1	1
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	71	14	12	19	26
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	51	10	10	9	22
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	1	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	2	-	-	1	1
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	31	5	5	7	14
ACUTE MYOCARDIAL INFARCTION (I21-I22)	17	1	1	6	9
OTHER ACUTE HEART DISEASE (I24)	1	1	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	13	3	4	1	5
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	3	-	2	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	10	3	2	1	4
OTHER HEART DISEASE (I26-I51)	17	4	5	1	7
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	3	-	1	-	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	14	4	4	1	5

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Lee

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	5	-	-	3	2
CEREBROVASCULAR DISEASE (I60-I69)	15	4	2	7	2
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	-	-	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	4	-	2	1	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	4	-	2	1	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	9	4	3	1	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	-	-	1
EMPHYSEMA (J43)	1	-	-	1	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	7	4	3	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	-	-	-	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	2	-	2	-
ALCOHOLIC LIVER DISEASE (K70)	4	2	-	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	6	-	-	3	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	6	-	-	3	3
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	-	2	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	5	1	1	1	2
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS, NOT CLASSIFIED (R0-99)	1	-	1	-	-
ALL OTHER DISEASE (RESIDUAL) **	19	4	4	5	6
ACCIDENT (V01-X59,Y85-Y86)	16	6	5	4	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	12	6	3	2	1
MOTOR VEHICLE ACCIDENT*	12	6	3	2	1
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER, AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	4	-	2	2	-
ACCIDENTAL FALLS (W00-W19)	2	-	2	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	-	-	2	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	-	-	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARM (X72-X74)	-	-	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	-	-	2	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Lexington

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,830	789	831	108	102
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	4	1	1	-	2
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	23	10	11	1	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	1	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	9	5	-	4	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	2	1	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	395	195	159	22	19
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	6	2	3	1	-
OF ESOPHAGUS (C15)	4	3	1	-	-
OF STOMACH (C16)	6	2	4	-	-
OF COLON, RECTUM & ANUS (C18-C21)	30	18	9	1	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	8	6	2	-	-
OF PANCREAS (C25)	16	7	6	1	2
OF LARYNX (C32)	2	2	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	131	69	51	7	4
OF SKIN (C43)	11	9	2	-	-
OF BREAST (C50)	29	-	26	-	3
OF CERVIX UTERI (C53)	1	-	1	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	4	-	1	-	3
OF OVARY (C56)	11	-	9	-	2
OF PROSTATE (C61)	25	18	-	7	-
OF KIDNEY & RENAL PELVIS (C64-C65)	12	8	3	1	-
OF BLADDER (C67)	11	6	4	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	10	5	3	-	2
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	34	20	13	1	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	17	9	8	-	-
LEUKEMIA (C91-C95)	9	4	4	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	8	7	1	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	44	20	21	2	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	9	5	3	-	1
ANEMIAS (D50-D64)	4	1	2	-	1
DIABETES MELLITUS (E10-E14)	34	7	16	5	6
NUTRITIONAL DEFICIENCIES (E40-E64)	1	1	-	-	-
MALNUTRITION (E40-E46)	1	1	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	2	1	1	-	-
PARKINSON'S DISEASE (G20-G21)	14	6	8	-	-
ALZHEIMER'S DISEASE (G30)	80	26	51	-	3
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	598	258	276	29	35
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	452	211	204	16	21
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	7	3	3	1	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1	-	-	1	-
ISCHEMIC HEART DISEASE (I20-I25)	278	144	113	9	12
ACUTE MYOCARDIAL INFARCTION (I21-I22)	130	69	49	5	7
OTHER ACUTE HEART DISEASE (I24)	1	-	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	147	75	63	4	5
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	12	8	3	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	135	67	60	3	5
OTHER HEART DISEASE (I26-I51)	165	64	87	5	9
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	1	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	-	1	-	-
HEART FAILURE (I50)	43	10	26	3	4
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	120	54	59	2	5

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Lexington

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	10	4	2	2	2
CEREBROVASCULAR DISEASE (I60-I69)	115	36	60	10	9
ATHEROSCLEROSIS (I70)	2	1	1	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	19	6	9	1	3
AORTIC ANEURYSM & DISSECTION (I71)	8	4	4	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	11	2	5	1	3
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	8	5	3	-	-
INFLUENZA & PNEUMONIA (J10-J18)	39	21	16	1	1
INFLUENZA (J10-J11)	1	1	-	-	-
PNEUMONIA (J12-J18)	38	20	16	1	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	81	38	38	3	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	5	2	2	1	-
ASTHMA (J45-J46)	5	1	3	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	71	35	33	1	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	17	14	3	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	14	1	8	4	1
PEPTIC ULCER (K25-K28)	2	1	-	1	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	21	11	8	1	1
ALCOHOLIC LIVER DISEASE (K70)	12	8	2	1	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	9	3	6	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	7	4	3	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	38	18	16	3	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	38	18	16	3	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	1	1	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	9	2	1	4	2
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	-	2	2	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	32	8	22	1	1
ALL OTHER DISEASE (RESIDUAL) **	235	67	135	13	20
ACCIDENT (V01-X59,Y85-Y86)	102	54	36	8	4
TRANSPORT ACCIDENTS (V01-V99,Y85)	55	34	14	5	2
MOTOR VEHICLE ACCIDENT*	53	32	14	5	2
OTHER & TRANSPORT ACCIDENT*	2	2	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	47	20	22	3	2
ACCIDENTAL FALLS (W00-W19)	9	4	5	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	1	-	1	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	2	1	1	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	2	1	-	-	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	16	8	5	2	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	17	6	10	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	29	20	6	3	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	16	13	2	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	13	7	4	2	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	8	4	2	1	1
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	5	2	2	1	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	3	2	-	-	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	3	-	1	2	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	3	-	1	2	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	2	1	1	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
McCormick

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	125	34	44	27	20
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	2	-	-	1	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	1	-	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	25	10	9	4	2
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	2	-	-	2	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	1	-	-	-	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	1	-	1	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	6	2	3	1	-
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	1	-	1	-	-
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	3	2	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	1	-	-
OF BLADDER (C67)	1	-	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	3	3	-	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	2	-	-	-
LEUKEMIA (C91-C95)	-	-	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	1	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	5	3	1	-	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	1	-	-
ANEMIAS (D50-D64)	1	1	-	-	-
DIABETES MELLITUS (E10-E14)	1	-	-	-	1
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	4	-	2	1	1
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	46	15	11	14	6
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	36	15	6	10	5
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	2	1	-	-	1
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	27	13	5	6	3
ACUTE MYOCARDIAL INFARCTION (I21-I22)	18	9	4	4	1
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	9	4	1	2	2
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	-	-	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	9	4	1	2	2
OTHER HEART DISEASE (I26-I51)	7	1	1	4	1
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	4	1	1	2	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	3	-	-	2	1

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
McCormick

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	2	-	1	1	-
CEREBROVASCULAR DISEASE (I60-I69)	6	-	3	2	1
ATHEROSCLEROSIS (I70)	1	-	-	1	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	1	-	1	-	-
AORTIC ANEURYSM & DISSECTION (I71)	1	-	1	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	1	-
INFLUENZA & PNEUMONIA (J10-J18)	5	-	3	1	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	5	-	3	1	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	6	1	5	-	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	6	1	5	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	1	-	-	-	1
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	1	-	-	-	1
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	-	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS, NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	3	-	1	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	3	-	1	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	-	-	1	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS, NOT CLASSIFIED (R0-99)	-	-	-	-	-
ALL OTHER DISEASE (RESIDUAL) **	13	3	7	-	3
ACCIDENT (V01-X59,Y85-Y86)	9	3	2	3	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	6	2	2	1	1
MOTOR VEHICLE ACCIDENT*	2	-	-	1	1
OTHER & TRANSPORT ACCIDENT*	4	2	2	-	-
WATER, AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	3	1	-	2	-
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	2	1	-	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	1	1	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARM (X72-X74)	-	-	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	1	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	-	-	-	-	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Marion

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	381	80	95	94	112
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	9	1	2	3	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	-	-	-	4
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	1	-	-	-	1
MALIGNANT NEOPLASMS (C00-C97)	78	18	23	18	19
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	2	-	-	1	1
OF ESOPHAGUS (C15)	1	1	-	-	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	6	1	1	3	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	6	3	1	2	-
OF PANCREAS (C25)	3	-	1	1	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	15	7	3	2	3
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	12	-	10	-	2
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	-	-	2
OF OVARY (C56)	4	-	2	-	2
OF PROSTATE (C61)	3	-	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	-	-	2	1
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	9	3	1	2	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	-	-	1	2
LEUKEMIA (C91-C95)	6	3	1	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	10	3	4	2	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	-	1	-
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	11	2	1	1	7
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	-	1
MALNUTRITION (E40-E46)	1	-	-	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	4	2	-	-	2
ALZHEIMER'S DISEASE (G30)	7	1	2	1	3
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	156	34	32	45	45
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	117	26	27	32	32
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	3	-	-	2	1
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	68	21	20	17	10
ACUTE MYOCARDIAL INFARCTION (I21-I22)	42	15	9	12	6
OTHER ACUTE HEART DISEASE (I24)	1	1	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	25	5	11	5	4
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	1	-	-	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	24	5	11	4	4
OTHER HEART DISEASE (I26-I51)	46	5	7	13	21
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	22	3	4	8	7
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	24	2	3	5	14

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Marion

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	4	1	-	3	-
CEREBROVASCULAR DISEASE (I60-I69)	29	6	4	10	9
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	6	1	1	-	4
AORTIC ANEURYSM & DISSECTION (I71)	2	1	-	-	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4	-	1	-	3
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	2	-	-	2	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	2	-	-	2	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	18	6	11	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	-	1	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	17	6	10	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	2	-	2	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	7	1	4	1	1
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	2	-	2	-
ALCOHOLIC LIVER DISEASE (K70)	2	1	-	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	1	-	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	9	-	1	4	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	1	-	-
RENAL FAILURE (N17-N19)	8	-	-	4	4
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	-	-	-	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	4	1	1	-	2
ALL OTHER DISEASE (RESIDUAL) **	34	5	9	5	15
ACCIDENT (V01-X59,Y85-Y86)	20	6	3	10	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	13	6	2	4	1
MOTOR VEHICLE ACCIDENT*	12	5	2	4	1
OTHER & TRANSPORT ACCIDENT*	1	1	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	7	-	1	6	-
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	1	-	-	1	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	5	-	1	4	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	1	1	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	1	-	1	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	-	-	-	1
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	-	-	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	2	-	2	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	2	-	2	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Marlboro

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	320	87	91	84	58
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	-	1	1	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	70	24	17	13	16
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	2	-	-	2	-
OF ESOPHAGUS (C15)	3	1	-	1	1
OF STOMACH (C16)	1	-	-	-	1
OF COLON, RECTUM & ANUS (C18-C21)	3	1	1	-	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	2	1	-	1	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	29	12	11	4	2
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	6	-	2	-	4
OF CERVIX UTERI (C53)	1	-	1	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	1	-	-	-	1
OF PROSTATE (C61)	5	3	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	1	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	7	3	1	1	2
HODGKIN'S DISEASE (C81)	1	-	-	1	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	2	1	-	1
LEUKEMIA (C91-C95)	2	1	-	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	7	2	-	2	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	4	1	-	2	1
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	-	-	1	-
ALZHEIMER'S DISEASE (G30)	2	-	2	-	-
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	146	38	41	40	27
DISEASE OF HEART (I00-I09, I11, I13, I20-I51)	129	34	37	38	20
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	-	1	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	41	13	14	7	7
ACUTE MYOCARDIAL INFARCTION (I21-I22)	26	5	11	5	5
OTHER ACUTE HEART DISEASE (I24)	1	-	-	-	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20, I25)	14	8	3	2	1
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	1	-	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20, I25.1-I25.9)	13	8	2	2	1
OTHER HEART DISEASE (I26-I51)	87	21	23	30	13
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31, I40)	-	-	-	-	-
HEART FAILURE (I50)	5	2	1	1	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28, I34-I38, I42-I49, I51)	82	19	22	29	12

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Marlboro

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	4	-	1	1	2
CEREBROVASCULAR DISEASE (I60-I69)	13	4	3	1	5
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	-	-	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	1	-
INFLUENZA & PNEUMONIA (J10-J18)	8	2	4	2	-
INFLUENZA (J10-J11)	1	1	-	-	-
PNEUMONIA (J12-J18)	7	1	4	2	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	13	4	6	3	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	1	1	-	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	10	3	4	3	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	1	-	1	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	1	-	3	-
ALCOHOLIC LIVER DISEASE (K70)	1	-	-	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	1	-	2	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	1	-	-	1
NEPHRITIS, NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	2	-	2	-	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	2	-	2	-	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	1	-	1	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	-	-	1	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS, NOT CLASSIFIED (R0-99)	6	2	3	1	-
ALL OTHER DISEASE (RESIDUAL) **	34	8	10	7	9
ACCIDENT (V01-X59,Y85-Y86)	10	4	1	5	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	7	3	-	4	-
MOTOR VEHICLE ACCIDENT*	5	2	-	3	-
OTHER & TRANSPORT ACCIDENT*	2	1	-	1	-
WATER, AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	3	1	1	1	-
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	1	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	1	-	-	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	2	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARM (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	5	-	1	4	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	3	-	1	2	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	1	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	-	1	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Newberry

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	420	148	143	58	71
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	8	2	2	1	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	2	-	2	-	-
MALIGNANT NEOPLASMS (C00-C97)	77	28	27	13	9
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	3	1	-	2	-
OF ESOPHAGUS (C15)	1	-	-	1	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	9	3	3	1	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	1	-	-	1
OF PANCREAS (C25)	4	3	1	-	-
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	21	7	9	4	1
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	2	-	2	-	-
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	3	3	-	-	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	-	1	1	1
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	14	5	4	2	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	3	-	-	1
LEUKEMIA (C91-C95)	5	2	3	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	5	-	1	2	2
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	10	2	5	2	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	1	-	-	-
ANEMIAS (D50-D64)	2	-	2	-	-
DIABETES MELLITUS (E10-E14)	22	9	4	2	7
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	-	1
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	-	-	1
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	3	1	1	1	-
ALZHEIMER'S DISEASE (G30)	16	2	10	-	4
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	135	51	39	20	25
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	91	38	24	15	14
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	3	-	1	-	2
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1	-	-	-	1
ISCHEMIC HEART DISEASE (I20-I25)	27	9	6	7	5
ACUTE MYOCARDIAL INFARCTION (I21-I22)	15	5	4	3	3
OTHER ACUTE HEART DISEASE (I24)	1	-	-	1	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	11	4	2	3	2
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	1	1	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	10	3	2	3	2
OTHER HEART DISEASE (I26-I51)	59	29	17	8	5
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	26	7	11	5	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	33	22	6	3	2

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Newberry

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	8	1	5	-	2
CEREBROVASCULAR DISEASE (I60-I69)	27	8	7	5	7
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	9	4	3	-	2
AORTIC ANEURYSM & DISSECTION (I71)	7	2	3	-	2
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	2	-	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	13	3	7	1	2
INFLUENZA (J10-J11)	2	2	-	-	-
PNEUMONIA (J12-J18)	11	1	7	1	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	22	7	9	4	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	-	1	-
EMPHYSEMA (J43)	2	-	-	2	-
ASTHMA (J45-J46)	1	-	-	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	18	7	9	1	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	2	1	-	1	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	10	3	4	1	2
ALCOHOLIC LIVER DISEASE (K70)	5	2	1	1	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	5	1	3	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	10	2	3	2	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	10	2	3	2	3
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	-	-	-	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS, NOT CLASSIFIED (R0-99)	12	5	4	1	2
ALL OTHER DISEASE (RESIDUAL) **	47	15	21	4	7
ACCIDENT (V01-X59,Y85-Y86)	27	13	7	5	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	19	8	5	4	2
MOTOR VEHICLE ACCIDENT*	18	8	4	4	2
OTHER & TRANSPORT ACCIDENT*	1	-	1	-	-
WATER, AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	8	5	2	1	-
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	2	1	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	2	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	3	2	1	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	5	3	1	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARM (X72-X74)	4	2	1	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	-	-	1	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Oconee

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	732	349	331	33	19
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	3	2	1	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	8	3	5	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	3	2	-	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	-	-	1	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	3	2	-	-	1
MALIGNANT NEOPLASMS (C00-C97)	156	71	73	9	3
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	4	3	1	-	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	5	-	3	1	1
OF COLON, RECTUM & ANUS (C18-C21)	13	5	5	3	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	3	-	1	-
OF PANCREAS (C25)	13	5	8	-	-
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	48	29	19	-	-
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	14	-	13	-	1
OF CERVIX UTERI (C53)	1	-	1	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	8	6	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	-	2	-	-
OF BLADDER (C67)	6	3	3	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	5	3	2	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	11	4	5	2	-
HODGKIN'S DISEASE (C81)	1	1	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	6	1	3	2	-
LEUKEMIA (C91-C95)	3	1	2	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	1	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	18	8	9	-	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	1	3	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	18	8	8	2	-
NUTRITIONAL DEFICIENCIES (E40-E64)	1	1	-	-	-
MALNUTRITION (E40-E46)	1	1	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	8	4	4	-	-
ALZHEIMER'S DISEASE (G30)	28	8	18	-	2
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	237	113	108	12	4
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	181	91	78	9	3
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	2	1	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	6	2	3	1	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1	-	1	-	-
ISCHEMIC HEART DISEASE (I20-I25)	117	63	48	4	2
ACUTE MYOCARDIAL INFARCTION (I21-I22)	52	26	23	2	1
OTHER ACUTE HEART DISEASE (I24)	1	1	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	64	36	25	2	1
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	10	7	1	1	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	54	29	24	1	-
OTHER HEART DISEASE (I26-I51)	55	25	25	4	1
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	1	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	1	-	-	-
HEART FAILURE (I50)	23	7	15	1	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	30	16	10	3	1

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Oconee

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	5	1	2	2	-
CEREBROVASCULAR DISEASE (I60-I69)	43	15	26	1	1
ATHEROSCLEROSIS (I70)	2	1	1	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	6	5	1	-	-
AORTIC ANEURYSM & DISSECTION (I71)	3	3	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	2	1	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	22	9	13	-	-
INFLUENZA (J10-J11)	2	-	2	-	-
PNEUMONIA (J12-J18)	20	9	11	-	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	49	30	18	-	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	7	6	1	-	-
ASTHMA (J45-J46)	2	-	2	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	40	24	15	-	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	6	2	4	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	7	2	4	1	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	2	-	2	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	10	7	2	1	-
ALCOHOLIC LIVER DISEASE (K70)	7	5	1	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	2	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	14	7	4	1	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	-	-	1
RENAL FAILURE (N17-N19)	13	7	4	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	1	1	-	-	-
HYPERPLASIA OF PROSTATE (N40)	1	1	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	4	4	-	-	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	-	-	-	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	7	2	2	1	2
ALL OTHER DISEASE (RESIDUAL) **	68	28	39	1	-
ACCIDENT (V01-X59,Y85-Y86)	49	28	18	2	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	23	14	8	-	1
MOTOR VEHICLE ACCIDENT*	22	13	8	-	1
OTHER & TRANSPORT ACCIDENT*	1	1	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	26	14	10	2	-
ACCIDENTAL FALLS (W00-W19)	4	2	2	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	2	1	-	1	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	3	1	2	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	9	6	3	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	8	4	3	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	14	10	3	1	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	11	9	1	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	3	1	2	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	1	-	1	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	1	1	-	-	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	-	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	2	1	1	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	2	1	1	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	1	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Orangeburg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	947 *	220	234	246	246
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	2	-	2	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	1	1	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	24	5	4	6	9
SYPHILIS (A50-A53)	1	-	-	1	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	1	-	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	8	-	1	6	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	204	56	39	58	51
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	6	-	3	1	2
OF ESOPHAGUS (C15)	8	1	-	6	1
OF STOMACH (C16)	6	1	1	2	2
OF COLON, RECTUM & ANUS (C18-C21)	22	7	3	6	6
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	2	-	1	-
OF PANCREAS (C25)	18	3	7	4	4
OF LARYNX (C32)	2	1	-	-	1
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	45	19	10	13	3
OF SKIN (C43)	2	1	1	-	-
OF BREAST (C50)	16	-	6	1	9
OF CERVIX UTERI (C53)	3	-	-	-	3
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	6	-	1	-	5
OF OVARY (C56)	3	-	2	-	1
OF PROSTATE (C61)	14	3	-	11	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	1	-	-
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	2	1	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	16	7	1	3	5
HODGKIN'S DISEASE (C81)	1	1	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	1	1	1	1
LEUKEMIA (C91-C95)	8	4	-	2	2
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	1	-	-	2
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	27	7	2	9	9
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	1	-	1	1
ANEMIAS (D50-D64)	4	-	1	2	1
DIABETES MELLITUS (E10-E14)	36	8	4	9	15
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	5	5	-	-	-
ALZHEIMER'S DISEASE (G30)	30	5	14	2	9
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	322 *	66	95	77	83
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	197	48	59	44	46
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	16	2	3	4	7
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	114	33	39	22	20
ACUTE MYOCARDIAL INFARCTION (I21-I22)	59	17	21	11	10
OTHER ACUTE HEART DISEASE (I24)	3	1	-	-	2
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	52	15	18	11	8
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	5	-	1	2	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	47	15	17	9	6
OTHER HEART DISEASE (I26-I51)	66	13	16	18	19
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	16	5	-	6	5
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	50	8	16	12	14

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Orangeburg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	25	4	2	10	9
CEREBROVASCULAR DISEASE (I60-I69)	84 *	12	31	17	23
ATHEROSCLEROSIS (I70)	1	-	-	-	1
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	15	2	3	6	4
AORTIC ANEURYSM & DISSECTION (I71)	5	1	1	2	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	10	1	2	4	3
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	16	5	3	2	6
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	16	5	3	2	6
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	37	14	11	5	7
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	5	2	-	-	3
ASTHMA (J45-J46)	3	1	-	-	2
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	29	11	11	5	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	14	6	1	1	6
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	7	2	2	1	2
PEPTIC ULCER (K25-K28)	1	1	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	3	-	2	1	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	1	1	2	-
ALCOHOLIC LIVER DISEASE (K70)	2	1	-	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	-	1	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	-	-	-	2
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	27	3	4	9	11
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	27	3	4	9	11
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	1	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICAITONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	1	-	1	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	10	-	1	7	2
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	7	1	2	3	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	12	1	7	4	-
ALL OTHER DISEASE (RESIDUAL) **	77	7	27	19	24
ACCIDENT (V01-X59,Y85-Y86)	58	24	8	18	8
TRANSPORT ACCIDENTS (V01-V99,Y85)	39	15	3	14	7
MOTOR VEHICLE ACCIDENT*	38	15	3	13	7
OTHER & TRANSPORT ACCIDENT*	1	-	-	1	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	19	9	5	4	1
ACCIDENTAL FALLS (W00-W19)	5	4	-	1	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	3	2	-	1	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	2	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	8	1	4	2	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	11	6	-	3	2
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	11	6	-	3	2
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	14	1	1	9	3
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	10	-	1	7	2
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	4	1	-	2	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	1	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	-	1	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	2	-	1	-	1

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Pickens

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	971	440	457	42	32
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	13	4	7	-	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	1	-	-	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	3	1	2	-	-
MALIGNANT NEOPLASMS (C00-C97)	190	84	89	9	8
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	2	1	-	1	-
OF ESOPHAGUS (C15)	2	1	-	1	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	12	6	5	-	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	3	-	-	-
OF PANCREAS (C25)	13	3	8	1	1
OF LARYNX (C32)	5	4	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	67	34	29	3	1
OF SKIN (C43)	5	3	2	-	-
OF BREAST (C50)	20	-	18	-	2
OF CERVIX UTERI (C53)	1	-	1	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	9	-	8	-	1
OF OVARY (C56)	4	-	4	-	-
OF PROSTATE (C61)	6	5	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	9	5	3	1	-
OF BLADDER (C67)	5	4	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	6	4	2	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	10	4	4	-	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	6	3	2	-	1
LEUKEMIA (C91-C95)	1	-	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	1	1	-	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	11	7	3	1	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	1	2	1	-
ANEMIAS (D50-D64)	1	1	-	-	-
DIABETES MELLITUS (E10-E14)	13	5	5	2	1
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	-	1
MALNUTRITION (E40-E46)	1	-	-	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	10	7	3	-	-
ALZHEIMER'S DISEASE (G30)	45	10	33	-	2
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	356	157	170	18	11
DISEASE OF HEART (I00-I09, I11, I13, I20-I51)	270	122	125	14	9
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	3	-	3	-	-
HYPERTENSIVE HEART DISEASE (I11)	18	7	10	1	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	3	2	1	-	-
ISCHEMIC HEART DISEASE (I20-I25)	174	88	72	7	7
ACUTE MYOCARDIAL INFARCTION (I21-I22)	51	20	26	1	4
OTHER ACUTE HEART DISEASE (I24)	2	1	-	1	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20, I25)	121	67	46	5	3
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	60	34	19	5	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20, I25.1-I25.9)	61	33	27	-	1
OTHER HEART DISEASE (I26-I51)	72	25	39	6	2
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31, I40)	1	1	-	-	-
HEART FAILURE (I50)	30	7	19	2	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28, I34-I38, I42-I49, I51)	41	17	20	4	-

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Pickens

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	5	1	3	-	1
CEREBROVASCULAR DISEASE (I60-I69)	70	27	38	4	1
ATHEROSCLEROSIS (I70)	3	1	2	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	8	6	2	-	-
AORTIC ANEURYSM & DISSECTION (I71)	4	4	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4	2	2	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1	1	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	17	6	7	1	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	17	6	7	1	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	64	31	32	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	7	3	4	-	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	56	28	27	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	14	8	6	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	12	7	5	-	-
PEPTIC ULCER (K25-K28)	1	1	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	14	6	8	-	-
ALCOHOLIC LIVER DISEASE (K70)	8	5	3	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	6	1	5	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	2	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	19	9	8	2	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	19	9	8	2	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	2	-	2	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	2	-	2	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	4	2	-	2	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	1	3	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	8	3	3	1	1
ALL OTHER DISEASE (RESIDUAL) **	90	39	46	3	2
ACCIDENT (V01-X59,Y85-Y86)	55	36	18	1	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	21	15	6	-	-
MOTOR VEHICLE ACCIDENT*	21	15	6	-	-
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	34	21	12	1	-
ACCIDENTAL FALLS (W00-W19)	5	2	3	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	1	1	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	17	12	5	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	11	6	4	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	16	9	7	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	9	5	4	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	7	4	3	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	4	4	-	-	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	3	3	-	-	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	1	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	2	1	-	1	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Richland

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	2,636 *	708	794	612	520
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	2	-	1	-	1
TUBERCULOSIS (A16-A19)	1	1	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	1	1	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	35	5	10	8	12
SYPHILIS (A50-A53)	1	-	-	-	1
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	7	1	2	-	4
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	39	3	-	27	9
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	10	3	3	2	2
MALIGNANT NEOPLASMS (C00-C97)	578	168	171	121	118
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	10	4	-	3	3
OF ESOPHAGUS (C15)	6	1	1	3	1
OF STOMACH (C16)	16	4	3	6	3
OF COLON, RECTUM & ANUS (C18-C21)	50	10	15	10	15
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	18	5	3	9	1
OF PANCREAS (C25)	43	15	12	10	6
OF LARYNX (C32)	4	1	-	2	1
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	163	54	52	34	23
OF SKIN (C43)	6	2	3	1	-
OF BREAST (C50)	63	1	35	-	27
OF CERVIX UTERI (C53)	5	-	2	-	3
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	4	-	-	-	4
OF OVARY (C56)	6	-	4	-	2
OF PROSTATE (C61)	30	16	-	14	-
OF KIDNEY & RENAL PELVIS (C64-C65)	17	7	6	3	1
OF BLADDER (C67)	9	5	3	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	14	5	5	2	2
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	42	14	15	6	7
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	13	4	5	2	2
LEUKEMIA (C91-C95)	16	7	6	2	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	11	2	3	2	4
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	2	1	1	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	72	24	12	18	18
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	13	7	3	1	2
ANEMIAS (D50-D64)	3	2	1	-	-
DIABETES MELLITUS (E10-E14)	74	17	12	16	29
NUTRITIONAL DEFICIENCIES (E40-E64)	3	1	-	1	1
MALNUTRITION (E40-E46)	3	1	-	1	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	2	-	-	1	1
PARKINSON'S DISEASE (G20-G21)	18	8	7	1	2
ALZHEIMER'S DISEASE (G30)	97	23	60	6	8
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	833	224	250	191	168
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	633	179	191	145	118
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	5	-	3	-	2
HYPERTENSIVE HEART DISEASE (I11)	11	3	3	2	3
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	450	143	128	101	78
ACUTE MYOCARDIAL INFARCTION (I21-I22)	144	32	51	32	29
OTHER ACUTE HEART DISEASE (I24)	112	33	19	42	18
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	194	78	58	27	31
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	32	11	9	9	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	162	67	49	18	28
OTHER HEART DISEASE (I26-I51)	167	33	57	42	35
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	1	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	-	1	-	-
HEART FAILURE (I50)	46	9	18	10	9
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	119	23	38	32	26

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Richland

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	21	4	4	5	8
CEREBROVASCULAR DISEASE (I60-I69)	153	31	46	37	39
ATHEROSCLEROSIS (I70)	5	2	2	1	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	21	8	7	3	3
AORTIC ANEURYSM & DISSECTION (I71)	15	6	5	1	3
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	6	2	2	2	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	6	2	2	1	1
INFLUENZA & PNEUMONIA (J10-J18)	33	8	15	8	2
INFLUENZA (J10-J11)	4	2	1	-	1
PNEUMONIA (J12-J18)	29	6	14	8	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	103 *	33	44	18	7
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	2	-	2	-	-
EMPHYSEMA (J43)	12	6	3	2	1
ASTHMA (J45-J46)	4	1	2	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	85 *	26	37	16	5
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	32	7	12	10	3
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	26	11	10	3	2
PEPTIC ULCER (K25-K28)	4	2	1	-	1
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	-	1	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	26	11	3	8	4
ALCOHOLIC LIVER DISEASE (K70)	16	7	2	4	3
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	10	4	1	4	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	2	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	57	7	14	15	21
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	57	7	14	15	21
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	2	-	-	1	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	1	-	1	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	1	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	1	-	1	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	27	9	4	8	6
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	11	5	1	4	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	50	4	19	15	12
ALL OTHER DISEASE (RESIDUAL) **	326 *	65	124	58	78
ACCIDENT (V01-X59,Y85-Y86)	139	55	21	50	13
TRANSPORT ACCIDENTS (V01-V99,Y85)	61	24	5	28	4
MOTOR VEHICLE ACCIDENT*	59	22	5	28	4
OTHER & TRANSPORT ACCIDENT*	2	2	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	78	31	16	22	9
ACCIDENTAL FALLS (W00-W19)	15	10	3	-	2
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	3	1	-	2	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	5	2	-	3	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	7	2	-	4	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	24	6	5	10	3
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	24	10	8	3	3
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	28	18	2	6	2
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	15	13	1	-	1
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	13	5	1	6	1
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	40	3	-	31	6
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	23	3	-	17	3
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	17	-	-	14	3
LEGAL INTERVENTION (Y35,Y89.0)	1	1	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	1	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	2	-	-	-	2

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Saluda

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	209	80	74	28	27
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	1	1	-	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	1	-	2	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	1	-	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	38	16	12	4	6
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	3	1	-	2	-
OF ESOPHAGUS (C15)	1	-	1	-	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	6	1	2	-	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	2	1	-	1
OF PANCREAS (C25)	1	1	-	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	8	4	2	2	-
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	5	-	3	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	1	1	-	-	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	1	-	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	3	3	-	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	2	-	-	-
LEUKEMIA (C91-C95)	1	1	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	4	2	2	-	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	5	3	1	-	1
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	-	-	-	-	-
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	1	-
MALNUTRITION (E40-E46)	1	-	-	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	-	1	-	-
ALZHEIMER'S DISEASE (G30)	11	2	8	-	1
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	94	30	38	14	12
DISEASE OF HEART (I00-I09, I11, I13, I20-I51)	58	18	22	12	6
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	1	-	-
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	38	13	13	7	5
ACUTE MYOCARDIAL INFARCTION (I21-I22)	22	7	7	5	3
OTHER ACUTE HEART DISEASE (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20, I25)	16	6	6	2	2
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	1	-	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20, I25.1-I25.9)	15	6	5	2	2
OTHER HEART DISEASE (I26-I51)	18	5	7	5	1
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31, I40)	-	-	-	-	-
HEART FAILURE (I50)	6	2	4	-	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28, I34-I38, I42-I49, I51)	12	3	3	5	1

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Saluda

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	2	1	-	-	1
CEREBROVASCULAR DISEASE (I60-I69)	27	11	12	1	3
ATHEROSCLEROSIS (I70)	3	-	2	-	1
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	4	-	2	1	1
AORTIC ANEURYSM & DISSECTION (I71)	3	-	2	-	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	-	1	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	2	1	1	-	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	2	1	1	-	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	6	2	2	1	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	6	2	2	1	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	2	-	1	-	1
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	-	-	-	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	3	-	-	1
ALCOHOLIC LIVER DISEASE (K70)	1	-	-	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	3	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	6	3	1	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	6	3	1	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	1	-	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	1	-	1	-	-
ALL OTHER DISEASE (RESIDUAL) **	17	7	6	2	2
ACCIDENT (V01-X59,Y85-Y86)	14	10	2	2	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	6	5	1	-	-
MOTOR VEHICLE ACCIDENT*	4	3	1	-	-
OTHER & TRANSPORT ACCIDENT*	1	1	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	1	1	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	8	5	1	2	-
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	5	4	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	2	-	1	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	-	-	-	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	-	-	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	-	-	-	-	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Spartanburg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	2,687 *	1,075	1,089	256	266
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	1	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	1	1	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	44	15	16	8	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	5	4	-	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	14	5	-	3	6
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	4	3	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	603	259	221	64	59
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	10	5	4	1	-
OF ESOPHAGUS (C15)	13	10	1	1	1
OF STOMACH (C16)	11	9	1	1	-
OF COLON, RECTUM & ANUS (C18-C21)	43	15	16	6	6
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	10	5	2	2	1
OF PANCREAS (C25)	30	13	8	3	6
OF LARYNX (C32)	4	-	1	2	1
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	211	99	68	24	20
OF SKIN (C43)	13	7	5	-	1
OF BREAST (C50)	43	1	37	-	5
OF CERVIX UTERI (C53)	5	-	2	-	3
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	7	-	4	-	3
OF OVARY (C56)	20	-	19	-	1
OF PROSTATE (C61)	35	27	-	8	-
OF KIDNEY & RENAL PELVIS (C64-C65)	9	3	4	2	-
OF BLADDER (C67)	16	11	5	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	14	7	5	1	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	45	20	16	7	2
HODGKIN'S DISEASE (C81)	1	1	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	19	13	3	3	-
LEUKEMIA (C91-C95)	14	3	9	2	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	10	3	3	2	2
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	1	-	1	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	64	27	23	6	8
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	16	7	6	1	2
ANEMIAS (D50-D64)	3	1	1	-	1
DIABETES MELLITUS (E10-E14)	75	31	26	6	12
NUTRITIONAL DEFICIENCIES (E40-E64)	6	1	3	-	2
MALNUTRITION (E40-E46)	6	1	3	-	2
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	3	1	1	-	1
PARKINSON'S DISEASE (G20-G21)	17	11	5	-	1
ALZHEIMER'S DISEASE (G30)	97	15	67	2	13
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	818	321	349	70	78
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	589	263	229	47	50
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	36	8	15	6	7
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	7	1	3	-	3
ISCHEMIC HEART DISEASE (I20-I25)	354	182	122	26	24
ACUTE MYOCARDIAL INFARCTION (I21-I22)	139	67	55	11	6
OTHER ACUTE HEART DISEASE (I24)	3	3	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	212	112	67	15	18
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	13	8	4	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	199	104	63	14	18
OTHER HEART DISEASE (I26-I51)	191	72	88	15	16
ACUTE & SUBACUTE ENDOCARDITIS (I33)	3	-	3	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	-	-	1	-
HEART FAILURE (I50)	68	23	36	3	6
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	119	49	49	11	10

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Spartanburg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	23	2	10	4	7
CEREBROVASCULAR DISEASE (I60-I69)	169	44	91	18	16
ATHEROSCLEROSIS (I70)	5	-	5	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	32	12	14	1	5
AORTIC ANEURYSM & DISSECTION (I71)	18	6	10	1	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	14	6	4	-	4
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	8	3	4	1	-
INFLUENZA & PNEUMONIA (J10-J18)	59	20	27	6	6
INFLUENZA (J10-J11)	1	-	1	-	-
PNEUMONIA (J12-J18)	58	20	26	6	6
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	158	72	70	10	6
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	22	13	6	2	1
ASTHMA (J45-J46)	5	-	3	1	1
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	131	59	61	7	4
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	23	10	12	1	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	38	17	13	4	4
PEPTIC ULCER (K25-K28)	3	1	2	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	2	-	1	-	1
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	43	27	8	5	3
ALCOHOLIC LIVER DISEASE (K70)	20	17	-	2	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	23	10	8	3	2
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	3	-	2	1	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	42	15	16	4	7
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	42	15	16	4	7
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	2	2	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	13	5	5	1	2
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	14	7	4	2	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	18 *	5	10	1	1
ALL OTHER DISEASE (RESIDUAL) **	308	91	156	24	37
ACCIDENT (V01-X59,Y85-Y86)	175	91	52	23	9
TRANSPORT ACCIDENTS (V01-V99,Y85)	64	37	16	10	1
MOTOR VEHICLE ACCIDENT*	61	35	16	9	1
OTHER & TRANSPORT ACCIDENT*	3	2	-	1	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	111	54	36	13	8
ACCIDENTAL FALLS (W00-W19)	13	5	5	-	3
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	8	5	-	3	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	3	1	-	2	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	14	7	3	3	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	43	17	21	4	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	30	19	7	1	3
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	31	23	6	2	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	24	18	5	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	7	5	1	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	29	6	3	15	5
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	23	5	2	13	3
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	6	1	1	2	2
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	5	1	1	1	2
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	5	1	1	1	2
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	5	3	1	1	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Sumter

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	984	254	268	248	214
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	-	1	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	19	3	5	2	9
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	-	2	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	10	-	-	5	5
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	1	1	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	249	67	63	74	45
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	4	-	-	3	1
OF ESOPHAGUS (C15)	6	2	1	3	-
OF STOMACH (C16)	11	3	2	3	3
OF COLON, RECTUM & ANUS (C18-C21)	23	5	8	4	6
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	7	3	1	3	-
OF PANCREAS (C25)	13	5	3	1	4
OF LARYNX (C32)	3	1	-	2	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	84	21	18	34	11
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	17	-	11	-	6
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	6	-	2	-	4
OF PROSTATE (C61)	15	6	-	9	-
OF KIDNEY & RENAL PELVIS (C64-C65)	7	4	2	-	1
OF BLADDER (C67)	5	2	1	-	2
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	2	-	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	22	6	10	5	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	5	2	1	2	-
LEUKEMIA (C91-C95)	10	2	6	2	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	7	2	3	1	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	20	6	4	6	4
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	-	1	1	1
ANEMIAS (D50-D64)	5	-	-	1	4
DIABETES MELLITUS (E10-E14)	44	11	7	10	16
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	-	1	1
MALNUTRITION (E40-E46)	2	-	-	1	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	7	4	3	-	-
ALZHEIMER'S DISEASE (G30)	39	4	12	7	16
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	335	84	98	79	74
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	248	65	70	62	51
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	15	2	3	2	8
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	159	49	45	37	28
ACUTE MYOCARDIAL INFARCTION (I21-I22)	85	23	21	26	15
OTHER ACUTE HEART DISEASE (I24)	10	5	-	3	2
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	64	21	24	8	11
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	1	-	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	63	21	23	8	11
OTHER HEART DISEASE (I26-I51)	74	14	22	23	15
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	1	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	24	5	10	3	6
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	49	9	11	20	9

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Sumter

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	12	-	4	2	6
CEREBROVASCULAR DISEASE (I60-I69)	65	17	24	12	12
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	10	2	-	3	5
AORTIC ANEURYSM & DISSECTION (I71)	3	-	-	-	3
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	7	2	-	3	2
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	4	2	-	-	2
INFLUENZA & PNEUMONIA (J10-J18)	16	3	8	1	4
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	16	3	8	1	4
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	-	1	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	1	-	1	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	44	15	20	4	5
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	8	4	3	1	-
ASTHMA (J45-J46)	5	-	2	1	2
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	31	11	15	2	3
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	4	1	2	1	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	15	2	4	4	5
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	12	3	4	3	2
ALCOHOLIC LIVER DISEASE (K70)	10	3	3	2	2
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	-	1	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	1	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	9	4	1	2	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	1	-	-	-	1
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	8	4	1	2	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	7	2	2	3	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	6	1	1	3	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	7	4	-	2	1
ALL OTHER DISEASE (RESIDUAL) **	73	18	20	19	16
ACCIDENT (V01-X59,Y85-Y86)	49	20	10	15	4
TRANSPORT ACCIDENTS (V01-V99,Y85)	31	15	7	7	2
MOTOR VEHICLE ACCIDENT*	30	14	7	7	2
OTHER & TRANSPORT ACCIDENT*	1	1	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	18	5	3	8	2
ACCIDENTAL FALLS (W00-W19)	3	2	1	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	2	-	-	1	1
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	3	-	-	3	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	3	-	-	3	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	2	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	4	1	2	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	7	4	-	3	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	4	3	-	1	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	3	1	-	2	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	9	1	1	7	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	5	-	-	5	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	4	1	1	2	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	1	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Union

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	376 *	136	133	46	60
SALMONELLE INFECTIONS (A01-A02)	1	-	1	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	1	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	7	1	2	-	4
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	1	2	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	1	-	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	77	29	23	12	13
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	1	1	-	-	-
OF STOMACH (C16)	2	-	1	1	-
OF COLON, RECTUM & ANUS (C18-C21)	9	3	2	1	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	3	-	1	-
OF PANCREAS (C25)	3	1	1	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	23	10	6	4	3
OF SKIN (C43)	1	-	-	-	1
OF BREAST (C50)	4	-	4	-	-
OF CERVIX UTERI (C53)	1	-	1	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	1	-	1
OF OVARY (C56)	2	-	1	-	1
OF PROSTATE (C61)	4	3	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	1	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	9	3	2	2	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	1	1	1	1
LEUKEMIA (C91-C95)	2	-	1	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	2	-	-	1
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	10	5	2	2	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	1	-	1	-
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	15	6	4	2	3
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	1	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	1	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	5	2	3	-	-
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	140	48	55	16	21
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	116	39	46	14	17
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	1	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	13	5	6	-	2
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	60	19	22	10	9
ACUTE MYOCARDIAL INFARCTION (I21-I22)	19	6	8	1	4
OTHER ACUTE HEART DISEASE (I24)	3	1	-	2	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	38	12	14	7	5
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	4	-	3	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	34	12	11	7	4
OTHER HEART DISEASE (I26-I51)	42	14	18	4	6
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	9	3	5	-	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	33	11	13	4	5

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Union

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	3	-	3	-	-
CEREBROVASCULAR DISEASE (I60-I69)	20	8	6	2	4
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	1	1	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	1	1	-	-	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	16	9	3	2	2
INFLUENZA (J10-J11)	2	1	-	-	1
PNEUMONIA (J12-J18)	14	8	3	2	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	20	6	10	4	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	4	1	3	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	16	5	7	4	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	3	2	1	-	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	5	4	-	1	-
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	5	5	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	3	3	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	2	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	6	1	3	-	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	6	1	3	-	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	1	-	-	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	3 *	1	-	-	-
ALL OTHER DISEASE (RESIDUAL) **	34	7	18	2	7
ACCIDENT (V01-X59,Y85-Y86)	18	7	3	4	4
TRANSPORT ACCIDENTS (V01-V99,Y85)	9	5	1	2	1
MOTOR VEHICLE ACCIDENT*	9	5	1	2	1
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	9	2	2	2	3
ACCIDENTAL FALLS (W00-W19)	2	-	-	1	1
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	1	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	4	-	1	1	2
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	3	3	-	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	2	2	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	1	1	-	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	2	1	1	-	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	-	1

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Williamsburg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	367 *	80	65	109	112
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	7	1	2	2	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	-	-	2	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	1	-	-	-	1
MALIGNANT NEOPLASMS (C00-C97)	82	20	14	27	21
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	1	-	-	1	-
OF STOMACH (C16)	4	-	-	3	1
OF COLON,RECTUM & ANUS (C18-C21)	9	3	1	3	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	2	-	-	1
OF PANCREAS (C25)	5	-	1	1	3
OF LARYNX (C32)	2	2	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	27	9	4	9	5
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	7	1	2	-	4
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	2	-	2	-	-
OF PROSTATE (C61)	6	1	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	-	1	-
OF BLADDER (C67)	1	-	-	-	1
OF MENINGS,BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	6	1	2	3	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	-	-	-	-	-
LEUKEMIA (C91-C95)	6	1	2	3	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	5	-	2	1	2
IN SITU,BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	-	-	1	1
ANEMIAS (D50-D64)	1	-	1	-	-
DIABETES MELLITUS (E10-E14)	16	1	1	8	6
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	7	2	1	1	3
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	140	31	26	38	45
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	105	25	24	27	29
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1	-	-	1	-
HYPERTENSIVE HEART DISEASE (I11)	3	-	-	-	3
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	3	-	-	-	3
ISCHEMIC HEART DISEASE (I20-I25)	62	17	20	11	14
ACUTE MYOCARDIAL INFARCTION (I21-I22)	28	9	6	5	8
OTHER ACUTE HEART DISEASE (I24)	1	-	-	-	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	33	8	14	6	5
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	11	6	4	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	22	2	10	5	5
OTHER HEART DISEASE (I26-I51)	36	8	4	15	9
ACUTE & SUBACUTE ENDOCARDITIS (I33)	2	1	1	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	15	3	2	5	5
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	19	4	1	10	4

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
Williamsburg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	4	-	-	2	2
CEREBROVASCULAR DISEASE (I60-I69)	26	5	2	9	10
ATHEROSCLEROSIS (I70)	1	-	-	-	1
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	4	1	-	-	3
AORTIC ANEURYSM & DISSECTION (I71)	1	-	-	-	1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	1	-	-	2
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	7	3	2	1	1
INFLUENZA (J10-J11)	1	1	-	-	-
PNEUMONIA (J12-J18)	6	2	2	1	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	8	4	3	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	3	-	3	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	5	4	-	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	2	-	-	-	2
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	6	3	-	1	2
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASE OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	3	1	-	2	-
ALCOHOLIC LIVER DISEASE (K70)	2	-	-	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	12	2	-	4	6
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	12	2	-	4	6
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	4	-	1	2	1
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	12 *	-	2	4	5
ALL OTHER DISEASE (RESIDUAL) **	32	4	6	10	12
ACCIDENT (V01-X59,Y85-Y86)	16	7	3	4	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	11	4	3	3	1
MOTOR VEHICLE ACCIDENT*	11	4	3	3	1
OTHER & TRANSPORT ACCIDENT*	-	-	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	5	3	-	1	1
ACCIDENTAL FALLS (W00-W19)	1	1	-	-	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	2	1	-	1	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	1	-	-	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	1	1	-	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	-	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	-	-	1	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	-	-	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	2	-	2	-	-

** See APPENDIX for ICD-10 codes

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
York

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,476 *	589	606	152	128
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	3	1	2	-	-
TUBERCULOSIS (A16-A19)	1	-	-	1	-
RESPIRATORY TUBERCULOSIS (A16)	1	-	-	1	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	28	6	13	4	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	4	1	3	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	-	2	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	5	3	-	2	-
MALIGNANT NEOPLASMS (C00-C97)	338	167	111	32	28
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	6	3	2	-	1
OF ESOPHAGUS (C15)	9	8	-	1	-
OF STOMACH (C16)	6	5	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	41	14	12	10	5
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	7	5	1	1	-
OF PANCREAS (C25)	19	8	6	4	1
OF LARYNX (C32)	2	2	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	121	62	40	10	9
OF SKIN (C43)	9	7	2	-	-
OF BREAST (C50)	21	1	12	-	8
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	3	-	2	-	1
OF OVARY (C56)	3	-	2	-	1
OF PROSTATE (C61)	8	7	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	6	3	1	1	1
OF BLADDER (C67)	5	4	-	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	12	6	5	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	23	16	7	-	-
HODGKIN'S DISEASE (C81)	1	1	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	11	7	4	-	-
LEUKEMIA (C91-C95)	9	7	2	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	1	1	-	-
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	37	16	19	1	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	10	2	5	-	3
ANEMIAS (D50-D64)	3	-	2	1	-
DIABETES MELLITUS (E10-E14)	28	13	9	3	3
NUTRITIONAL DEFICIENCIES (E40-E64)	3	1	1	1	-
MALNUTRITION (E40-E46)	3	1	1	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00-G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	11	3	7	-	1
ALZHEIMER'S DISEASE (G30)	34	5	26	1	2
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	418	167	169	47	35
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	310	134	120	30	26
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	4	2	2	-	-
HYPERTENSIVE HEART DISEASE (I11)	11	2	7	1	1
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASE (I20-I25)	188	94	63	18	13
ACUTE MYOCARDIAL INFARCTION (I21-I22)	83	47	22	9	5
OTHER ACUTE HEART DISEASE (I24)	1	-	-	1	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	104	47	41	8	8
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	28	7	14	4	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	76	40	27	4	5
OTHER HEART DISEASE (I26-I51)	107	36	48	11	12
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	-	1	-	-
HEART FAILURE (I50)	29	6	18	1	4
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	77	30	29	10	8

Table G-21A.
Deaths from Selected Causes by Race and Gender: South Carolina, 2005
(Residence Data)
York

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	18	4	7	4	3
CEREBROVASCULAR DISEASE (I60-I69)	76	26	37	7	6
ATHEROSCLEROSIS (I70)	2	-	1	1	-
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	12	3	4	5	-
AORTIC ANEURYSM & DISSECTION (I71)	8	3	3	2	-
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4	-	1	3	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	3	2	-	1	-
INFLUENZA & PNEUMONIA (J10-J18)	33	12	16	3	2
INFLUENZA (J10-J11)	1	1	-	-	-
PNEUMONIA (J12-J18)	32	11	16	3	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	94	40	47	4	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	9	4	5	-	-
ASTHMA (J45-J46)	4	1	1	1	1
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	81	35	41	3	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	9	4	4	-	1
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	14	4	5	2	3
PEPTIC ULCER (K25-K28)	2	1	-	-	1
DISEASE OF APPENDIX (K35-K38)	1	1	-	-	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	17	8	7	2	-
ALCOHOLIC LIVER DISEASE (K70)	10	7	1	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	7	1	6	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	1	-	-	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	34	9	13	5	7
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	34	9	13	5	7
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	14	4	2	5	3
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	-	3	-	1
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	24 *	8	9	4	2
ALL OTHER DISEASE (RESIDUAL) **	199	44	120	15	20
ACCIDENT (V01-X59,Y85-Y86)	107	63	27	11	6
TRANSPORT ACCIDENTS (V01-V99,Y85)	44	32	4	6	2
MOTOR VEHICLE ACCIDENT*	43	31	4	6	2
OTHER & TRANSPORT ACCIDENT*	1	1	-	-	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	63	31	23	5	4
ACCIDENTAL FALLS (W00-W19)	9	5	3	1	-
ACCIDENTAL DISECHARGE OF FIREARMS (W32-W34)	2	2	-	-	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	2	-	1	1	-
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	4	1	-	-	3
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	24	14	8	1	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	22	9	11	2	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	18	13	3	2	-
INTENTIONAL SELF-HARM BY DISECHARGE OF FIREARM (X72-X74)	11	8	1	2	-
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	7	5	2	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	8	3	1	4	-
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	8	3	1	4	-
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	1	1	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1	1	-	-	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	1	-	-	-

** See APPENDIX for ICD-10 codes

Table G-22.
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
ALL CAUSES	Total	38,585 *	549	73	59	68	248	371	832	1,556	3,441	5,182	6,979	19,218	9
	WM	13,978	151	25	20	27	110	165	357	614	1,326	2,075	2,914	6,189	5
	WF	13,776	110	14	11	14	41	48	136	342	784	1,313	2,126	8,836	1
	BOM	5,566	178	22	14	17	68	108	233	347	861	1,063	1,051	1,602	2
	BOF	5,243	108	12	14	10	29	48	105	251	470	729	885	2,582	-
SALMONELLE INFECTIONS (A01-A02)	Total	2	-	-	-	-	-	-	-	-	-	2	-	-	-
	WM	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	WF	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	Total	51	-	-	-	-	-	-	-	-	4	1	10	36	-
	WM	20	-	-	-	-	-	-	-	-	2	-	3	15	-
	WF	21	-	-	-	-	-	-	-	-	-	1	5	15	-
	BOM	4	-	-	-	-	-	-	-	-	-	-	1	3	-
	BOF	6	-	-	-	-	-	-	-	-	2	-	1	3	-
TUBERCULOSIS (A16-A19)	Total	9	1	-	-	-	-	-	-	1	2	2	2	1	-
	WM	5	1	-	-	-	-	-	-	-	1	1	1	1	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	3	-	-	-	-	-	-	-	1	1	1	-	-	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	1	-	-
1. RESPIRATORY TUBERCULOSIS (A16)	Total	9	1	-	-	-	-	-	-	1	2	2	2	1	-
	WM	5	1	-	-	-	-	-	-	-	1	1	1	1	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	3	-	-	-	-	-	-	-	1	1	1	-	-	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	1	-	-
2. OTHER TUBERCULOSIS (A17-A19)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH (A37)	Total	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	WM	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	Total	2 *	1	-	-	-	-	1	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA (A40-A41)	Total	631 *	7	1	2	-	4	-	10	19	47	76	118	347	-
	WM	182	2	-	1	-	-	-	3	3	11	18	46	98	-
	WF	223	-	1	1	-	-	-	1	7	11	22	41	139	-
	BOM	96	1	-	-	-	2	-	1	4	16	16	14	42	-
	BOF	129	3	-	-	-	2	-	5	5	9	20	17	68	-

Table G-22. (continued)
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
SYPHILIS (A50-A53)	Total	3	-	-	-	-	-	-	-	-	2	1	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	BOF	2	-	-	-	-	-	-	-	-	1	1	-	-	-
ACUTE POLIOMELITIS (A80)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARTHROPHOD-BORNE VIRAL ENCEPLITIS (A83-A84, A85.2)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES (B05)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	Total	77	-	-	-	-	-	-	-	7	37	20	8	5	-
	WM	42	-	-	-	-	-	-	-	5	22	10	3	2	-
	WF	20	-	-	-	-	-	-	-	1	6	8	2	3	-
	BOM	3	-	-	-	-	-	-	-	-	3	-	-	-	-
	BOF	12	-	-	-	-	-	-	-	1	6	2	3	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20- B24)	Total	249	-	-	-	-	1	4	29	95	85	26	8	1	-
	WM	45	-	-	-	-	-	1	7	21	12	4	-	-	-
	WF	11	-	-	-	-	1	-	1	4	4	1	-	-	-
	BOM	128	-	-	-	-	-	2	10	45	51	12	8	-	-
	BOF	65	-	-	-	-	-	1	11	25	18	9	-	1	-
MALARIA (B50-B54)	Total	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	Total	93	2	-	1	1	1	-	1	4	9	19	24	31	-
	WM	39	1	-	-	-	-	-	-	3	6	6	12	11	-
	WF	30	-	-	-	1	-	-	-	-	1	7	7	14	-
	BOM	15	1	-	1	-	-	-	1	1	1	5	3	2	-
	BOF	9	-	-	-	-	1	-	-	-	1	1	2	4	-
MALIGNANT NEOPLASMS (C00-C97)	Total	8,617	4	3	9	8	9	16	60	236	894	1,709	2,250	3,419	-
	WM	3,420	3	-	4	1	4	5	17	70	294	660	992	1,370	-
	WF	2,866	1	1	1	2	2	5	14	77	281	498	711	1,273	-
	BOM	1,267	-	2	2	2	-	2	14	34	192	325	314	380	-
	BOF	1,064	-	-	2	3	3	4	15	55	127	226	233	396	-
1. OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	Total	137	-	-	-	-	-	2	-	3	31	31	30	40	-
	WM	54	-	-	-	-	-	-	-	-	9	19	11	15	-
	WF	29	-	-	-	-	-	-	-	1	2	2	7	17	-
	BOM	39	-	-	-	-	-	-	-	2	18	9	8	2	-
	BOF	15	-	-	-	-	-	2	-	-	2	1	4	6	-
2. OF ESOPHAGUS (C15)	Total	212	-	-	-	-	-	-	-	5	36	43	68	60	-
	WM	114	-	-	-	-	-	-	-	1	20	21	38	34	-
	WF	22	-	-	-	-	-	-	-	-	2	2	6	12	-
	BOM	60	-	-	-	-	-	-	-	4	10	16	22	8	-
	BOF	16	-	-	-	-	-	-	-	-	4	4	2	6	-

Table G-22. (continued)
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
3. OF STOMACH (C16)	Total	179	-	-	-	-	1	-	3	9	17	50	42	57	-
	WM	53	-	-	-	-	1	-	-	4	5	16	16	11	-
	WF	44	-	-	-	-	-	-	-	2	5	8	9	20	-
	BOM	53	-	-	-	-	-	-	2	1	7	18	14	11	-
	BOF	29	-	-	-	-	-	-	1	2	-	8	3	15	-
4. OF COLON,RECTUM & ANUS (C18-C21)	Total	812	-	-	1	-	-	1	4	28	85	146	176	371	-
	WM	297	-	-	1	-	-	1	1	7	28	66	70	123	-
	WF	244	-	-	-	-	-	-	-	7	24	39	44	130	-
	BOM	130	-	-	-	-	-	-	3	6	21	24	27	49	-
	BOF	141	-	-	-	-	-	-	-	8	12	17	35	69	-
5. OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	Total	221	1	-	-	-	-	-	-	5	43	50	51	71	-
	WM	111	1	-	-	-	-	-	-	2	22	24	29	33	-
	WF	47	-	-	-	-	-	-	-	1	5	9	8	24	-
	BOM	47	-	-	-	-	-	-	-	2	15	14	11	5	-
	BOF	16	-	-	-	-	-	-	-	-	1	3	3	9	-
6. OF PANCREAS (C25)	Total	471	-	-	-	-	-	-	2	10	50	85	131	193	-
	WM	177	-	-	-	-	-	-	1	2	15	41	54	64	-
	WF	167	-	-	-	-	-	-	1	5	20	17	48	76	-
	BOM	61	-	-	-	-	-	-	-	3	11	17	11	19	-
	BOF	66	-	-	-	-	-	-	-	-	4	10	18	34	-
7. OF LARYNX (C32)	Total	64	-	-	-	-	-	-	1	-	7	22	18	16	-
	WM	35	-	-	-	-	-	-	-	-	2	14	8	11	-
	WF	5	-	-	-	-	-	-	1	-	-	-	2	2	-
	BOM	21	-	-	-	-	-	-	-	-	4	7	7	3	-
	BOF	3	-	-	-	-	-	-	-	-	1	1	1	-	-
8. OF TRACHEA, BRONCHUS & LUNG (C33-C34)	Total	2,703	-	-	-	-	-	-	3	41	255	607	870	927	-
	WM	1,272	-	-	-	-	-	-	1	14	100	275	443	439	-
	WF	863	-	-	-	-	-	-	1	16	74	164	270	338	-
	BOM	372	-	-	-	-	-	-	-	6	54	121	105	86	-
	BOF	196	-	-	-	-	-	-	1	5	27	47	52	64	-
9. OF SKIN (C43)	Total	101	-	-	-	-	-	-	4	13	10	25	14	35	-
	WM	64	-	-	-	-	-	-	3	10	5	18	5	23	-
	WF	33	-	-	-	-	-	-	1	3	5	5	7	12	-
	BOM	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	BOF	3	-	-	-	-	-	-	-	-	-	1	2	-	-
10. OF BREAST (C50)	Total	663	-	-	-	-	-	1	5	37	98	166	140	216	-
	WM	7	-	-	-	-	-	-	-	-	-	1	2	4	-
	WF	460	-	-	-	-	-	1	2	18	62	110	98	169	-
	BOM	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	BOF	194	-	-	-	-	-	-	3	19	36	55	40	41	-
11. OF CERVIX UTERI (C53)	Total	64	-	-	-	-	-	-	6	7	14	10	11	16	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	29	-	-	-	-	-	-	3	3	8	3	6	6	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	35	-	-	-	-	-	-	3	4	6	7	5	10	-
12. OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	Total	108	-	-	-	-	-	-	-	5	8	27	20	48	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	52	-	-	-	-	-	-	-	1	5	10	9	27	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	56	-	-	-	-	-	-	-	4	3	17	11	21	-
13. OF OVARY (C56)	Total	191	-	-	-	-	-	-	1	7	24	46	46	67	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	151	-	-	-	-	-	-	-	6	19	36	36	54	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	40	-	-	-	-	-	-	1	1	5	10	10	13	-

Table G-22. (continued)
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
14. OF PROSTATE (C61)	Total	462	-	-	-	-	-	-	-	-	9	39	98	316	-
	WM	266	-	-	-	-	-	-	-	-	3	13	55	195	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	195	-	-	-	-	-	-	-	-	6	26	43	120	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
15. OF KIDNEY & RENAL PELVIS (C64-C65)	Total	196	1	-	-	-	-	-	1	1	18	36	51	88	-
	WM	94	-	-	-	-	-	-	-	-	8	19	28	39	-
	WF	57	1	-	-	-	-	-	1	4	8	15	28	15	-
	BOM	28	-	-	-	-	-	-	1	-	5	4	3	15	-
	BOF	17	-	-	-	-	-	-	-	-	1	5	5	6	-
16. OF BLADDER (C67)	Total	176	-	-	-	-	-	-	-	3	9	20	37	107	-
	WM	106	-	-	-	-	-	-	-	2	6	12	25	61	-
	WF	44	-	-	-	-	-	-	-	1	2	1	8	32	-
	BOM	13	-	-	-	-	-	-	-	-	1	3	2	7	-
	BOF	13	-	-	-	-	-	-	-	-	-	4	2	7	-
17. OF MENINGS,BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	Total	198	2	1	3	2	1	3	5	12	33	39	47	50	-
	WM	93	2	-	1	-	-	2	2	8	20	19	23	16	-
	WF	78	-	-	1	-	1	-	1	3	10	15	19	28	-
	BOM	13	-	1	-	1	-	1	1	-	2	3	3	1	-
	BOF	14	-	-	1	1	-	-	1	1	1	2	2	5	-
18. OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	Total	732	-	2	1	3	6	5	14	22	46	107	186	340	-
	WM	311	-	-	-	-	3	1	4	10	16	35	94	148	-
	WF	239	-	1	-	1	1	2	2	3	12	32	49	136	-
	BOM	100	-	1	1	1	-	1	5	3	13	25	26	24	-
	BOF	82	-	-	-	1	2	1	3	6	5	15	17	32	-
HODGKIN'S DISEASE (C81)	Total	11	-	-	-	-	-	-	1	1	1	3	1	4	-
	WM	6	-	-	-	-	-	-	-	1	1	1	-	3	-
	WF	3	-	-	-	-	-	-	-	-	-	1	1	1	-
	BOM	2	-	-	-	-	-	-	1	-	-	1	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	Total	286	-	1	-	1	1	2	6	10	15	43	64	143	-
	WM	128	-	-	-	-	1	-	2	4	8	16	34	63	-
	WF	100	-	-	-	-	-	1	-	3	3	15	17	61	-
	BOM	31	-	1	-	1	-	1	3	1	3	5	9	7	-
	BOF	27	-	-	-	-	-	-	1	2	1	7	4	12	-
LEUKEMIA (C91-C95)	Total	278	-	-	1	2	5	3	5	8	21	33	77	123	-
	WM	123	-	-	-	-	2	1	2	4	4	11	39	60	-
	WF	89	-	-	-	1	1	1	1	-	7	12	20	46	-
	BOM	43	-	-	1	-	-	-	-	2	8	10	12	10	-
	BOF	23	-	-	-	1	2	1	2	2	2	-	6	7	-
MUTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	Total	154	-	-	-	-	-	-	2	3	9	28	44	68	-
	WM	53	-	-	-	-	-	-	-	1	3	7	21	21	-
	WF	45	-	-	-	-	-	-	1	-	2	4	11	27	-
	BOM	24	-	-	-	-	-	-	1	-	2	9	5	7	-
	BOF	32	-	-	-	-	-	-	-	2	2	8	7	13	-
OTHER & UNSPECIFIED MALIGNNEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	Total	3	-	1	-	-	-	-	-	-	-	-	-	2	-
	WM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	WF	2	-	1	-	-	-	-	-	-	-	-	-	1	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	Total	927	-	-	4	3	1	4	11	28	101	160	214	401	-
	WM	366	-	-	2	1	-	1	5	10	35	67	91	154	-
	WF	302	-	-	-	1	-	2	2	6	22	37	70	162	-
	BOM	132	-	-	1	-	-	-	2	7	25	37	32	28	-
	BOF	127	-	-	1	1	1	1	2	5	19	19	21	57	-

Table G-22. (continued)
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
IN SITU,BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	Total	201	-	2	4	-	-	-	5	7	8	27	31	117	-
	WM	73	-	2	1	-	-	-	1	1	3	6	11	48	-
	WF	74	-	-	2	-	-	-	1	3	1	13	8	46	-
	BOM	24	-	-	1	-	-	-	2	3	-	3	5	10	-
	BOF	30	-	-	-	-	-	-	1	-	4	5	7	13	-
ANEMIAS (D50-D64)	Total	86	-	-	2	-	2	2	7	4	2	9	15	43	-
	WM	18	-	-	-	-	-	-	-	-	-	2	6	10	-
	WF	29	-	-	-	-	-	-	1	-	1	3	3	21	-
	BOM	13	-	-	1	-	2	-	-	1	-	1	5	3	-
	BOF	26	-	-	1	-	-	2	6	3	1	3	1	9	-
DIABETES MELLITUS (E10- E14)	Total	1,183	-	-	-	1	1	4	7	41	101	225	280	523	-
	WM	347	-	-	-	-	1	1	1	13	39	70	80	142	-
	WF	343	-	-	-	1	-	1	1	11	12	47	72	198	-
	BOM	208	-	-	-	-	-	1	5	10	31	53	53	55	-
	BOF	285	-	-	-	-	-	1	-	7	19	55	75	128	-
NUTRITIONAL DEFICIENCIES (E40-E64)	Total	69	-	-	-	-	-	-	1	3	6	3	5	51	-
	WM	23	-	-	-	-	-	-	-	1	1	2	3	16	-
	WF	20	-	-	-	-	-	-	-	2	2	-	-	16	-
	BOM	7	-	-	-	-	-	-	-	-	2	-	-	5	-
	BOF	19	-	-	-	-	-	-	1	-	1	1	2	14	-
1. MALNUTRITION (E40-E46)	Total	65	-	-	-	-	-	-	1	3	6	3	5	47	-
	WM	23	-	-	-	-	-	-	-	1	1	2	3	16	-
	WF	19	-	-	-	-	-	-	-	2	2	-	-	15	-
	BOM	6	-	-	-	-	-	-	-	-	2	-	-	4	-
	BOF	17	-	-	-	-	-	-	1	-	1	1	2	12	-
2. OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	Total	4	-	-	-	-	-	-	-	-	-	-	-	4	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOF	2	-	-	-	-	-	-	-	-	-	-	-	2	-
MENINGITIS (G00-G03)	Total	19	4	2	-	-	-	-	-	2	2	3	2	4	-
	WM	7	1	2	-	-	-	-	-	1	-	1	1	1	-
	WF	4	1	-	-	-	-	-	-	-	-	-	1	2	-
	BOM	5	2	-	-	-	-	-	-	-	1	1	-	1	-
	BOF	3	-	-	-	-	-	-	-	1	1	1	-	-	-
PARKISON'S DISEASE (G20- G21)	Total	261	-	-	-	-	-	-	-	-	1	3	36	221	-
	WM	138	-	-	-	-	-	-	-	-	1	2	25	110	-
	WF	104	-	-	-	-	-	-	-	-	-	-	6	98	-
	BOM	11	-	-	-	-	-	-	-	-	-	1	3	7	-
	BOF	8	-	-	-	-	-	-	-	-	-	-	2	6	-
ALZHEIMER'S DISEASE (G30)	Total	1,315	-	-	-	-	-	-	-	-	-	9	66	1,240	-
	WM	287	-	-	-	-	-	-	-	-	-	5	19	263	-
	WF	819	-	-	-	-	-	-	-	-	-	3	28	788	-
	BOM	52	-	-	-	-	-	-	-	-	-	-	7	45	-
	BOF	157	-	-	-	-	-	-	-	-	-	1	12	144	-
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	Total	12,693 *	12	3	2	5	12	14	105	340	954	1,599	2,257	7,388	2
	WM	4,488	3	-	-	1	4	5	26	130	377	693	963	2,284	2
	WF	4,550	4	1	1	1	1	2	17	63	156	319	583	3,402	-
	BOM	1,808	3	1	1	2	4	4	43	87	278	375	398	612	-
	BOF	1,843	2	1	-	1	3	3	19	59	143	212	312	1,088	-
1. DISEASE OF HEART (I00- I09,I11,I13,I20-I51)	Total	9,328 *	10	2	2	5	10	12	81	278	748	1,283	1,690	5,205	2
	WM	3,578	3	-	-	1	3	4	18	116	338	605	765	1,723	2
	WF	3,208	4	-	1	1	1	2	13	52	125	254	422	2,333	-
	BOM	1,294	1	1	1	2	3	3	37	68	193	268	283	434	-
	BOF	1,247	2	1	-	1	3	3	13	41	92	156	220	715	-

Table G-22. (continued)
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
A. ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	Total	58	-	-	-	-	-	-	2	3	6	10	8	29	-
	WM	9	-	-	-	-	-	-	-	1	1	2	-	5	-
	WF	33	-	-	-	-	-	-	1	1	3	4	4	20	-
	BOM	5	-	-	-	-	-	-	1	-	1	-	1	2	-
	BOF	11	-	-	-	-	-	-	-	1	1	4	3	2	-
B. HYPERTENSIVE HEART DISEASE (I11)	Total	366	-	-	-	-	-	-	1	10	31	45	56	223	-
	WM	90	-	-	-	-	-	-	-	4	12	15	15	44	-
	WF	123	-	-	-	-	-	-	-	1	1	9	14	98	-
	BOM	60	-	-	-	-	-	-	1	4	10	10	11	24	-
	BOF	93	-	-	-	-	-	-	-	1	8	11	16	57	-
C. HYPERTENSIVE HEART AND RENAL DISEASE (I13)	Total	46	-	-	-	-	-	-	1	1	3	1	8	32	-
	WM	9	-	-	-	-	-	-	-	1	1	-	3	4	-
	WF	13	-	-	-	-	-	-	-	-	-	-	-	13	-
	BOM	10	-	-	-	-	-	-	1	-	1	-	3	5	-
	BOF	14	-	-	-	-	-	-	-	-	1	1	2	10	-
D. ISCHEMIC HEART DISEASE (I20-I25)	Total	5,614 *	-	-	-	-	2	3	23	147	461	868	1,123	2,986	1
	WM	2,436	-	-	-	-	-	1	4	77	236	462	556	1,099	1
	WF	1,785	-	-	-	-	1	-	3	25	73	158	269	1,256	-
	BOM	739	-	-	-	-	1	1	11	30	111	173	163	249	-
	BOF	653	-	-	-	-	-	1	5	14	41	75	135	382	-
1. ACUTE MYOCARDIAL INFARCTION (I21-I22)	Total	2,462	-	-	-	-	1	-	12	84	250	427	513	1,175	-
	WM	1,026	-	-	-	-	-	-	2	46	132	235	232	379	-
	WF	751	-	-	-	-	-	-	2	11	43	71	122	502	-
	BOM	367	-	-	-	-	1	-	6	19	57	90	86	108	-
	BOF	318	-	-	-	-	-	-	2	8	18	31	73	186	-
2. OTHER ACUTE HEART DISEASE (I24)	Total	228	-	-	-	-	-	-	4	12	28	66	47	71	-
	WM	74	-	-	-	-	-	-	-	4	7	25	19	19	-
	WF	40	-	-	-	-	-	-	-	2	1	8	5	24	-
	BOM	65	-	-	-	-	-	-	3	3	12	22	13	12	-
	BOF	49	-	-	-	-	-	-	1	3	8	11	10	16	-
3. OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	Total	2,924 *	-	-	-	-	1	3	7	51	183	375	563	1,740	1
	WM	1,336	-	-	-	-	-	1	2	27	97	202	305	701	1
	WF	994	-	-	-	-	1	-	1	12	29	79	142	730	-
	BOM	307	-	-	-	-	-	-	2	8	42	61	64	129	-
	BOF	286	-	-	-	-	-	1	2	3	15	33	52	180	-
A. ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	Total	459 *	-	-	-	-	-	-	1	17	39	73	71	257	1
	WM	187	-	-	-	-	-	-	1	9	18	42	32	84	1
	WF	159	-	-	-	-	-	-	-	3	6	14	20	116	-
	BOM	63	-	-	-	-	-	-	-	3	10	13	13	24	-
	BOF	49	-	-	-	-	-	-	-	1	5	4	6	33	-
B. ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	Total	2,465	-	-	-	-	1	3	6	34	144	302	492	1,483	-
	WM	1,149	-	-	-	-	-	1	1	18	79	160	273	617	-
	WF	835	-	-	-	-	1	-	1	9	23	65	122	614	-
	BOM	244	-	-	-	-	-	1	2	5	32	48	51	105	-
	BOF	237	-	-	-	-	-	1	2	2	10	29	46	147	-
E. OTHER HEART DISEASE (I26-I51)	Total	3,244	10	2	2	5	8	9	54	117	247	359	495	1,935	1
	WM	1,034	3	-	-	1	3	3	14	33	88	126	191	571	1
	WF	1,254	4	-	1	1	-	2	9	25	48	83	135	946	-
	BOM	480	1	1	1	2	2	2	23	34	70	85	105	154	-
	BOF	476	2	1	-	1	3	2	8	25	41	65	64	264	-
1. ACUTE & SUBACUTE ENDOCARDITIS (I33)	Total	16	-	-	-	-	-	-	1	1	-	3	6	5	-
	WM	6	-	-	-	-	-	-	-	-	-	3	3	-	-
	WF	9	-	-	-	-	-	-	-	1	-	-	3	5	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	1	-	-	-	-	-	-	1	-	-	-	-	-	-

Table G-22. (continued)
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
2. DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30- I31,I40)	Total	16	1	1	-	-	1	-	3	-	-	2	2	6	-
	WM	7	-	-	-	-	-	-	2	-	-	1	2	2	-
	WF	4	1	-	-	-	-	-	1	-	-	-	-	2	-
	BOM	3	-	1	-	-	-	-	-	-	-	1	-	1	-
	BOF	2	-	-	-	-	1	-	-	-	-	-	-	1	-
3. HEART FAILURE (I50)	Total	1,050	1	-	1	-	-	1	3	12	39	79	141	773	-
	WM	333	1	-	-	-	-	-	-	1	16	26	52	237	-
	WF	447	-	-	-	-	-	1	1	2	9	16	42	376	-
	BOM	117	-	-	1	-	-	-	2	5	7	23	26	53	-
	BOF	153	-	-	-	-	-	-	-	4	7	14	21	107	-
4. ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34- I38,I42-I49,I51)	Total	2,162	8	1	1	5	7	8	47	104	208	275	346	1,151	1
	WM	688	2	-	-	1	3	3	12	32	72	96	134	332	1
	WF	794	3	-	1	1	-	1	7	22	39	67	90	563	-
	BOM	360	1	-	-	2	2	2	21	29	63	61	79	100	-
	BOF	320	2	1	-	1	2	2	7	21	34	51	43	156	-
2. ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	Total	424 *	-	-	-	-	-	-	1	12	41	51	81	238	-
	WM	71	-	-	-	-	-	-	-	2	4	7	18	40	-
	WF	138	-	-	-	-	-	-	-	3	5	7	22	101	-
	BOM	109	-	-	-	-	-	-	1	5	21	26	23	33	-
	BOF	105	-	-	-	-	-	-	-	2	11	11	18	63	-
3. CEREBROVASCULAR DISEASE (I60-I69)	Total	2,449 *	2	1	-	-	2	-	16	45	149	211	389	1,634	-
	WM	661	-	-	-	-	1	-	8	9	27	62	132	422	-
	WF	1,033	-	1	-	-	-	-	4	8	23	41	116	840	-
	BOM	343	2	-	-	-	1	-	1	13	60	67	80	119	-
	BOF	410	-	-	-	-	-	-	3	15	39	41	60	252	-
4. ATHEROSCLEROSIS (I70)	Total	70	-	-	-	-	-	1	-	-	1	4	10	54	-
	WM	20	-	-	-	-	-	-	-	-	1	-	5	14	-
	WF	34	-	-	-	-	-	-	-	-	-	3	3	28	-
	BOM	6	-	-	-	-	-	1	-	-	-	1	2	2	-
	BOF	10	-	-	-	-	-	-	-	-	-	-	-	10	-
5. OTHER DISEASE OF CIRCULATORY SYSTEM (I71- I78)	Total	421	-	-	-	-	-	1	7	5	15	50	86	257	-
	WM	157	-	-	-	-	-	1	-	3	7	19	42	85	-
	WF	137	-	-	-	-	-	-	-	-	3	14	20	100	-
	BOM	56	-	-	-	-	-	-	4	1	4	13	10	24	-
	BOF	71	-	-	-	-	-	-	3	1	1	4	14	48	-
A. AORTIC ANEURYSM & DISSECTION (I71)	Total	230	-	-	-	-	-	1	5	4	10	30	54	126	-
	WM	105	-	-	-	-	-	1	-	3	5	13	35	48	-
	WF	72	-	-	-	-	-	-	-	-	1	8	8	55	-
	BOM	26	-	-	-	-	-	-	4	1	3	7	4	7	-
	BOF	27	-	-	-	-	-	-	1	-	1	2	7	16	-
B. OTHER DISEASE OF ARTEIRIS, ARTERIOLES & CAPILLARIES (I72-I78)	Total	191	-	-	-	-	-	-	2	1	5	20	32	131	-
	WM	52	-	-	-	-	-	-	-	-	2	6	7	37	-
	WF	65	-	-	-	-	-	-	-	-	2	6	12	45	-
	BOM	30	-	-	-	-	-	-	-	-	1	6	6	17	-
	BOF	44	-	-	-	-	-	-	2	1	-	2	7	32	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80- I99)	Total	79	-	-	-	-	-	1	1	4	15	14	6	38	-
	WM	31	-	-	-	-	-	1	1	2	3	6	3	15	-
	WF	24	-	-	-	-	-	-	-	-	4	1	2	17	-
	BOM	14	-	-	-	-	-	-	-	1	7	3	1	2	-
	BOF	10	-	-	-	-	-	-	-	1	1	4	-	4	-
INFLUENZA & PNEUMONIA (J10-J18)	Total	762	2	1	-	-	-	3	14	7	45	51	106	533	-
	WM	259	-	1	-	-	-	1	6	5	19	23	43	161	-
	WF	332	-	-	-	-	-	-	4	1	9	11	38	269	-
	BOM	82	2	-	-	-	-	1	4	1	10	14	12	38	-
	BOF	89	-	-	-	-	-	1	-	-	7	3	13	65	-

Table G-22. (continued)
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
1. INFLUENZA (J10-J11)	Total	30	-	-	-	-	-	-	-	-	5	1	7	17	-
	WM	11	-	-	-	-	-	-	-	-	1	1	4	5	-
	WF	15	-	-	-	-	-	-	-	-	1	-	2	12	-
	BOM	2	-	-	-	-	-	-	-	-	2	-	-	-	-
	BOF	2	-	-	-	-	-	-	-	-	1	-	1	-	-
2. PNEUMONIA (J12-J18)	Total	732	2	1	-	-	-	3	14	7	40	50	99	516	-
	WM	248	-	1	-	-	-	1	6	5	18	22	39	156	-
	WF	317	-	-	-	-	-	-	4	1	8	11	36	257	-
	BOM	80	2	-	-	-	-	1	4	1	8	14	12	38	-
	BOF	87	-	-	-	-	-	1	-	-	6	3	12	65	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	Total	6	1	-	-	-	-	-	-	1	-	-	-	4	-
	WM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	WF	3	-	-	-	-	-	-	-	1	-	-	-	2	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	2	1	-	-	-	-	-	-	-	-	-	-	1	-
1. ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	Total	3	1	-	-	-	-	-	-	-	-	-	-	2	-
	WM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	WF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2. UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	Total	3	-	-	-	-	-	-	-	1	-	-	-	2	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	2	-	-	-	-	-	-	-	1	-	-	-	1	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
CHRONIC LOWER RESPIRATORY DISEASE (J40- J47)	Total	1,968 *	-	-	-	-	3	2	2	24	84	257	535	1,061	-
	WM	828	-	-	-	-	-	-	-	8	27	105	248	440	-
	WF	880	-	-	-	-	-	-	2	8	38	98	232	502	-
	BOM	162	-	-	-	-	2	1	-	2	13	32	34	78	-
	BOF	97	-	-	-	-	1	1	-	6	6	22	21	40	-
1. BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	Total	12	-	-	-	-	-	-	-	-	-	1	3	8	-
	WM	3	-	-	-	-	-	-	-	-	-	-	-	3	-
	WF	7	-	-	-	-	-	-	-	-	-	1	2	4	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	1	-	-
2. EMPHYSEMA (J43)	Total	222	-	-	-	-	-	-	-	-	13	43	66	100	-
	WM	112	-	-	-	-	-	-	-	-	5	25	32	50	-
	WF	75	-	-	-	-	-	-	-	-	4	12	28	31	-
	BOM	24	-	-	-	-	-	-	-	-	4	4	4	12	-
	BOF	11	-	-	-	-	-	-	-	-	-	2	2	7	-
3. ASTHMA (J45-J46)	Total	77	-	-	-	-	3	2	2	14	13	13	5	25	-
	WM	9	-	-	-	-	-	-	-	3	2	2	1	1	-
	WF	34	-	-	-	-	-	-	2	5	7	2	1	17	-
	BOM	14	-	-	-	-	2	1	-	2	2	5	1	1	-
	BOF	20	-	-	-	-	1	1	-	4	2	4	2	6	-
4. OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	Total	1,657 *	-	-	-	-	-	-	-	10	58	200	461	928	-
	WM	704	-	-	-	-	-	-	-	5	20	78	215	386	-
	WF	764	-	-	-	-	-	-	-	3	27	83	201	450	-
	BOM	123	-	-	-	-	-	-	-	-	7	23	29	64	-
	BOF	65	-	-	-	-	-	-	-	2	4	16	16	27	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60- J66,J68)	Total	11	-	-	-	-	-	-	-	-	1	1	3	6	-
	WM	9	-	-	-	-	-	-	-	-	1	1	3	4	-
	WF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-22. (continued)
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	Total	299	1	-	-	1	1	-	1	4	12	14	29	236	-
	WM	129	-	-	-	1	-	-	-	1	7	6	8	106	-
	WF	101	1	-	-	-	1	-	-	2	2	3	10	82	-
	BOM	35	-	-	-	-	-	-	1	-	3	2	6	23	-
	BOF	34	-	-	-	-	-	-	-	1	-	3	5	25	-
OTHER DISEASE OF RESPIRATORY SYSTEM (J00- J06,J30-J39,J67,J70-J98)	Total	435	7	2	-	4	1	-	3	7	31	57	93	230	-
	WM	180	1	1	-	2	-	-	1	2	10	27	36	100	-
	WF	163	-	-	-	1	-	-	-	1	9	19	29	104	-
	BOM	44	5	1	-	-	1	-	-	2	6	6	14	9	-
	BOF	48	1	-	-	1	-	-	2	2	6	5	14	17	-
PEPTIC ULCER (K25-K28)	Total	42	-	-	-	-	-	-	-	1	3	8	11	19	-
	WM	14	-	-	-	-	-	-	-	-	1	4	2	7	-
	WF	16	-	-	-	-	-	-	-	-	-	3	5	8	-
	BOM	6	-	-	-	-	-	-	-	1	2	1	1	1	-
	BOF	6	-	-	-	-	-	-	-	-	-	-	3	3	-
DISEASE OF APPENDIX (K35- K38)	Total	6	-	-	-	-	-	-	1	-	-	2	2	1	-
	WM	4	-	-	-	-	-	-	1	-	-	1	1	1	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	BOF	1	-	-	-	-	-	-	-	-	-	1	-	-	-
HERNIA (K40-K46)	Total	26	2	-	-	-	-	-	-	-	3	2	2	17	-
	WM	7	-	-	-	-	-	-	-	-	1	1	1	4	-
	WF	11	-	-	-	-	-	-	-	-	1	-	1	9	-
	BOM	4	2	-	-	-	-	-	-	-	1	-	-	1	-
	BOF	4	-	-	-	-	-	-	-	-	-	1	-	3	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	Total	481 *	-	-	-	-	-	-	3	41	141	121	98	77	-
	WM	241	-	-	-	-	-	-	1	19	77	67	44	33	-
	WF	139	-	-	-	-	-	-	1	11	27	25	41	34	-
	BOM	65	-	-	-	-	-	-	-	4	26	22	10	3	-
	BOF	35	-	-	-	-	-	-	1	6	11	7	3	7	-
1. ALCOHOLIC LIVER DISEASE (K70)	Total	251 *	-	-	-	-	-	-	2	31	97	66	33	22	-
	WM	140	-	-	-	-	-	-	1	13	56	39	18	13	-
	WF	45	-	-	-	-	-	-	1	8	14	8	8	6	-
	BOM	41	-	-	-	-	-	-	-	3	19	13	5	1	-
	BOF	24	-	-	-	-	-	-	-	6	8	6	2	2	-
2. OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73- K74)	Total	230	-	-	-	-	-	-	1	10	44	55	65	55	-
	WM	101	-	-	-	-	-	-	-	6	21	28	26	20	-
	WF	94	-	-	-	-	-	-	-	3	13	17	33	28	-
	BOM	24	-	-	-	-	-	-	-	1	7	9	5	2	-
	BOF	11	-	-	-	-	-	-	1	-	3	1	1	5	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	Total	52	-	-	-	-	-	-	-	1	3	2	11	35	-
	WM	16	-	-	-	-	-	-	-	-	-	2	5	9	-
	WF	19	-	-	-	-	-	-	-	-	-	-	2	17	-
	BOM	7	-	-	-	-	-	-	-	-	2	-	2	3	-
	BOF	10	-	-	-	-	-	-	-	1	1	-	2	6	-
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17- N19,N25-N27)	Total	815	7	-	1	-	1	1	7	11	46	118	147	476	-
	WM	225	2	-	1	-	-	-	2	3	11	37	37	132	-
	WF	245	3	-	-	-	-	1	-	1	9	11	39	181	-
	BOM	131	1	-	-	-	-	-	2	4	15	38	27	44	-
	BOF	214	1	-	-	-	1	-	3	3	11	32	44	119	-
1. ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00 N01,N04)	Total	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	2	-	-	-	-	-	-	-	-	-	-	-	2	-

Table G-22. (continued)
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
2. CHRONIC GLOMERULONEPHRITIS, NEP HRITIS & RENAL SCLEROSIS UNSPECIFIED *	Total	8	-	-	-	-	-	-	-	-	-	1	-	7	-
	WM	3	-	-	-	-	-	-	-	-	-	-	-	3	-
	WF	3	-	-	-	-	-	-	-	-	-	-	-	3	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	2	-	-	-	-	-	-	-	-	-	1	-	1	-
3. RENAL FAILURE (N17-N19)	Total	805	7	-	1	-	1	1	7	11	46	117	147	467	-
	WM	222	2	-	1	-	-	-	2	3	11	37	37	129	-
	WF	242	3	-	-	-	-	1	-	1	9	11	39	178	-
	BOM	131	1	-	-	-	-	-	2	4	15	38	27	44	-
	BOF	210	1	-	-	-	1	-	3	3	11	31	44	116	-
4. OTHER DISORDERS OF KIDNEY (N25,N27)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	Total	15	-	-	-	-	-	-	-	1	-	-	2	12	-
	WM	6	-	-	-	-	-	-	-	1	-	-	1	4	-
	WF	6	-	-	-	-	-	-	-	-	-	-	-	6	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOF	2	-	-	-	-	-	-	-	-	-	-	1	1	-
HYPERPLASIA OF PROSTATE (N40)	Total	5	-	-	-	-	-	-	-	-	-	-	1	4	-
	WM	5	-	-	-	-	-	-	-	-	-	-	1	4	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	Total	4	-	-	-	-	-	-	-	-	1	2	-	1	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	3	-	-	-	-	-	-	-	-	1	1	-	1	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	1	-	-	-	-	-	-	-	-	-	1	-	-	-
PREGNANCY, CHIRLDBIRTH & THE PUERPERIUM (O00- O99)	Total	13	-	-	-	-	-	5	3	4	-	1	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	6	-	-	-	-	-	2	2	2	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	7	-	-	-	-	-	3	1	2	-	1	-	-	-
1. PREGNANCY WITH ABORTIVE OUTCOME (O00- O07)	Total	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. OTHER COMPLICAITONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	Total	12	-	-	-	-	-	4	3	4	-	1	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	5	-	-	-	-	-	1	2	2	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	7	-	-	-	-	-	3	1	2	-	1	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00- P96)	Total	293 *	291	-	2	-	-	-	-	-	-	-	-	-	-
	WM	70	68	-	2	-	-	-	-	-	-	-	-	-	-
	WF	54	54	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	105	105	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	63	63	-	-	-	-	-	-	-	-	-	-	-	-
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	Total	156	79	8	4	1	2	4	10	6	14	15	5	8	-
	WM	49	26	4	2	1	-	1	2	-	4	6	2	1	-
	WF	51	22	-	1	-	1	1	4	4	7	4	3	4	-
	BOM	31	19	1	-	-	-	2	3	2	2	-	-	2	-
	BOF	25	12	3	1	-	1	-	1	-	1	5	-	1	-

Table G-22. (continued)
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	Total	463 *	66	2	1	4	1	4	15	19	28	30	32	259	2
	WM	122	21	-	-	1	-	3	7	7	15	6	11	51	-
	WF	193	12	-	-	-	1	-	1	7	5	14	9	144	-
	BOM	71	21	2	-	2	-	-	4	2	4	6	4	25	1
	BOF	67	12	-	1	1	-	-	3	3	4	3	7	33	-
ALL OTHER DISEASE (RESIDUAL) *	Total	3,905 *	22	12	8	12	11	15	54	140	315	424	576	2,315	1
	WM	1,095	8	4	2	4	3	3	15	48	112	139	195	562	-
	WF	1,698	4	3	2	3	-	1	10	27	68	128	208	1,243	1
	BOM	474	5	3	3	4	5	7	15	23	79	81	91	158	-
	BOF	636	5	2	1	1	3	4	14	42	56	75	81	352	-
ACCIDENT (V01-X59,Y85-Y86)	Total	2,254 *	28	34	21	26	145	187	327	342	371	229	143	398	3
	WM	1,089	9	11	7	11	78	104	183	177	178	106	73	149	3
	WF	559	7	8	3	5	29	25	59	81	87	45	30	180	-
	BOM	431	7	9	4	7	27	40	69	70	81	54	24	39	-
	BOF	174	5	6	7	3	11	18	15	14	25	24	16	30	-
1. TRANSPORT ACCIDENTS (V01-V99,Y85)	Total	1,110 *	3	15	11	21	118	141	214	169	172	98	69	79	-
	WM	563	-	2	5	11	63	73	116	86	86	48	33	40	-
	WF	221	-	4	3	3	27	19	34	39	33	21	17	21	-
	BOM	240	1	4	2	5	19	34	50	39	39	20	14	13	-
	BOF	85	2	5	1	2	9	15	13	5	14	9	5	5	-
A. MOTOR VEHICLE ACCIDENT*	Total	1,062 *	3	15	11	20	116	136	209	161	161	89	62	79	-
	WM	530	-	2	5	10	62	71	112	81	78	41	28	40	-
	WF	218	-	4	3	3	26	19	34	38	32	21	17	21	-
	BOM	228	1	4	2	5	19	31	49	37	37	18	12	13	-
	BOF	85	2	5	1	2	9	15	13	5	14	9	5	5	-
B. OTHER & TRANSPORT ACCIDENT **	Total	44	-	-	-	1	1	5	5	6	11	8	7	-	-
	WM	30	-	-	-	1	-	2	4	4	8	6	5	-	-
	WF	3	-	-	-	-	1	-	-	1	1	-	-	-	-
	BOM	11	-	-	-	-	-	3	1	1	2	2	2	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	Total	4	-	-	-	-	1	-	-	2	-	1	-	-	-
	WM	3	-	-	-	-	1	-	-	1	-	1	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. NONTRANSPORT ACCIDENTS (W00-X59,Y86)	Total	1,144	25	19	10	5	27	46	113	173	199	131	74	319	3
	WM	526	9	9	2	-	15	31	67	91	92	58	40	109	3
	WF	338	7	4	-	2	2	6	25	42	54	24	13	159	-
	BOM	191	6	5	2	2	8	6	19	31	42	34	10	26	-
	BOF	89	3	1	6	1	2	3	2	9	11	15	11	25	-
A. ACCIDENTAL FALLS (W00- W19)	Total	207	1	-	-	-	-	2	5	4	18	16	31	130	-
	WM	87	-	-	-	-	-	2	4	3	6	11	18	43	-
	WF	79	1	-	-	-	-	-	1	-	-	1	7	69	-
	BOM	25	-	-	-	-	-	-	-	1	11	2	2	9	-
	BOF	16	-	-	-	-	-	-	-	-	1	2	4	9	-
B. ACCIDENTAL DISEASECHARGE OF FIREARMS (W32-W34)	Total	34	-	-	1	-	4	2	13	3	3	4	2	2	-
	WM	16	-	-	-	-	2	-	6	-	2	4	2	-	-
	WF	4	-	-	-	-	-	-	2	1	-	-	-	1	-
	BOM	13	-	-	-	-	2	2	5	2	1	-	-	1	-
	BOF	1	-	-	1	-	-	-	-	-	-	-	-	-	-
C. ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	Total	65	4	6	1	1	5	4	9	5	10	7	8	4	1
	WM	31	-	4	-	-	3	2	3	3	4	2	6	3	1
	WF	6	2	1	-	-	-	1	-	-	1	-	1	-	-
	BOM	24	1	1	-	1	2	-	6	2	4	5	1	1	-
	BOF	4	1	-	1	-	-	1	-	-	1	-	-	-	-

Table G-22. (continued)
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
D. ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	Total	80	-	4	7	2	1	2	6	12	18	8	7	13	-
	WM	28	-	2	2	-	-	-	2	4	7	3	3	5	-
	WF	16	-	-	-	1	-	2	1	2	4	1	1	4	-
	BOM	21	-	2	1	-	-	-	2	6	4	3	1	2	-
	BOF	15	-	-	4	1	1	-	1	-	3	1	2	2	-
E. ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	Total	394	2	-	-	-	9	25	62	121	112	54	3	4	2
	WM	205	1	-	-	-	6	20	37	65	54	18	-	2	2
	WF	122	-	-	-	-	2	2	18	37	44	15	2	2	-
	BOM	47	1	-	-	-	1	2	6	12	10	14	1	-	-
	BOF	20	-	-	-	-	-	1	1	7	4	7	-	-	-
F. OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	Total	364	18	9	1	2	8	11	18	28	38	42	23	166	-
	WM	159	8	3	-	-	4	7	15	16	19	20	11	56	-
	WF	111	4	3	-	1	-	1	3	2	5	7	2	83	-
	BOM	61	4	2	1	1	3	2	-	8	12	10	5	13	-
	BOF	33	2	1	-	-	1	1	-	2	2	5	5	14	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	Total	503	-	-	-	4	20	50	85	105	113	65	32	29	-
	WM	344	-	-	-	4	12	32	62	69	76	39	23	27	-
	WF	94	-	-	-	-	3	5	12	18	31	19	5	1	-
	BOM	54	-	-	-	-	5	10	9	15	6	4	4	1	-
	BOF	11	-	-	-	-	-	3	2	3	-	3	-	-	-
1. INTENTIONAL SELF-HARM BY DISEASE/CHARGE OF FIREARM (X72-X74)	Total	312	-	-	-	2	10	30	50	62	69	38	25	26	-
	WM	230	-	-	-	2	6	22	35	40	53	27	20	25	-
	WF	42	-	-	-	-	-	1	8	12	12	6	3	-	-
	BOM	34	-	-	-	-	4	6	5	9	4	3	2	1	-
	BOF	6	-	-	-	-	-	1	2	1	-	2	-	-	-
2. INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75- X84,Y87.0)	Total	191	-	-	-	2	10	20	35	43	44	27	7	3	-
	WM	114	-	-	-	2	6	10	27	29	23	12	3	2	-
	WF	52	-	-	-	-	3	4	4	6	19	13	2	1	-
	BOM	20	-	-	-	-	1	4	4	6	2	1	2	-	-
	BOF	5	-	-	-	-	-	2	-	2	-	1	-	-	-
ASSAULT (HOMICIDE) (X85- Y09,Y87.1)	Total	336	6	3	1	1	30	58	73	70	46	21	14	13	-
	WM	84	-	-	-	1	6	8	17	20	12	13	5	2	-
	WF	37	-	-	-	-	2	5	5	9	6	2	3	5	-
	BOM	179	3	3	1	-	20	38	46	31	22	5	4	6	-
	BOF	36	3	-	-	-	2	7	5	10	6	1	2	-	-
1. ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	Total	233	-	-	-	1	23	44	60	52	30	11	7	5	-
	WM	61	-	-	-	1	4	5	13	16	10	8	3	1	-
	WF	22	-	-	-	-	1	3	2	6	6	1	2	1	-
	BOM	131	-	-	-	-	18	32	40	23	11	2	2	3	-
	BOF	19	-	-	-	-	-	4	5	7	3	-	-	-	-
2. ASSAULT BY OTHER UNSPECIFIED MEANS (X85- X92,X96-Y09,Y87.1)	Total	103	6	3	1	-	7	14	13	18	16	10	7	8	-
	WM	23	-	-	-	-	2	3	4	4	2	5	2	1	-
	WF	15	-	-	-	-	1	2	3	3	-	1	1	4	-
	BOM	48	3	3	1	-	2	6	6	8	11	3	2	3	-
	BOF	17	3	-	-	-	2	3	-	3	3	1	2	-	-
LEGAL INTERVENTION (Y35,Y89.0)	Total	9	-	-	-	-	-	-	4	2	2	1	-	-	-
	WM	5	-	-	-	-	-	-	1	2	1	1	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	4	-	-	-	-	-	-	3	-	1	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	Total	41	3	-	1	-	2	-	4	6	8	8	4	4	1
	WM	15	2	-	-	-	1	-	3	1	1	4	3	-	-
	WF	12	-	-	-	-	-	-	-	1	4	4	-	3	-
	BOM	8	1	-	-	-	-	-	1	3	2	-	-	-	1
	BOF	6	-	-	1	-	1	-	-	1	1	-	1	1	-

Table G-22. (continued)
Deaths by Cause, Age, Race and Gender: South Carolina, 2005
(Residence Data)

Cause of Death	Gender/ Race	All Ages	< 1 Years	1 - 4 Years	5 - 9 Years	10 - 14 Years	15 - 19 Years	20 - 24 Years	25 - 34 Years	35 - 44 Years	45 - 54 Years	55 - 64 Years	65 - 74 Years	75 + Years	UNK
1. DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22- Y24)	Total	2	-	-	-	-	-	-	-	-	-	1	1	-	-
	WM	2	-	-	-	-	-	-	-	-	-	1	1	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	Total	39	3	-	1	-	2	-	4	6	8	7	3	4	1
	WM	13	2	-	-	-	1	-	3	1	1	3	2	-	-
	WF	12	-	-	-	-	-	-	-	1	4	4	-	3	-
	BOM	8	1	-	-	-	-	-	1	3	2	-	-	-	1
	BOF	6	-	-	1	-	1	-	-	1	1	-	1	1	-
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40- Y84,Y88)	Total	42	1	-	-	-	1	-	-	1	5	5	14	15	-
	WM	13	1	-	-	-	1	-	-	1	1	-	4	5	-
	WF	13	-	-	-	-	-	-	-	-	1	2	2	8	-
	BOM	10	-	-	-	-	-	-	-	-	2	2	4	2	-
	BOF	6	-	-	-	-	-	-	-	-	1	1	4	-	-

* Includes unknown race

** See Appendix for ICD-10 Code

YEARS OF POTENTIAL LIFE LOST (YPLL)

Years of Potential Life Lost (YPLL) is a commonly used method of measuring the rate of premature death. YPLL is defined as the number of years of potential life lost by each death occurring before a predetermined end point. The YPLL rate weights each death according to the number of years of life lost prior to the selected end point. Deaths occurring at younger ages are weighted more heavily than those occurring at older ages.

The number and rate of years of potential life lost before age 65 and before age 75 is presented for South Carolina residents for all causes of death and for selected causes of death in the tables. This information is also presented for whites and for black and others.

In 2005, South Carolinians lost 203,303 years of potential life before age 65 and 348,931 years before age 75 as show in Table G-23. Corresponding YPLL rates are 5,465 years of potential life lost before age 65 per 100,000 population less than 65 years. YPLL rates for black and others are higher than those of whites for the 65 year end point (6,832 versus 4,794) and for the 75 year end point (10,535 versus 7,818).

Prior to age 65, accidental death was the leading cause of years of potential life lost (48,884 years) for all races and accounted for approximately 23 percent of the total number of years of life lost. Malignant neoplasms (32,422 years), diseases of the heart (29,911 years) and perinatal period conditions (19,030 years) ranked second, third and fourth, respectively. The findings observed prior to age 75 have malignant neoplasms (74,171 years) being the leading cause of years of potential life lost followed by accidental deaths (66,763 years), dieases of the heart (62,855 years), and perinatal period conditions (21,960 years).

Table G-23.
Years of Potential Life Lost Before Age 65 and Before Age 75 For Selected Causes of Death
South Carolina, 2005
(Residence Data)

Cause of Death	< 65 Years		< 75 Years	
	Years	Rate ¹	Years	Rate ²
ALL CAUSES	203,303	5,465	348,931	8,690
HIV INFECTION (B20-B24)	5,090	137	7,542	188
OTHER INFECTIOUS/PARASITIC (REMAINDER OF A&B)	4,682	126	8,490	211
MALIGNANT NEOPLASMS (C00-C97)	32,422	872	74,171	1,847
BENIGN/UNSPECIFIED NEOPLASMS (D00-D48)	962	26	1,643	41
DIABETES (E10-E14)	4,241	114	9,519	237
MENINGITIS (G00,G03)	479	13	625	16
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	29,911	804	62,855	1,565
HYPERTENSION (I10,I12)	1,219	33	2,636	66
CEREBROVASCULAR DISEASE (I60-I69)	5,208	140	11,290	281
ARTERIOSCLEROSIS (I70)	77	2	192	5
OTHER CIRCULATORY DISEASES(REMAINDER OF I)	1,289	35	2,922	73
BRONCHITIS AND BRONCHIOLITIS (J20-J21)	65	2	75	2
PNEUMONIA (J12-J18)	1,838	49	3,532	88
INFLUENZA(J10-J11)	72	2	164	4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (J40-J47)	3,380	91	9,819	245
STOMACH AND DUODENUM ULCER (K25-K28)	109	3	295	7
HERNIA & INTESTINAL OBSTRUCTION(K40-K46,K55-K56)	696	19	1,335	33
CIRRHOSIS AND LIVER DISEASE (K70,K73-K74)	3,852	104	7,427	185
OTH.RESPIRATORY DIS.(J80-J84,J93-J98)	1,399	38	2,829	70
NEPHRITIS, ETC. (N00-N07,N17-N19,N25-N27)	2,435	65	5,130	128
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	28	1	54	1
CONGENITAL ANOMALIES (Q00-Q99)	6,988	188	8,438	210
PERINATAL PERIOD CONDITIONS (P00-P96)	19,030	512	21,960	547
SYMPTOMS/ILL-DEFINED (R00-R99)	6,545	176	8,403	209
ACCIDENTS (V01-X59,Y85-Y86)	48,884	1,314	66,763	1,663
SUICIDE (X60-X84,Y87.0)	11,192	301	15,795	393
HOMICIDE (X85-Y09,Y87.1)	9,934	267	13,105	326
ALL OTHER (REMAINDER OF V,X,Y)	1,276	34	1,922	48

¹ Rate per 100,000 Persons < 65 Years Old

² Rate per 100,000 Persons < 75 Years Old

Table G-23A.
Years of Potential Life Lost Before Age 65 and Before Age 75 For Selected Causes of Death by Race
South Carolina, 2005
(Residence Data)
White

Cause of Death	< 65 Years		< 75 Years	
	Years	Rate ¹	Years	Rate ²
ALL CAUSES	120,373	4,794	214,277	7,818
HIV INFECTION (B20-B24)	1,268	51	1,828	67
OTHER INFECTIOUS/PARASITIC (REMAINDER OF A&B)	2,550	102	4,928	180
MALIGNANT NEOPLASMS (C00-C97)	20,431	814	48,958	1,786
BENIGN/UNSPECIFIED NEOPLASMS (D00-D48)	623	25	1,057	39
DIABETES (E10-E14)	2,230	89	5,002	183
MENINGITIS (G00,G03)	287	11	363	13
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	17,783	708	39,099	1,427
HYPERTENSION (I10,I12)	292	12	753	27
CEREBROVASCULAR DISEASE (I60-I69)	2,177	87	5,159	188
ARTERIOSCLEROSIS (I70)	24	1	112	4
OTHER CIRCULATORY DISEASES(REMAINDER OF I)	659	26	1,683	61
BRONCHITIS AND BRONCHIOLITIS (J20-J21)	-	-	-	-
PNEUMONIA (J12-J18)	1,160	46	2,323	85
INFLUENZA(J10-J11)	30	1	90	3
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (J40-J47)	2,410	96	7,669	280
STOMACH AND DUODENUM ULCER (K25-K28)	56	2	174	6
HERNIA & INTESTINAL OBSTRUCTION(K40-K46,K55-K56)	406	16	815	30
CIRRHOSIS AND LIVER DISEASE (K70,K73-K74)	2,851	114	5,563	203
OTH.RESPIRATORY DIS.(J80-J84,J93-J98)	656	26	1,615	59
NEPHRITIS, ETC. (N00-N07,N17-N19,N25-N27)	1,120	45	2,309	84
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	28	1	45	2
CONGENITAL ANOMALIES (Q00-Q99)	4,256	170	5,176	189
PERINATAL PERIOD CONDITIONS (P00-P96)	8,045	320	9,285	339
SYMPTOMS/ILL-DEFINED (R00-R99)	3,425	136	4,527	165
ACCIDENTS (V01-X59,Y85-Y86)	34,485	1,374	47,162	1,721
SUICIDE (X60-X84,Y87.0)	9,454	377	13,430	490
HOMICIDE (X85-Y09,Y87.1)	2,919	116	4,022	147
ALL OTHER (REMAINDER OF V,X,Y)	748	30	1,130	41

¹ Rate per 100,000 Persons < 65 Years Old

² Rate per 100,000 Persons < 75 Years Old

Table G-23A. (continued)
Years of Potential Life Lost Before Age 65 and Before Age 75 For Selected Causes of Death by Race
South Carolina, 2005
(Residence Data)
Black & Other


Cause of Death	< 65 Years		< 75 Years	
	Years	Rate ¹	Years	Rate ²
ALL CAUSES	82,623	6,832	134,260	10,535
HIV INFECTION (B20-B24)	3,822	316	5,714	448
OTHER INFECTIOUS/PARASITIC (REMAINDER OF A&B)	2,022	167	3,432	269
MALIGNANT NEOPLASMS (C00-C97)	11,991	991	25,213	1,978
BENIGN/UNSPECIFIED NEOPLASMS (D00-D48)	339	28	586	46
DIABETES (E10-E14)	2,011	166	4,517	354
MENINGITIS (G00,G03)	192	16	262	21
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	12,098	1,000	23,716	1,861
HYPERTENSION (I10,I12)	927	77	1,883	148
CEREBROVASCULAR DISEASE (I60-I69)	3,031	251	6,126	481
ARTERIOSCLEROSIS (I70)	53	4	80	6
OTHER CIRCULATORY DISEASES(REMAINDER OF I)	630	52	1,239	97
BRONCHITIS AND BRONCHIOLITIS (J20-J21)	65	5	75	6
PNEUMONIA (J12-J18)	678	56	1,209	95
INFLUENZA(J10-J11)	42	3	74	6
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (J40-J47)	970	80	2,150	169
STOMACH AND DUODENUM ULCER (K25-K28)	53	4	121	9
HERNIA & INTESTINAL OBSTRUCTION(K40-K46,K55-K56)	290	24	520	41
CIRRHOSIS AND LIVER DISEASE (K70,K73-K74)	980	81	1,833	144
OTH.RESPIRATORY DIS.(J80-J84,J93-J98)	743	61	1,214	95
NEPHRITIS, ETC. (N00-N07,N17-N19,N25-N27)	1,315	109	2,821	221
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	9	1
CONGENITAL ANOMALIES (Q00-Q99)	2,732	226	3,262	256
PERINATAL PERIOD CONDITIONS (P00-P96)	10,920	903	12,600	989
SYMPTOMS/ILL-DEFINED (R00-R99)	3,070	254	3,804	298
ACCIDENTS (V01-X59,Y85-Y86)	14,368	1,188	19,560	1,535
SUICIDE (X60-X84,Y87.0)	1,738	144	2,365	186
HOMICIDE (X85-Y09,Y87.1)	7,015	580	9,083	713
ALL OTHER (REMAINDER OF V,X,Y)	528	44	792	62

¹ Rate per 100,000 Persons < 65 Years Old

² Rate per 100,000 Persons < 75 Years Old

The State Tree

“The Sabal Palmetto”




Officially adopted by the General Assembly in 1939

MARRIAGE / DIVORCE

TRENDS IN MARRIAGES AND DIVORCES

During the twenty-five year period from 1981-2005, marriages in South Carolina have shown steady decrease, as seen in Figure H-1.



MARRIAGES

For the calendar year 2005, there were 1,747 interracial marriages in South Carolina, with 973 of these being between whites and blacks. Of these 973, seventy percent involved black males and white females. Table H-1 shows a cross-classification of marriages by race of bride and race of groom for South Carolina in 2005. Figure H-2 illustrates how marriage rates by race have fluctuated over the last twenty-five years.

Table H-1.
Marriages by Race of Bride and Groom
South Carolina, 2005
(Residence Data)

Race of Bride	Race of Groom							Total
	White	Black	Indian	Chinese	Japanese	Other*	Unknown	
Total	26,829	7,959	176	4	3	385	1	35,357
White	26,166	683	100	2	1	159	-	27,111
Black	290	7,190	16	-	-	29	1	7,526
Indian	85	23	58	-	-	5	-	171
Chinese	3	-	-	2	-	-	-	5
Japanese	2	1	-	-	1	2	-	6
Other	282	61	2	-	1	189	-	535
Unknown	1	1	-	-	-	1	-	3

* Includes Hawaiian, Filipino, other Asian and Pacific Islander and other Non-White

As displayed in Table H-3, there were 3,040 persons under the age of twenty who married in South Carolina in 2005. Therefore, teenagers represent 4.3 percent of all persons who married in this state in 2005. As in previous years, the greatest number of marriages occurred between brides and grooms within the 20-24 age group.

As shown in Table H-7, for 25,908 marriages (73%), both the bride and groom were residents of South Carolina.

Table H-2.
Marriages and Marriage Rates¹ by Race
South Carolina, 1981-2005
(Occurrence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1981	54,145	17.0	41,746	19.0	12,669	12.7
1982	53,496	16.4	40,655	18.2	12,841	12.6
1983	53,691	16.2	41,490	18.2	12,201	11.7
1984	55,357	16.8	42,557	18.8	12,800	12.3
1985	52,805	15.7	40,315	17.5	12,490	11.7
1986	53,974	15.8	40,934	17.5	13,040	12.0
1987	53,396	15.6	39,916	17.0	13,480	12.5
1988	54,615	15.5	40,839	17.0	13,775	12.3
1989	54,693*	15.5	41,704	17.4	12,985	11.6
1990	55,754*	16.0	42,314	17.5	13,440	12.5
1991	53,747	15.1	41,004	16.7	12,743	11.6
1992	53,320*	14.8	40,726	16.4	12,592	11.3
1993	53,223*	14.7	40,655	16.2	11,558	11.2
1994	51,564*	14.1	38,750	15.3	12,808	11.3
1995	45,347*	12.4	33,812	13.3	11,535	10.2
1996	43,439	11.7	32,198	12.6	11,241	9.9
1997	43,411*	11.5	32,290	12.5	11,121	9.5
1998	42,380*	11.0	31,372	11.9	11,007	9.2
1999	43,664*	11.2	32,012	11.9	11,647	9.7
2000	41,592	10.4	30,604	11.1	11,050	8.8
2001	40,128	9.9	30,112	10.8	10,016	7.9
2002	38,207*	9.3	28,303	10.1	9,899	7.6
2003	37,186	8.9	27,845	9.8	9,341	7.0
2004	35,942*	8.6	27,244	9.4	8,721	6.6
2005	35,357*	8.3	26,829	9.2	8,527	6.4

¹ Rate per 1,000 Population

* Includes unknown race

Figure H-2.
Marriage Rates by Race
South Carolina, 1981-2005
(Occurrence Data)




Table H-3.
Marriages by Age of Bride and Age of Groom
South Carolina, 2005

Age of Groom	Total	Age of Bride														
		< 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unknown
Total	35,357	3	2,182	8,705	7,518	4,947	3,556	2,878	2,256	1,460	804	502	296	145	103	2
< 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	855	3	579	224	37	7	3	-	1	-	-	-	-	-	-	1
20-24	6,718	-	1,231	4,366	866	183	50	16	4	1	1	-	-	-	-	-
25-29	7,846	-	264	2,938	3,475	850	234	59	21	4	1	-	-	-	-	-
30-34	5,613	-	62	761	2,023	1,819	672	203	59	10	4	-	-	-	-	-
35-39	3,939	-	26	265	724	1,198	1,017	459	184	46	20	-	-	-	-	-
40-44	3,176	-	8	88	259	542	839	886	394	121	30	6	2	-	1	-
45-49	2,412	-	6	33	85	234	434	661	639	229	66	20	4	1	-	-
50-54	1,780	-	3	18	30	72	188	361	510	416	132	39	10	1	-	-
55-59	1,231	-	1	5	11	25	70	151	263	358	237	80	23	5	1	1
60-64	779	-	1	5	7	12	27	58	119	176	166	153	46	7	2	-
65-69	435	-	-	2	1	4	15	14	31	62	83	115	87	15	6	-
70-74	275	-	-	-	-	1	2	6	17	19	43	58	74	50	5	-
75+	298	-	1	-	-	-	5	4	14	18	21	31	50	66	88	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table H-4.
Marriages by Race, Residential Status and Age of Bride
South Carolina, 2005
(Occurrence Data)

Age of Bride Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	27,074 *	100.0	20,447	100.0	6,626	100.0
Under 15	2	0.0	2	0.0	-	0.0
15-19	1,853	6.8	1,596	7.8	257	3.9
20-24	7,221	26.7	5,887	28.8	1,334	20.1
25-29	5,629	20.8	4,149	20.3	1,480	22.3
30-34	3,534	13.1	2,419	11.8	1,115	16.8
35-39	2,599 *	9.6	1,810	8.9	788	11.9
40-44	2,118	7.8	1,501	7.3	617	9.3
45-49	1,633	6.0	1,140	5.6	493	7.4
50-54	1,080	4.0	820	4.0	260	3.9
55-59	615	2.3	460	2.2	155	2.3
60-64	368	1.4	304	1.5	64	1.0
65-69	223	0.8	183	0.9	40	0.6
70-74	119	0.4	104	0.5	15	0.2
75 +	78	0.3	70	0.3	8	0.1
Age of Bride Non-Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	8,283 *	100.0	6,664	100.0	1,617	100.0
Under 15	1	0.0	-	0.0	1	0.1
15-19	329	4.0	290	4.4	39	2.4
20-24	1,484	17.9	1,243	18.7	241	14.9
25-29	1,889 *	22.8	1,555	23.3	333	20.6
30-34	1,413	17.1	1,117	16.8	296	18.3
35-39	957	11.6	727	10.9	230	14.2
40-44	760	9.2	599	9.0	161	10.0
45-49	623	7.5	489	7.3	134	8.3
50-54	380	4.6	285	4.3	95	5.9
55-59	189 *	2.3	153	2.3	35	2.2
60-64	134	1.6	104	1.6	30	1.9
65-69	73	0.9	59	0.9	14	0.9
70-74	26	0.3	24	0.4	2	0.1
75 +	25	0.3	19	0.3	6	0.4

* Includes unknown race

Table H-5.
Marriages by Race, Residential Status and Age of Groom
South Carolina, 2005
(Occurrence Data)

Age of Groom Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	26,717 *	100.0	19,901	100.0	6,815	100.0
Under 15	-	0.0	-	0.0	-	0.0
15-19	729	2.7	620	3.1	109	1.6
20-24	5,539	20.7	4,486	22.5	1,053	15.5
25-29	6,035	22.6	4,474	22.5	1,561	22.9
30-34	4,058	15.2	2,864	14.4	1,194	17.5
35-39	2,856	10.7	2,006	10.1	850	12.5
40-44	2,284	8.5	1,583	8.0	701	10.3
45-49	1,758	6.6	1,275	6.4	483	7.1
50-54	1,273 *	4.8	922	4.6	350	5.1
55-59	860	3.2	650	3.3	210	3.1
60-64	542	2.0	403	2.0	139	2.0
65-69	329	1.2	250	1.3	79	1.2
70-74	216	0.8	169	0.8	47	0.7
75 +	238	0.9	199	1.0	39	0.6
Age of Groom Non-Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	8,640	100.0	6,928	100.0	1,712	100.0
Under 15	-	0.0	-	0.0	-	0.0
15-19	126	1.5	108	1.6	18	1.1
20-24	1,179	13.6	1,013	14.6	166	9.7
25-29	1,811	21.0	1,480	21.4	331	19.3
30-34	1,555	18.0	1,266	18.3	289	16.9
35-39	1,083	12.5	808	11.7	275	16.1
40-44	892	10.3	681	9.8	211	12.3
45-49	654	7.6	528	7.6	126	7.4
50-54	507	5.9	397	5.7	110	6.4
55-59	371	4.3	279	4.0	92	5.4
60-64	237	2.7	187	2.7	50	2.9
65-69	106	1.2	87	1.3	19	1.1
70-74	59	0.7	45	0.6	14	0.8
75 +	60	0.7	49	0.7	11	0.6

* Includes unknown race

Table H-6
Marriages by County in Which License Was Issued by Residential Status
South Carolina and Each County, 2005

	Total	Residence of Bride				Residence of Groom			
		S. C. Resident		Non-Resident		S. C. Resident		Non-Resident	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	35,357	27,074	76.6	8,283	23.4	26,717	75.6	8,640	24.4
Abbeville	153	139	90.8	14	9.2	132	86.3	21	13.7
Aiken	1,604	932	58.1	672	41.9	898	56.0	706	44.0
Allendale	51	40	78.4	11	21.6	39	76.5	12	23.5
Anderson	1,052	950	90.3	102	9.7	936	89.0	116	11.0
Bamberg	94	89	94.7	5	5.3	87	92.6	7	7.4
Barnwell	141	125	88.7	16	11.3	126	89.4	15	10.6
Beaufort	1,691	977	57.8	714	42.2	1,035	61.2	656	38.8
Berkeley	1,379	1,272	92.2	107	7.8	1,291	93.6	88	6.4
Calhoun	85	79	92.9	6	7.1	78	91.8	7	8.2
Charleston	3,529	2,572	72.9	957	27.1	2,555	72.4	974	27.6
Cherokee	489	333	68.1	156	31.9	321	65.6	168	34.4
Chester	215	193	89.8	22	10.2	186	86.5	29	13.5
Chesterfield	371	246	66.3	125	33.7	240	64.7	131	35.3
Clarendon	199	182	91.5	17	8.5	175	87.9	24	12.1
Colleton	278	258	92.8	20	7.2	255	91.7	23	8.3
Darlington	320	305	95.3	15	4.7	303	94.7	17	5.3
Dillon	1,124	235	20.9	889	79.1	237	21.1	887	78.9
Dorchester	579	543	93.8	36	6.2	534	92.2	45	7.8
Edgefield	134	113	84.3	21	15.7	108	80.6	26	19.4
Fairfield	147	139	94.6	8	5.4	138	93.9	9	6.1
Florence	1,024	967	94.4	57	5.6	947	92.5	77	7.5
Georgetown	725	418	57.7	307	42.3	402	55.4	323	44.6
Greenville	3,053	2,854	93.5	199	6.5	2,775	90.9	278	9.1
Greenwood	491	470	95.7	21	4.3	457	93.1	34	6.9
Hampton	136	120	88.2	16	11.8	123	90.4	13	9.6
Horry	3,158	1,529	48.4	1,629	51.6	1,481	46.9	1,677	53.1
Jasper	359	122	34.0	237	66.0	129	35.9	230	64.1
Kershaw	420	396	94.3	24	5.7	394	93.8	26	6.2
Lancaster	503	397	78.9	106	21.1	389	77.3	114	22.7
Laurens	330	319	96.7	11	3.3	319	96.7	11	3.3
Lee	124	119	96.0	5	4.0	120	96.8	4	3.2
Lexington	1,569	1,499	95.5	70	4.5	1,462	93.2	107	6.8
McCormick	84	50	59.5	34	40.5	53	63.1	31	36.9
Marion	229	199	86.9	30	13.1	193	84.3	36	15.7
Marlboro	230	127	55.2	103	44.8	115	50.0	115	50.0
Newberry	232	222	95.7	10	4.3	219	94.4	13	5.6
Oconee	657	432	65.8	225	34.2	431	65.6	226	34.4
Orangeburg	352	323	91.8	29	8.2	323	91.8	29	8.2
Pickens	676	641	94.8	35	5.2	630	93.2	46	6.8
Richland	2,539	2,321	91.4	218	8.6	2,286	90.0	253	10.0
Saluda	79	79	100.0	-	0	78	98.7	1	1.3
Spartanburg	1,797	1,639	91.2	158	8.8	1,611	89.6	186	10.4
Sumter	727	662	91.1	65	8.9	684	94.1	43	5.9
Union	178	172	96.6	6	3.4	174	97.8	4	2.2
Williamsburg	182	167	91.8	15	8.2	166	91.2	16	8.8
York	1,868	1,108	59.3	760	40.7	1,082	57.9	786	42.1
Unknown	-	-	0	-	0	-	0	-	0

Table H-7
Marriages by Residential Status and County of Marriage
South Carolina, 2005
(Occurrence Data)

County of Occurrence	Total Marriages	Residential Status			
		Bride & Groom Resident	Groom Only Resident	Bride Only Resident	Bride & Groom Non-Resident
South Carolina	35,357	25,908	809	1,166	7,474
Abbeville	175	154	2	8	11
Aiken	1,556	859	49	81	567
Allendale	54	42	2	1	9
Anderson	1,044	932	17	31	64
Bamberg	98	87	2	5	4
Barnwell	152	128	6	8	10
Beaufort	1,832	970	104	49	709
Berkeley	1,092	947	54	36	55
Calhoun	77	71	2	2	2
Charleston	4,368	2,983	99	137	1,149
Cherokee	438	304	11	16	107
Chester	193	168	2	7	16
Chesterfield	334	226	9	15	84
Clarendon	218	191	1	9	17
Colleton	284	259	2	4	19
Darlington	349	323	3	9	14
Dillon	930	204	20	18	688
Dorchester	595	528	10	14	43
Edgefield	104	83	3	7	11
Fairfield	172	162	2	3	5
Florence	891	814	9	29	39
Georgetown	647	443	5	21	178
Greenville	2,740	2,432	44	113	151
Greenwood	412	381	2	15	14
Hampton	129	111	6	4	8
Horry	4,201	1,836	56	109	2,200
Jasper	354	145	15	6	188
Kershaw	363	333	6	7	17
Lancaster	434	366	8	13	47
Laurens	328	312	4	3	9
Lee	133	125	1	-	7
Lexington	1,705	1,540	29	62	74
McCormick	87	52	1	1	33
Marion	211	192	2	7	10
Marlboro	147	105	5	15	22
Newberry	238	226	2	4	6
Oconee	633	394	21	23	195
Orangeburg	430	387	6	6	31
Pickens	771	705	13	25	28
Richland	2,045	1,759	45	77	164
Saluda	107	104	-	3	-
Spartanburg	1,745	1,578	32	63	72
Sumter	726	640	39	17	30
Union	176	164	4	5	3
Williamsburg	187	168	7	7	5
York	1,426	951	47	71	357
Unknown	26	24	-	-	2

DIVORCES AND ANNULMENTS

Table H-8 shows that out of the total 25,896 persons in 2005 who were granted divorces, 29.1 percent were between the ages of 25 and 34.

The white divorce rate has consistently exceeded that of the black and other rate since 1962, the year divorces were first required to be registered with the Office of Public Health Statistics and Information Services. Figure H-3 illustrates the twenty-five year trend in divorces by race.

The most frequently cited grounds for divorce were one year separation, which accounted for 43 percent of all grounds for divorces, followed by adultery, drunkenness, and physical cruelty. Table H-11 shows divorces by legal grounds of decree. As shown in Table H-12, there were 9,934 children involved in divorces and annulments in 2005.

Table H-8.
Divorces by Age Group and Race
South Carolina, 2005

Age Group	Husband			Wife		
	Total	White	Black & Other	Total	White	Black & Other
All Ages	12,948	9,980	2,927	12,948	10,017	2,877
15-19	6	5	1	37	34	3
20-24	457	392	61	854	749	99
25-29	1,444	1,148	290	1,800	1,425	369
30-34	2,099	1,609	486	2,190	1,686	497
35-39	2,177	1,636	533	2,159	1,670	483
40-44	2,226	1,693	526	2,137	1,611	518
45-49	1,698	1,317	377	1,560	1,161	391
50-54	1,198	910	288	983	744	235
55-59	736	574	159	577	445	128
60-64	394	302	92	253	201	51
65-69	193	155	38	93	75	18
70-74	102	78	24	44	35	8
75+	74	63	10	44	41	3
Unknown	144	98	42	217	140	74

* Includes unknown races

Table H-9.
Divorces and Divorce Rates¹ by Race
South Carolina, 1981-2005

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1981	13,974	4.4	11,503	5.2	2,471	2.5
1982	13,600	4.2	11,233	5.0	2,367	2.3
1983	13,061	4.1	11,060	4.9	2,541	2.4
1984	13,674	4.1	11,111	4.9	2,563	2.5
1985	13,456	4.0	11,045	4.8	2,411	2.3
1986	13,431	3.9	11,011	4.7	2,420	2.2
1987	13,835	4.0	11,229	4.8	2,606	2.4
1988	14,672	4.2	11,824	4.9	2,848	2.5
1989	15,115	4.3	12,173	5.1	2,889	2.6
1990	16,182	4.6	12,858	5.3	3,257	3.0
1991	15,187	4.3	12,233	5.0	2,954	2.7
1992	15,365	4.3	12,179	4.9	3,103	2.8
1993	15,141	4.2	11,825	4.7	3,275	2.9
1994	15,802 *	4.3	12,404	4.9	3,394	3.0
1995	15,171 *	4.1	11,824	4.7	3,346	3.0
1996	15,319 *	4.1	11,829	4.6	3,434	3.0
1997	15,780 *	4.2	12,226	4.7	3,483	3.0
1998	15,083 *	3.9	11,653	4.4	3,358	2.8
1999	15,115 *	3.9	11,647	4.3	3,380	2.8
2000	15,196 *	3.8	11,608	4.2	3,519	2.8
2001	14,657 *	3.6	11,372	4.1	3,250	2.5
2002	13,956	3.4	10,712	3.8	3,244	2.5
2003	13,609 *	3.2	10,535	3.7	3,048	2.3
2004	13,839	3.3	10,734	3.7	3,055	2.3
2005	12,948	3.0	9,980	3.4	2,927	2.2

¹ Rate per 1,000 population

* Includes unknown race

Figure H-3.
Divorce Rates by Race
South Carolina, 1981-2005




Table H-10.
Divorces by Duration of Marriage, Plaintiff and Legal Grounds of Decree¹
South Carolina, 2005

Duration of Marriage	Plaintiff		Legal Ground for Decree								
	Husband	Wife	Desertion	Physical Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unknown
Total	4,903	7,946	6	167	263	50	1,183	11,083	78	56	62
Under 1 Year	32	47	-	4	3	1	25	15	-	28	4
1 - 4 Years	1,149	1,859	3	67	101	13	276	2,521	22	19	15
1 Year	169	277	-	16	29	3	62	327	5	7	5
2 Years	295	467	1	15	23	3	66	643	8	6	3
3 Years	334	523	1	19	26	1	74	734	4	3	4
4 Years	351	592	1	17	23	6	74	817	5	3	3
5 - 9 Years	1,400	2,306	2	48	63	22	290	3,259	26	7	15
5 Years	349	580	-	13	23	3	63	817	9	1	7
6 Years	336	482	1	10	6	9	59	726	6	3	4
7 Years	264	456	1	11	10	3	53	633	7	3	3
8 Years	250	429	-	9	15	5	66	587	2	-	1
9 Years	201	359	-	5	9	2	49	496	2	-	-
10 - 14 Years	862	1,408	1	21	38	8	231	1,965	12	1	9
15 - 19 Years	540	922	-	15	24	2	146	1,271	10	-	9
20 - 24 Years	395	647	-	4	15	2	96	924	4	-	3
25 - 29 Years	221	332	-	6	9	1	47	490	3	-	-
30 & Over	224	345	-	-	4	1	55	505	1	-	4
Unknown	80	80	-	2	6	-	17	133	-	1	3

¹ Frequencies may not agree due to multiple grounds and incomplete reporting

Table H-11
Divorces by Plaintiff and Legal Grounds of Decree*
South Carolina and Each County, 2005

	Plaintiff		Legal Ground for Decree								
	Husband	Wife	Desertion	Physical	Drunkeness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unknown
South Carolina	4,903	7,946	6	167	263	50	1,183	11,083	78	56	62
Abbeville	19	46	-	1	5	-	5	52	2	-	-
Aiken	207	338	-	12	12	3	52	458	4	3	3
Allendale	4	8	-	-	-	-	-	14	-	-	-
Anderson	247	378	1	8	13	5	84	500	9	6	-
Bamberg	16	31	-	1	2	2	3	38	-	1	-
Barnwell	28	49	-	-	-	1	5	71	-	-	-
Beaufort	160	245	1	5	3	-	20	374	3	-	3
Berkeley	183	294	-	4	5	1	40	427	1	1	1
Calhoun	17	27	-	-	-	-	3	40	-	-	1
Charleston	409	667	1	6	16	7	68	975	5	5	14
Cherokee	73	122	-	6	10	3	20	149	3	1	3
Chester	44	71	-	2	3	1	11	98	-	-	-
Chesterfield	45	95	-	3	4	3	14	114	1	-	1
Clarendon	38	62	1	4	2	-	11	80	-	-	2
Colleton	62	125	-	2	5	-	11	167	1	1	-
Darlington	110	171	-	1	8	1	28	242	1	-	2
Dillon	31	46	-	2	2	-	8	64	1	1	-
Dorchester	147	216	-	3	5	1	29	325	-	2	2
Edgefield	17	34	-	-	-	-	2	49	-	-	-
Fairfield	26	40	-	2	-	-	7	56	-	1	1
Florence	129	213	-	1	3	1	39	297	1	1	-
Georgetown	58	92	-	2	3	-	9	130	3	3	-
Greenville	331	596	-	15	20	5	97	786	3	2	3
Greenwood	81	147	-	4	3	4	23	190	5	-	-
Hampton	22	32	-	-	3	-	7	43	1	-	-
Horry	277	397	-	3	10	2	54	601	-	4	3
Jasper	11	37	-	1	2	-	2	45	-	-	-
Kershaw	94	149	-	4	4	-	13	219	4	-	1
Lancaster	93	120	-	6	12	-	37	156	1	1	-
Laurens	74	124	-	8	4	1	18	166	1	1	1
Lee	19	33	-	3	-	-	2	46	2	-	-
Lexington	312	549	1	12	12	1	99	724	8	5	8
McCormick	7	13	-	-	-	-	1	19	-	-	-
Marion	39	57	-	1	1	-	12	81	1	-	-
Marlboro	21	40	-	-	2	-	5	54	-	-	1
Newberry	43	65	-	3	3	-	18	83	2	-	-
Oconee	107	164	-	11	14	1	36	201	5	3	-
Orangeburg	99	146	-	1	5	-	20	218	-	2	3
Pickens	155	233	-	4	11	1	58	309	2	1	2
Richland	370	616	1	6	15	-	63	902	2	6	-
Saluda	27	34	-	-	3	-	5	51	-	1	1
Spartanburg	330	467	-	10	19	4	70	696	1	2	4
Sumter	141	261	-	1	8	1	38	348	5	2	-
Union	26	38	-	2	1	-	8	53	-	-	-
Williamsburg	31	52	-	1	1	1	6	75	-	-	-
York	119	198	-	6	9	-	20	287	-	-	1
Unknown	4	8	-	-	-	-	2	10	-	-	1

* Frequencies may not agree due to multiple grounds and incomplete reporting

Table H-12.
Divorces and Annulments by Number of Children Involved and Race
South Carolina and Each County, 2005

County of Decree	Total	Divorces and Annulments				Children Involved		
		Race of Husband		Race of Wife		under age 18		
		White	Black & Other	White	Black & Other	Total	White	Black & Other
South Carolina	12,948	9,980	2,927	10,017	2,877	9,934	7,644	2,248
Abbeville	65	52	13	52	13	45	39	6
Aiken	547	437	110	443	102	440	357	82
Allendale	14	1	13	1	13	5	-	5
Anderson	626	561	63	562	62	502	446	56
Bamberg	47	20	27	20	27	49	27	22
Barnwell	77	58	19	59	18	74	50	24
Beaufort	409	298	109	304	103	302	227	72
Berkeley	480	390	88	383	95	425	336	89
Calhoun	44	28	16	28	16	37	19	18
Charleston	1,097	784	307	784	307	763	530	230
Cherokee	195	160	35	161	34	153	131	22
Chester	115	94	19	96	17	84	71	12
Chesterfield	140	106	33	108	32	117	87	30
Clarendon	100	64	35	65	34	81	50	28
Colleton	187	136	47	138	46	147	120	26
Darlington	283	193	90	192	90	235	161	71
Dillon	78	55	23	55	23	42	32	10
Dorchester	367	297	64	300	60	310	253	51
Edgefield	51	39	12	39	12	34	28	6
Fairfield	67	29	38	30	37	57	28	29
Florence	343	230	112	234	108	244	179	65
Georgetown	150	108	42	108	42	111	72	39
Greenville	931	789	138	795	131	650	559	88
Greenwood	229	185	44	183	46	185	149	36
Hampton	54	31	23	32	22	42	28	14
Horry	677	603	74	603	72	413	355	56
Jasper	50	28	22	28	22	36	25	11
Kershaw	245	204	41	200	43	203	166	34
Lancaster	213	180	33	180	33	179	153	26
Laurens	200	160	40	159	40	148	122	26
Lee	53	24	29	24	29	37	18	19
Lexington	870	799	71	800	69	717	648	68
McCormick	20	12	8	12	8	20	10	10
Marion	96	59	37	59	37	66	38	28
Marlboro	62	34	28	35	27	43	21	22
Newberry	109	88	21	87	22	72	61	11
Oconee	271	256	15	262	9	211	200	11
Orangeburg	249	133	116	131	117	207	107	99
Pickens	388	371	14	376	10	332	320	9
Richland	995	527	465	526	465	820	422	394
Saluda	61	54	7	55	6	51	47	4
Spartanburg	806	665	140	673	129	543	454	87
Sumter	403	245	157	246	156	316	193	123
Union	64	52	12	52	12	41	33	8
Williamsburg	84	43	41	44	40	69	29	40
York	323	287	35	283	39	267	237	30
Unknown	13	11	1	10	2	9	6	1

The State Wild Game Bird

“The Wild Turkey”



Officially adopted by the General Assembly in 1976

MORBIDITY

Table I-1.
Reported Cases of Selected Communicable Disease
South Carolina and Each County, 2005
(Occurrence Data)

County	Campylo- bacteriosis	Chancroid	Haemophilus influenza	Choleora	Lyme Disease	Crypto- sporidiosis	Varicella (Chickenpox)
2005 Total	220	-	50	-	63	28	740
Abbeville	1	0	0	0	1	0	4
Aiken	11	0	3	0	1	4	4
Allendale	1	0	0	0	0	0	1
Anderson	11	0	3	0	1	1	16
Bamberg	0	0	0	0	0	0	0
Barnwell	0	0	1	0	0	0	3
Beaufort	4	0	1	0	4	1	23
Berkeley	18	0	2	0	4	2	22
Calhoun	0	0	0	0	0	0	4
Charleston	26	0	8	0	2	5	32
Cherokee	2	0	0	0	2	0	0
Chester	0	0	0	0	0	0	1
Chesterfield	1	0	0	0	0	0	1
Clarendon	1	0	1	0	2	0	1
Colleton	0	0	0	0	1	1	0
Darlington	2	0	2	0	0	0	26
Dillon	0	0	0	0	0	0	5
Dorchester	10	0	0	0	2	0	40
Edgefield	1	0	0	0	1	0	0
Fairfield	1	0	0	0	1	0	2
Florence	3	0	4	0	1	1	24
Georgetown	2	0	0	0	1	0	14
Greenville	14	0	4	0	3	0	164
Greenwood	5	0	0	0	2	1	23
Hampton	2	0	0	0	0	0	0
Horry	20	0	3	0	3	2	35
Jasper	0	0	0	0	0	0	5
Kershaw	1	0	0	0	1	1	2
Lancaster	2	0	0	0	0	0	7
Laurens	2	0	0	0	1	0	3
Lee	0	0	0	0	1	0	0
Lexington	14	0	0	0	5	1	63
Marion	0	0	0	0	0	0	0
Marlboro	1	0	0	0	0	0	0
McCormick	0	0	2	0	0	0	1
Newberry	2	0	0	0	2	0	1
Oconee	17	0	0	0	2	0	43
Orangeburg	1	0	1	0	1	0	6
Pickens	9	0	0	0	4	1	43
Richland	15	0	3	0	1	0	23
Saluda	2	0	0	0	0	0	6
Spartanburg	6	0	0	0	5	0	3
Sumter	5	0	0	0	4	2	14
Union	1	0	0	0	0	1	0
Williamsburg	0	0	0	0	0	0	1
York	6	0	0	0	4	4	74

Source: SCDHEC, Division of Acute Epidemiology

Table I-1. (continued)
 Reported Cases of Selected Communicable Disease
 South Carolina and Each County, 2005
 (Occurrence Data)

County	Roc Mountain Spotted Fever	Malaria	Meningitis aseptic	Pertussis	Salmonellosis	Strepto-coccus gruoup, a invasive
2005 Total	104	12	92	417	1514	63
Abbeville	1	1	0	1	4	0
Aiken	0	0	5	1	33	2
Allendale	0	0	0	0	1	0
Anderson	5	0	10	47	48	1
Bamberg	1	0	0	1	3	0
Barnwell	0	0	0	0	3	0
Beaufort	3	2	8	10	61	0
Berkeley	3	0	15	14	56	3
Calhoun	0	0	0	1	0	0
Charleston	4	2	7	23	113	8
Cherokee	0	0	0	0	3	0
Chester	2	0	1	1	7	0
Chesterfield	2	0	0	1	3	0
Clarendon	1	0	0	0	1	1
Colleton	0	0	0	1	9	1
Darlington	0	0	0	0	16	0
Dillon	0	0	0	1	8	0
Dorchester	0	0	7	25	64	4
Edgefield	0	0	0	2	6	0
Fairfield	0	0	0	1	26	1
Florence	3	0	0	2	69	0
Georgetown	0	0	7	22	36	0
Greenville	15	0	2	21	51	13
Greenwood	6	1	2	43	20	0
Hampton	0	0	0	0	2	0
Horry	11	0	7	6	135	0
Jasper	1	0	2	0	8	0
Kershaw	1	0	0	11	177	0
Lancaster	3	0	5	8	30	0
Laurens	3	0	0	107	10	0
Lee	0	0	0	0	15	0
Lexington	1	0	1	16	62	1
Marion	1	0	0	0	2	0
Marlboro	2	0	0	0	27	1
McCormick	2	0	0	1	8	0
Newberry	1	0	0	0	3	0
	3	0	11	4		
Oconee					19	0
Orangeburg	3	0	0	2	21	0
Pickens	4	1	1	4	18	2
Richland	6	4	1	24	140	4
Saluda	1	0	0	0	2	0
Spartanburg	6	0	0	0	30	3
Sumter	0	1	0	6	48	1
Union	0	0	0	2	7	0
Williamsburg	0	0	0	1	9	0
York	5	0	0	0	40	2
Unknown	4	-	-	7	60	15

Source: SCDHEC, Division of Acute Epidemiology

Table I-2
Reported Cases of Selected Sexually Transmitted Diseases¹
South Carolina and Each County, 2005
(Occurrence Data)

County	HIV/AIDS	Chlamydia	Gonorrhea	Syphilis
2005 Total	760	18,733	8,741	512
Abbeville	.	82	29	5
Aiken	15	511	143	14
Allendale	.	100	59	1
Anderson	13	460	241	20
Bamberg	4	175	70	5
Barnwell	7	110	43	2
Beaufort	19	489	177	3
Berkeley	15	344	158	6
Calhoun	.	19	15	3
Charleston	62	2,185	1202	35
Cherokee	.	190	162	5
Chester	5	151	79	3
Chesterfield	.	174	48	4
Clarendon	7	239	84	5
Colleton	4	149	54	4
Darlington	8	269	156	21
Dillon	11	239	109	5
Dorchester	8	417	140	6
Edgefield	7	86	22	2
Fairfield	6	93	40	6
Florence	45	848	498	20
Georgetown	9	256	132	5
Greenville	59	1,268	839	54
Greenwood	14	341	189	9
Hampton	5	113	48	2
Horry	40	957	506	20
Jasper	7	116	26	2
Kershaw	5	234	66	9
Lancaster	8	206	114	5
Laurens	6	176	86	6
Lee	4	164	81	2
Lexington	36	711	225	17
Marion	.	36	14	3
Marlboro	8	257	135	8
McCormick	4	148	70	5
Newberry	.	174	44	2
Oconee	4	153	23	2
Orangeburg	30	765	352	18
Pickens	4	159	57	3
Richland	177	2,481	1047	72
Saluda	.	73	17	2
Spartanburg	31	922	525	16
Sumter	25	837	241	40
Union	7	141	54	1
Williamsburg	12	157	95	5
York	29	558	226	29

* Designates 3 or fewer cases

Source: SCDHEC, Division of STD/HIV

TECHNICAL NOTES

REGISTRATION OF VITAL EVENTS

The vital statistics system in South Carolina is a local-state-national reporting system where the vital event certificates and reports can be submitted to the County Registrar located in the county where the event occurred or submitted electronically depending on the event. There are now electronic systems in place for registration of both births and deaths. The systems allow source document providers (delivering facilities, funeral directors, physicians, coroners, etc.) to enter information regarding the vital event into a web-based electronic system called the Vital Records and Statistics Integrated Information System (VRSIIS). Paper reports that are filed in the county of occurrence are then sent by county vital records staff to the Registration Branch within the Division of Biostatistics (State Office). By law, the Commissioner of Health is the State Registrar and appoints the chief administrative officer of each county health department as the County Registrar. The County Registrar appoints a Deputy County Registrar who carries out the routine functions of registration and certification of vital records at the county level. The State Office performs quality assurance testing on the records and also provides certifications of records for the general public. This office also provides data to the National Center for Health Statistics in cooperation with other states in order to produce national information on vital statistics.

Statewide legislation requiring the registration of births and deaths became effective January 1, 1915. South Carolina was admitted into the National Death Registration Area in 1916 and in the National Birth Registration Area in 1919. After failing to meet the completeness of registration tests, the state was excluded from both in 1925. On the basis of later tests, South Carolina was readmitted into the National Birth and Death Registration Areas in 1928.

Marriage records have been filed with the South Carolina Department of Health and Environmental Control since July 1950. The reporting form prevented the state from being admitted as a Marriage Registration Area (MRA) in the national system until legislation was enacted in 1970 to standardize the reporting form, which enabled the state to be admitted as a MRA in 1971.

Reports of divorces and annulments have been filed with the South Carolina Department of Health and Environmental Control since July 1962. The reporting of these events reached 90 percent completeness in 1971, which enabled the state to qualify as a Divorce Registration Area.

No thorough study of the completeness of fetal death registration in South Carolina has yet been made. While the law requires that the death of any fetus that has advanced beyond the 20th week of gestation or weighs 350 grams or more to be registered, it is believed that registration is notably incomplete. The registration of fetal deaths will continue to improve as the need for these data are shown through health research.

REVISION OF CERTIFICATES

The Office of Public Health Statistics and Information Services revised its certificates of birth certificate, death certificate, report of fetal death and report of induced termination of pregnancy based on standards set forth by the National Center for Health Statistics.

The 1989 revised vital records forms were major departures from the previous revisions (see appendix). While many of the items needed for legal purposes (e.g., name) remained unchanged or slightly modified, there were major and significant changes in the Confidential Information for Medical and Health Use section of the Certificate of Live Birth. Most of the changes represented efforts to clarify items for more complete and accurate data reporting. Other than the increased length of the revised forms, the most obvious change on the Certificate of Live Birth and Report of Fetal Death is the replacement of the open-ended medical items with items having a checkbox format. The concept of checkboxes as a mechanism for capturing information on medical factors is not new. In fact, this format was successfully implemented in several states with the previous revision of the forms. Additionally, the lists of risk factors, complications of labor and/or delivery and abnormal conditions of the newborn are taken from the Hollister Maternal/Newborn Record System, which is widely used in many obstetric offices.

The certificate of birth was revised again in January 2004 (referenced by the National Center for Health Statistics (NCHS) as the 2003 revision). This revision accompanied the implementation of a web-based electronic birth registration system (WebBirth). Substantial changes were made to the medical portion of the certificate, including removal of 'other' check/box items and the addition of section names. Several items were added to address data collection needs and to facilitate the linkage of data sets. Another change was the implementation of standardized worksheets to improve the completeness and quality of birth data.

The certificate of death was revised in January 2005 (referenced by the National Center for Health Statistics (NCHS) as the 2003 revision). The form increased in size from letter size to legal size to accommodate additional items and an expanded check box format for decedent's education, race and Hispanic origin. This revision accompanied the implementation of a web-based electronic death registration system (WebDeath). This was the first electronic death registration system in SC. In previous years, all death certificates were filed using only paper forms.

These revisions to the vital records forms and systems were intended to make the vital statistics system more responsive to public health concerns for high quality data.

ALLOCATIONS OF EVENTS BY RESIDENCE OR OCCURRENCE

With respect to geographic allocation of vital events, the data may be compiled either by place of residence or by place of occurrence.

RESIDENCE DATA are allocated in the place in South Carolina where the person normally resided regardless of where the event occurred. A cooperative system of interstate exchange of transcripts of birth and death records permits events occurring to South Carolina residents in other states to be included in the South Carolina resident tabulations. In these tabulations, births are allocated to the county of the mother's residence and deaths are allocated of the county of residence of the decedent. Since there is no interstate exchange of transcripts of marriage and divorce records, these statistics are limited to those events which occurred in South Carolina.

OCCURRENCE DATA are allocated in the place of South Carolina where the event occurred, regardless of the usual residence of the person involved.

Both residence and occurrence data are useful for different purposes. Occurrence data represent the requirements for hospitals and other facilities. These types of data may help to determine such needs as maternity services, intensive care facilities for newborn babies, or emergency room facilities. Residence data are more properly utilized in measuring the fertility and the incidence of death in the population living in an area.

2005 BIRTH AND DEATH ALLOCATIONS FOR S.C. RESIDENTS AND OCCURRENCES

	BIRTHS			DEATHS		
	Total	White	Black & Other	Total	White	Black & Other
Occurring in S.C.	55,316 *	35,669	19,559	37,901 *	27,111	10,782
Residents	54,734 *	35,252	19,395	36,892 *	26,308	10,576
Non-Residents	582 *	417	164	1009	803	206
Residents of S.C.	57,538 *	37,367	20,080	38,585 *	27,550	11,015
In State	54,734 *	35,252	19,395	36,892 *	26,308	10,576
Out-of-State	2,804 *	2,115	685	1,693 *	1,242	439

* Includes Unknown Races

NOTE: Events to South Carolina residents on military status outside of the United States are not reflected in these tabulations.

DEFINITIONS OF TERMS

ABORTION: Purposeful termination of pregnancy with intention other than to produce a live born infant or to remove a dead fetus.

FETAL DEATH: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. (Definition recommended by World Health Organization in 1950). A fetal death is required to be reported if the fetus has completed or passed the twentieth week of gestation or weighs 350 grams or more. (Weight criteria effective in 1978). Vital Statistics Laws and Regulations 61-19: Vital Statistics, Section 21(a). **Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.**

INFANT DEATH: Death of a live born infant under one year of age.

LIVE BIRTH: The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition recommended by World Health Organization in 1950). **Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.**

VERY LOW BIRTH WEIGHT: Very low birth weight is a weight at birth, which is less than 1,500 grams (3 pounds, 4 ounces), regardless of the period of gestation.

LOW BIRTH WEIGHT: Low birth weight is a weight at birth, which is less than 2,500 grams (5 pounds, 8 ounces), regardless of the period of gestation.

MARITAL STATUS ON BIRTH CERTIFICATE:

Unmarried - a birth which occurs to a woman who has never been married or who has been widowed or legally divorced from her husband in excess of 280 days.

Married - a birth, which occurs to a woman who has been married or was married within 280 days from conception.

Paternity acknowledgment - gives authorization to list the name of the father on the birth certificate of a child born to an unmarried mother with written consent of the father and mother by means of an affidavit as required by South Carolina Law, Section 44-63-165. For statistical purposes, paternity acknowledgments are included in the "married" category.

MATERNAL DEATH: Death of a woman whose cause of death is assigned to Complications of Pregnancy, Childbirth, and Puerperium (Tenth Revision ICD O00-O99). If death occurred more than 42 days after termination of pregnancy, the death is not considered to be pregnancy-related and is not assigned to codes O00-O99.

MULTIPLE CAUSES OF DEATH: A system of coding all of the medical entities reported on the death certificate.

NATURAL INCREASE: The increase in the population due to an excess of births over deaths for a particular period.

NEONATAL DEATH: Death of a live born infant under 28 days of age.

OCCURRENCE DATA: Data allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

PERINATAL DEATH: Death occurring during the perinatal period (i.e. to a live born infant less than 28 days of age or a fetus that has passed the twentieth week of gestation or weighs 350 grams or more).

POSTNEONATAL DEATH: Death of a live born infant 28-364 days of age.

RESIDENCE DATA: Data allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred.

UNDERLYING CAUSE OF DEATH: The disease or injury that initiated the train of morbid events leading directly to death classified and coded according to the International Classification of Diseases (ICD).

YEARS OF POTENTIAL LIFE LOST (YPLL): YPLL is defined as the number of years of potential life lost by each death occurring before a predetermined end point, usually age 65 or age 75. YPLL rates are per 100,000 population who are younger than the age of the end point.

INTERPRETATION OF DATA

RACE: Information on race of the mother and father is reported on birth and fetal death certificates, and the race of the decedent is reported on death certificates. Fetal deaths are reported by race of mother. As of 1990, Live Births are reported by race of mother instead of race of child. This change allows South Carolina's birth data to be consistent with the National Center for Health Statistics and other states throughout the United States. The race on reported marriages where the license was issued in South Carolina is by the race of groom and on divorces and annulments granted in South Carolina is by the race of husband. For statistical purposes, the tables in this report are based on the broad classifications of "white" and "black and other". In 2005 blacks make up 94.9 percent of the black and other population of South Carolina.

MULTIPLE RACES: Beginning with the 2000 Census, population information released by the U.S. Census Bureau contained a 'multiple' race category. In order to provide rates by single race category for vital events, the National Center for Health Statistics (NCHS) developed a 'bridging' methodology that would regroup the populations of the 'multiple' race category into standard single race categories. Beginning with 2002, these 'bridged' estimated population data were available for South Carolina. For 2000 and 2001, 'bridged' population data were not available at the time of publication. For these years, the staff of Budget and Control Board and the staff of the Division of Biostatistics and Health GIS, Public Health Statistics and Information Services, SCDHEC jointly developed methodologies that would regroup the population of the 'multiple' race category into standard single race categories.

Beginning with the new 2004 birth certificate multiple races can be checked for the race of both mother and father. Similarly, on the new 2005 death certificate multiple races can be checked for the race of the decedent. A methodology was developed that would regroup the 'multiple race' into standard single race categories. This methodology was developed by NCHS and the bridged race data are returned to the Division of Biostatistics, Public Health Statistics and Information Services for use in statistical analysis.

PATERNITY ACKNOWLEDGMENT: For statistical purposes, paternity acknowledgments are included in the married category. In 2005 there were 10,594 paternity acknowledgments representing 18.4 percent of the total resident live births and 24.6 percent of all live births to married women in South Carolina.

COMPARABILITY: In order that disease classifications may be consistent with advances in medical science and changes in diagnostic practice, any system for categorizing causes of death must periodically be revised. Major revisions in the International Classification of Diseases (ICD), by which causes of death are classified, occur approximately every ten years, and each decennial revision of the ICD has produced some break in comparability of cause of death statistics. In South Carolina, the Sixth Revision of the ICD was used from 1949-1957; the Seventh Revision for 1958-1968; the Eighth 1969-1978; and the Ninth Revision went 1979-1998; and the Tenth Revision went into effect in 1999.

Prior to 1949, under the first five revisions, cause of death was selected on the basis of priority tables for multiple causes, as set forth in The Manual For Joint Causes of Death. Under the Sixth, Seventh, Eighth, and Ninth Revisions of the International Lists, the cause selected for tabulation has been the "underlying" cause, defined as the "disease or injury which initiated the train of morbid events, leading directly to death." (ICDA, Eighth Revision, 1968, Vol. 1, page xxix).

The introduction of the concept of "underlying" cause in 1949, with the Sixth Revision, resulted in a basic change in classification of death, which seriously affects the interpretation of mortality trends before and after 1949. The Seventh Revision was essentially a clarification of the Sixth Revision, but the Eighth Revision introduced some major modifications in classification lists and coding procedures. The Ninth Revision also brought some major changes in classification and coding. However, the Tenth Revision introduced some of the most dramatic changes thus far.

In order to make valid comparisons of mortality by cause for events classified by different revisions of the ICD, comparability ratios were developed. Comparability ratios are computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. Taking the number of deaths classified to a given cause by the Tenth Revision and dividing the result by the number of deaths classified to that cause by the Ninth Revision derived the comparability ratios used with the Tenth Revision. Provisional comparability ratios for the United States as a whole, based on the Ninth and Tenth Revisions, have been developed for a limited number of causes published by the National Center for Health Statistics. Tables are included in the Appendix portion of this report.

RATE CALCULATIONS WITH SMALL NUMBERS: There are variations in all statistics that are the result of chance. This characteristic is of particular importance in classifications with small numbers of events where small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in these crude rates. For this reason, rates for counties with small populations or other small bases should be used cautiously. In this report, rates are not calculated for places of less than 2,500 population or when the number of events is less than 3 for a particular category, due to the known instability of rates based on small numbers. In the Perinatal Section, 3-year rates are calculated to provide a more stable base for comparison of trends over time.

MEDICAL CERTIFICATION OF DEATH: Only a person authorized by law, usually a physician or a coroner, can make the medical certification of death. Thus, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the doctor or coroner to make the proper diagnosis and by the care with which the death certificate is completed. It is recognized that death may not result from a single morbid condition. Since 1980, South Carolina medical certifiers have been asked to provide contributing conditions adding to the underlying cause of death information. Nineteen hundred eighty-eight is the first year that multiple cause information was included in this report.

MULTIPLE CAUSE OF DEATH: Cause of death statistics have, for many years, been based only on the underlying cause of death, the single disease or injury that initiated the train of events leading to death or the circumstances of the accident that produced the fatal injury. The underlying cause is selected by a computerized algorithm called the Automated Classification of Medical Entities (ACME) from the ordering of conditions reported by physicians or coroners on the death certificate. Analysis of the underlying cause of death information allows for simplified, consistent reporting of data and provides a means of evaluating the impact of public health initiatives. When more than one cause is reported on the certificate, however, the tabulation of only one cause for mortality statistics may lead to a loss of information on any condition that is an element in the death but that is not selected as the underlying cause of death. Cause-of-death statistics are usually based on the underlying cause of death, a single disease or injury circumstance that initiated the sequence of events leading to death. In this system, each death is assigned one underlying cause of death. However, death certificates provide for the inclusion of more information than the underlying cause of death alone. The immediate cause of death, the antecedent causes giving rise to the immediate cause and other significant conditions contributing to the death may also be entered by the medical certifier. These data provide a way of estimating the impact of significant co-factors contributing to a death and offer a means of utilizing information on causes, such as hypertension, asthma, bronchitis, and diabetes, that are frequently present at death but that are usually not lethal by themselves. Each death is assigned one underlying cause and up to nineteen contributing causes of death.

CLASSIFICATION AND METHODOLOGY IN DETERMINING LEADING CAUSES OF INFANT DEATH: The leading causes of infant mortality in this report are based on the National Center for Health Statistics (NCHS) list of 130 selected causes of infant mortality. The same methodology used by NCHS to rank the causes of infant death has also been adopted for this report. This change represents an attempt to standardize reporting of South Carolina data to the national model. The broad categories of cause of death used in determining the leading causes of infant

death have been subdivided into more specific categories. This change in methodology makes the leading causes of infant death tables in this report not comparable to similar tables in the reports of years prior to 1998.

YEARS OF POTENTIAL LIFE LOST RATES: Years of Potential Life Lost (YPLL) is a commonly used method of measuring the rate of premature death. YPLL rates identify untimely deaths in a way the traditional mortality rate cannot. YPLL is defined as the number of years of potential life lost by each death occurring before a predetermined end point. Ages 65 and 75 are often selected as end points, since age 65 approximates the usual retirement age and 75 years, the average life expectancy. The YPLL rate weights each death according to the number of years of life lost prior to the selected end point. Deaths occurring at younger ages are weighted more heavily than those occurring at older ages. To calculate the number of years of potential life lost, the age at last birthday of each death is subtracted from the selected end point. For this publication, these values are summed for all deaths and by selected cause of death for all races and by race group. Only deaths occurring at ages younger than the end point are included. YPLL rates are per 100,000 population who are younger than the age of the end point.


POPULATION DATA: South Carolina population estimates for 2005 were available from the National Center for Health Statistics (NCHS) for the state as a whole and for each county by age, race, and gender. In order to provide rates for vital records data by single race category, NCHS developed a 'bridging' methodology, which regrouped the population of the Census, designated 'multiple race' categories into single race categories. The 2000 Census was the first nationwide implementation of revised standards requiring federal agencies to offer individuals the opportunity to select one or more races. NCHS population estimates by age and gender category are consistent with corresponding population data provided to the Office of Research and Statistics, South Carolina Budget and Control Board by the US Census Bureau for the state as a whole and for each county. For age groups of 14-17, 15-17, and 18-19 years, it is assumed that the population within the five-year age groups of 10-14 and 15-19 is distributed uniformly throughout these age intervals.


KOTELCHUCK INDEX: The Kotelchuck Index, also called the Adequacy of Prenatal Care Utilization (APNCU) Index, uses two crucial elements obtained from birth certificate data - when prenatal care began (initiation) and the number of prenatal visits from when prenatal care began until delivery (received services). The Kotelchuck Index classifies the adequacy of initiation as follows: pregnancy months 1 and 2, months 3 and 4, months 5 and 6, and months 7 to 9, with the underlying assumption that the earlier prenatal care begins the better. To classify the adequacy of received services, the number of prenatal visits is compared to the expected number of visits for the period between when care began and the delivery date. The expected number of visits is based on the American College of Obstetricians and Gynecologists prenatal care standards for uncomplicated pregnancies and is adjusted for the gestational age when care began and for the gestational age at delivery.


A ratio of observed to expected visits is calculated and grouped into four categories-Inadequate (received less than 50% of expected visits), Intermediate (50%-79%), Adequate (80%-109%), and Adequate Plus (110% or more). The final Kotelchuck Index measure combines these two dimensions into a single summary score. The profiles define adequate prenatal care as a score of 80% or greater on the Kotelchuck Index, or the sum of the Adequate and Adequate Plus categories. (See the graph on the next page.)


The Kotelchuck Index does not measure the quality of prenatal care. It also depends on the accuracy of the patient or health care provider's recall of the timing of the first visit and the number of subsequent visits. The Kotelchuck Index uses recommendations for low-risk pregnancies, and may not measure the adequacy of care for high-risk women. The Kotelchuck Index is preferable to other indices because it includes a category for women who receive more than the recommended amount of care (adequate plus, or intensive utilization).


The Summary of Adequacy of Kotelchuck Index¹



 **Inadequate** - Prenatal care begun after 4th month, or less than 50% of recommended visits. Includes no prenatal care received.

 **Intermediate** - Prenatal care begun by 4th month, and 50% - 79% of recommended visits.

 **Adequate** - Prenatal care begun by 4th month, and 80% - 109% of recommended visits.

 **Adequate Plus** - Prenatal care begun by 4th month, and 110% or more of recommended visits.

¹ Adapted from Kotelchuck M., "An Evaluation of the Kessner Adequacy of Prenatal Care Index and a Proposed Adequacy of Prenatal Care Utilization Index", American Journal of Public Health, 1994, 84(9): 1414-20.

IMPLEMENTATION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES (ICD) 10TH REVISION

The ICD is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. ICD-10 replaces the ICD-9, used with 1979-1998 data.

The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science.

ICD-10 affects the classification, processing, and presentation of mortality data. Some titles have changed. The total number of categories has doubled as a result of the addition or deletion of terms used to describe diseases or conditions. The transfer of certain diseases from one section to another reflects new discoveries and advances in knowledge on the nature or causes of particular diseases. The addition of separate categories identifies specific diseases or particular complications of diseases that are of growing interest. Additionally, the codes associated with each title have been converted from numeric to alphanumeric entities. The ICD rules for processing mortality data are generally similar but account for some changes observed in mortality statistics.

HOW ICD-10 COMPARES TO ICD-9

The intent of developing new revisions is to incorporate changes in medical knowledge. Compared with ICD-9, the ICD-10 has:

- expanded detail for many conditions (e.g., viral hepatitis has been expanded from ICD-9 code 070, a single 3-digit category, to ICD-10 codes B15-B19, five 3-digit categories)
- transferred conditions around the classification (e.g., hemorrhage has been moved from the circulatory chapter to the symptoms and signs chapter)
- used alphanumeric codes instead of numeric codes (e.g., code for diabetes mellitus was 250 in ICD-9 and is E10-E14 in ICD-10)
- modified coding rules (e.g., the "Old pneumonia, influenza, and maternal conditions" and "Error and accidents in medical care" coding rules have been eliminated)
- modified the tabulations lists (e.g., the US' ICD-10 113-cause list replaces the US' ICD-9 72-cause list)

Assistance in using the ICD-10 can be obtained by contacting the National Center for Health Statistics, Data Dissemination Branch, 6525 Belcrest Road, Room 1064 Hyattsville, Maryland 20782-2003

(301) 458-4636 (voice) (301) 458-4027 (fax)

For more information about the ICD-10:

ICD-10 Web page at: www.cdc.gov/nchs/icd9.htm

National Center for Health Statistics (NCHS) Web site at: www.cdc.gov/nchs/

FORMULAE

Vital statistics data provide better measures of health status when they are related to the size of the population and particularly to the age and sex components of the population. These relationships are usually expressed in terms of rates or percentages. During intercensal years, the validity of vital statistics rates depends upon the accuracy of population estimates.

For the most part, rates presented in this report are crude rates, i.e., the number of events per 1,000 total population. Crude rates are limited for purposes of making comparisons among geographic areas and for changes over time because they ignore characteristics of the population, such as age and sex. Age-adjusted rates or further analyses may be necessary in order to make valid comparisons.

Rates used in this report are calculated as follows:

Cause of Death Rate	= $\frac{\text{Annual number of deaths from a stated cause}}{\text{Population of area}}$	X 100,000
Death Rate (crude)	= $\frac{\text{Annual number of deaths}}{\text{Population of area}}$	X 1,000
Divorce Rate (crude)	= $\frac{\text{Annual number of divorces}}{\text{Population of area}}$	X 1,000
Fetal Mortality Rate	= $\frac{\text{Annual number of fetal deaths}}{\text{Annual number of live births} + \text{Annual number of fetal deaths}}$	X 1,000
General Fertility Rate	= $\frac{\text{Annual number of live births}}{\text{Population of women 15-44 years of age}}$	X 1,000
Birth Rate of Unmarried Mothers	= $\frac{\text{Annual number of unmarried mothers}}{\text{Annual number of live births}}$	X 1,000
Infant Mortality Rate	= $\frac{\text{Annual number of infant deaths}}{\text{Annual number of live births}}$	X 1,000
Live Birth Rate (Crude)	= $\frac{\text{Annual number of live births}}{\text{Population of area}}$	X 1,000
Marriage Rate (Crude)	= $\frac{\text{Annual number of marriages}}{\text{Population of area}}$	X 1,000
Maternal Mortality Rate	= $\frac{\text{Annual number of maternal deaths}}{\text{Annual number of live births}}$	X 10,000
Neonatal Mortality Rate	= $\frac{\text{Annual number of neonatal deaths}}{\text{Annual number live births}}$	X 1,000
Postneonatal Mortality Rate	= $\frac{\text{Annual number of postneonatal deaths}}{\text{Annual number of live births}}$	X 1,000
Perinatal Mortality Rate	= $\frac{\text{Annual number of fetal deaths} + \text{Annual number of neonatal deaths}}{\text{Annual number of live births} + \text{Annual number of fetal deaths}}$	X 1,000
Low Weight Birth Rate	= $\frac{\text{Annual number of live births weighing less than 2500 grams}}{\text{Annual number of live births}}$	X 1,000

Grams Weight Conversion Chart

500 grams or less	=	1 lb. 1 oz. or less
501 - 1,000 grams	=	1 lb. 2 oz. - 2 lb. 3 oz.
1,001 - 1,500 grams	=	2 lb. 4 oz. - 3 lb. 4 oz.
1,501 - 2,000 grams	=	3 lb. 5 oz. - 4 lb. 6 oz.
2,001 - 2,500 grams	=	4 lb. 7 oz. - 5 lb. 8 oz.
2,501 - 3,000 grams	=	5 lb. 9 oz. - 6 lb. 9 oz.
3,000 - 3,500 grams	=	6 lb. 10 oz. - 7 lb. 11 oz.
3,501 - 4,000 grams	=	7 lb. 12 oz. - 8 lb. 13 oz.
4,001 - 4,500 grams	=	8 lb. 14 oz. - 9 lb. 14 oz.
4,501 - 5,000 grams	=	9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more	=	11 lb. 1 oz. - or more

Symbols Used in Tables

Class or Item not applicable	...
Data not available	---
Quantity Zero in frequency tables	-
Quantity Zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.5	0.0
Both frequency and population base zero in rate or percent table	-
Figures in parentheses are not included in tables	()

APPENDIX

LIST OF 113 SELECTED CAUSES OF DEATH

Number	Cause of death
	All causes.....
1#	Salmonella infections..... A01- A02
2#	Shigellosis and amebiasis..... A03, A06
3	Certain other intestinal infections..... A04, A07- A09
#	Tuberculosis..... A16- A19
4	Respiratory tuberculosis..... A16
5	Other tuberculosis..... A17- A19
6#	Whooping cough..... A37
7#	Scarlet fever and erysipelas..... A38, A46
8#	Meningococcal infection..... A39
9#	Septicemia..... A40- A41
10#	Syphilis..... A50- A53
11#	Acute poliomyelitis..... A80
12#	Arthropod-borne viral encephalitis..... A83- A84, A85. 2
13#	Measles..... B05
14#	Viral hepatitis..... B15- B19
15#	Human immunodeficiency virus (HIV) disease..... B20- B24
16#	Malaria..... B50- B54
17	Other and unspecified infectious and parasitic diseases and their sequelae A00, A05, A20- A36, A42- A44, A48- A49, A54- A79, A81- A82, A85. 0- A85. 1, A85. 8, A86- B04, B06- B09, B25- B49, B55- B99
#	Malignant neoplasms..... C00- C97
18	Malignant neoplasms of lip, oral cavity and pharynx..... C00- C14
19	Malignant neoplasm of esophagus..... C15
20	Malignant neoplasm of stomach..... C16
21	Malignant neoplasms of colon, rectum and anus..... C18- C21
22	Malignant neoplasms of liver and intrahepatic bile ducts..... C22
23	Malignant neoplasm of pancreas..... C25
24	Malignant neoplasm of larynx..... C32
25	Malignant neoplasms of trachea, bronchus and lung..... C33- C34
26	Malignant melanoma of skin..... C43
27	Malignant neoplasm of breast..... C50
28	Malignant neoplasm of cervix uteri..... C53
29	Malignant neoplasms of corpus uteri and uterus, part unspecified..... C54- C55
30	Malignant neoplasm of ovary..... C56
31	Malignant neoplasm of prostate..... C61
32	Malignant neoplasms of kidney and renal pelvis..... C64- C65
33	Malignant neoplasm of bladder..... C67
34	Malignant neoplasms of meninges, brain and other parts of central nervous system..... C70- C72
	Malignant neoplasms of lymphoid, hematopoietic and related tissue..... C81- C96
35	Hodgkin's disease..... C81
36	Non-Hodgkin's lymphoma..... C82- C85
37	Leukemia..... C91- C95
38	Multiple myeloma and immunoproliferative neoplasms..... C88, C90
39	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue..... C96
40	All other and unspecified malignant neoplasms..... C17, C23- C24, C26- C31, C37- C41, C44- C49, C51- C52, C57- C60, C62- C63, C66, C68- C69, C73- C80, C97
41#	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior..... D00- D48
42#	Anemias..... D50- D64
43#	Diabetes mellitus..... E10- E14
#	Nutritional deficiencies..... E40- E64
44	Malnutrition..... E40- E46
45	Other nutritional deficiencies..... E50- E64
46#	Meningitis..... G00, G03
47#	Parkinson's disease..... G20- G21
48#	Alzheimer's disease..... G30
#	Major cardiovascular diseases..... I00- I78
	Diseases of heart..... I00- I09, I11, I13, I20- I51
49	Acute rheumatic fever and chronic rheumatic heart diseases..... I00- I09
50	Hypertensive heart disease..... I11

LIST OF 113 SELECTED CAUSES OF DEATH-Con.

Number	Cause of death
51	Hypertensive heart and renal disease..... I13
	Ischemic heart diseases..... I20-I25
52	Acute myocardial infarction..... I21-I22
53	Other acute ischemic heart diseases..... I24
	Other forms of chronic ischemic heart disease..... I20, I25
54	Atherosclerotic cardiovascular disease, so described..... I25. 0
55	All other forms of chronic ischemic heart disease..... I20, I25. 1-I25. 9
	Other heart diseases..... I26-I51
56	Acute and subacute endocarditis..... I33
57	Diseases of pericardium and acute myocarditis..... I30-I31, I40
58	Heart failure..... I50
59	All other forms of heart disease..... I26-I28, I34-I38, I42-I49, I51
60#	Essential (primary) hypertension and hypertensive renal disease..... I10, I12
61#	Cerebrovascular diseases..... I60-I69
62#	Atherosclerosis..... I70
	Other diseases of circulatory system..... I71-I78
63#	Aortic aneurysm and dissection..... I71
64	Other diseases of arteries, arterioles and capillaries..... I72-I78
65	Other disorders of circulatory system..... I80-I99
#	Influenza and pneumonia..... J10-J18
66	Influenza..... J10-J11
67	Pneumonia..... J12-J18
	Other acute lower respiratory infections..... J20-J22
68#	Acute bronchitis and bronchiolitis..... J20-J21
69	Unspecified acute lower respiratory infection..... J22
#	Chronic lower respiratory diseases..... J40-J47
70	Bronchitis, chronic and unspecified..... J40-J42
71	Emphysema..... J43
72	Asthma..... J45-J46
73	Other chronic lower respiratory diseases..... J44, J47
74#	Pneumoconioses and chemical effects..... J60-J66, J68
75#	Pneumonitis due to solids and liquids..... J69
76	Other diseases of respiratory system..... J00-J06, J30-J39, J67, J70-J98
77#	Peptic ulcer..... K25-K28
78#	Diseases of appendix..... K35-K38
79#	Hernia..... K40-K46
#	Chronic liver disease and cirrhosis..... K70, K73-K74
80	Alcoholic liver disease..... K70
81	Other chronic liver disease and cirrhosis..... K73-K74
82#	Cholelithiasis and other disorders of gallbladder..... K80-K82
#	Nephritis, nephrotic syndrome and nephrosis..... N00-N07, N17-N19, N25-N27
83	Acute and rapidly progressive nephritic and nephrotic syndrome..... N00-N01, N04
84	Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified..... N02-N03, N05-N07, N26
85	Renal failure..... N17-N19
86	Other disorders of kidney..... N25, N27
87#	Infections of kidney..... N10-N12, N13. 6, N15. 1
88#	Hyperplasia of prostate..... N40
89#	Inflammatory diseases of female pelvic organs..... N70-N76
#	Pregnancy, childbirth and the puerperium..... 000-099
90	Pregnancy with abortive outcome..... 000-007
91	Other complications of pregnancy, childbirth and the puerperium..... 010-099
92#	Certain conditions originating in the perinatal period..... P00-P96
93#	Congenital malformations, deformations and chromosomal abnormalities..... Q00-Q99
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified.. R00-R99
95	All other diseases (Residual)..... D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13. 0-N13. 5, N13. 7-N13. 9, N14, N15. 0, N15. 8-N15. 9, N20-N23, N28-N39, N41-N64, N80-N98
#	Accidents..... V01-X59, Y85-Y86
	Transport accidents..... V01-V99, Y85
96	Motor vehicle accidents..... V02-V04, V09. 0, V09. 2, V12-V14, V19. 0-V19. 2, V19. 4-V19. 6, V20-V79, V80. 3-V80. 5, V81. 0-V81. 1, V82. 0-V82. 1, V83-V86, V87. 0-V87. 8, V88. 0-V88. 8, V89. 0, V89. 2

LIST OF 113 SELECTED CAUSES OF DEATH-Con.

Number	Cause of death
97	Other land transport accidents..... V01, V05-V06, V09. 1, V09. 3-V09. 9, V10-V11, V15-V18, V19. 3, V19. 8-V19. 9, V80. 0-V80. 2, V80. 6-V80. 9, V81. 2-V81. 9, V82. 2-V82. 9, V87. 9, V88. 9, V89. 1, V89. 3, V89. 9
98	Water, air and space, and other and unspecified transport accidents and their sequelae V90-V99, Y85
	Nontransport accidents..... W00-X59, Y86
99	Falls..... W00-W19
100	Accidental discharge of firearms..... W32-W34
101	Accidental drowning and submersion..... W65-W74
102	Accidental exposure to smoke, fire and flames..... X00-X09
103	Accidental poisoning and exposure to noxious substances..... X40-X49
104	Other and unspecified nontransport accidents and their sequelae W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86
#	Intentional self-harm (suicide)..... X60-X84, Y87. 0
105	Intentional self-harm (suicide) by discharge of firearms..... X72-X74
106	Intentional self-harm (suicide) by other and unspecified means and their sequelae X60-X71, X75-X84, Y87. 0
#	Assault (homicide)..... X85-Y09, Y87. 1
107	Assault (homicide) by discharge of firearms..... X93-X95
108	Assault (homicide) by other and unspecified means and their sequelae.... X85-X92, X96-Y09, Y87. 1
109#	Legal intervention..... Y35, Y89. 0
	Events of undetermined intent..... Y10-Y34, Y87. 2, Y89. 9
110	Discharge of firearms, undetermined intent..... Y22-Y24
111	Other and unspecified events of undetermined intent and their sequelae Y10-Y21, Y25-Y34, Y87. 2, Y89. 9
112#	Operations of war and their sequelae..... Y36, Y89. 1
113#	Complications of medical and surgical care..... Y40-Y84, Y88

Estimated comparability ratios for 113 selected causes of death

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
001	Salmonella infections	30	37	0.8108	0.0644	7.9	0.6846	0.9370
002	Shigellosis and amebiasis
003	Certain other intestinal infections
004	Tuberculosis	653	764	0.8547	0.0172	2	0.8209	0.8885
005	Respiratory tuberculosis	518	572	0.9056	0.0201	2.2	0.8662	0.9450
006	Other tuberculosis	135	192	0.7031	0.0407	5.8	0.6233	0.7830
007	Whooping cough
008	Scarlet fever and erysipelas
009	Meningococcal infection	221	222	0.9955	0.0149	1.5	0.9663	1.0247
010	Septicemia	21,258	17,791	1.1949	0.0042	0.3	1.1867	1.2030
011	Syphilis	21	33	0.6364	0.1184	18.6	0.4043	0.8685
012	Acute poliomyelitis
013	Arthropod-borne viral encephalitis
014	Measles
015	Viral hepatitis	1,123	1,346	0.8343	0.0120	1.4	0.8109	0.8578
016	Human immunodeficiency virus (HIV) disease	25,089	23,586	1.0637	0.0018	0.2	1.0601	1.0673
017	Malaria
018	Other and unspecified infectious and parasitic diseases and their sequelae	2,865	2,607	1.0990	0.0154	1.4	1.0688	1.1291
019	Malignant neoplasms	464,688	461,544	1.0068	0.0002	0.0	1.0064	1.0072
020	Malignant neoplasms of lip, oral cavity and pharynx	5,927	6,172	0.9603	0.0040	0.4	0.9525	0.9681
021	Malignant neoplasm of esophagus	9,596	9,630	0.9965	0.0020	0.2	0.9926	1.0003
022	Malignant neoplasm of stomach	11,480	11,408	1.0063	0.0019	0.2	1.0025	1.0101
023	Malignant neoplasms of colon, rectum and anus	48,583	48,619	0.9993	0.0009	0.1	0.9975	1.0010
024	Malignant neoplasms of liver and intrahepatic bile ducts	9,732	10,102	0.9634	0.0023	0.2	0.9588	0.9679
025	Malignant neoplasm of pancreas	24,313	24,361	0.9980	0.0009	0.1	0.9963	0.9997
026	Malignant neoplasm of larynx	3,209	3,194	1.0047	0.0053	0.5	0.9943	1.0150
027	Malignant neoplasms of trachea, bronchus and lung	131,750	133,936	0.9837	0.0005	0.1	0.9827	0.9846
028	Malignant melanoma of skin	5,941	6,139	0.9677	0.0032	0.3	0.9614	0.9741
029	Malignant neoplasm of breast	38,102	37,891	1.0056	0.0010	0.1	1.0036	1.0075
030	Malignant neoplasm of cervix uteri	3,753	3,802	0.9871	0.0034	0.3	0.9805	0.9938
031	Malignant neoplasms of corpus uteri and uterus, part unspecified	5,318	5,183	1.0260	0.0040	0.4	1.0182	1.0339
032	Malignant neoplasm of ovary	11,292	11,344	0.9954	0.0016	0.2	0.9923	0.9985
033	Malignant neoplasm of prostate	30,672	30,267	1.0134	0.0015	0.1	1.0105	1.0162
034	Malignant neoplasms of kidney and renal pelvis	9,521	9,521	1.0000	0.0022	0.2	0.9957	1.0043
035	Malignant neoplasm of bladder	9,563	9,594	0.9968	0.0026	0.3	0.9916	1.0019
036	Malignant neoplasms of meninges, brain and other parts of central nervous system	10,039	10,359	0.9691	0.0025	0.3	0.9642	0.9740
037	Malignant neoplasms of lymphoid, hematopoietic and related tissue	44,715	44,530	1.0042	0.0012	0.1	1.0019	1.0064
038	Hodgkin's disease	1,021	1,036	0.9855	0.0089	0.9	0.9680	1.0030
039	Non-Hodgkin's lymphoma	17,924	18,326	0.9781	0.0018	0.2	0.9745	0.9817
040	Leukemia	16,600	16,405	1.0119	0.0019	0.2	1.0083	1.0155
041	Multiple myeloma and immunoproliferative neoplasms	9,099	8,763	1.0383	0.0030	0.3	1.0324	1.0443
042	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue
043	All other and unspecified malignant neoplasms	51,182	45,492	1.1251	0.0021	0.2	1.1210	1.1292
044	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	9,263	5,532	1.6744	0.0164	1.0	1.6422	1.7067
045	Anemias	3,059	3,200	0.9559	0.0077	0.8	0.9409	0.9710
046	Diabetes mellitus	48,636	48,242	1.0082	0.0011	0.1	1.0060	1.0103
047	Nutritional deficiencies	3,215	2,763	1.1636	0.0165	1.4	1.1312	1.1960
048	Malnutrition	2,607	2,665	0.9782	0.0151	1.5	0.9487	1.0078
049	Other nutritional deficiencies	608	98	6.2041	0.5961	9.6	5.0358	7.3724
050	Meningitis	592	584	1.0137	0.0136	1.3	0.9871	1.0403
051	Parkinson's disease	10,404	10,392	1.0012	0.0028	0.3	0.9956	1.0067
052	Alzheimer's disease	29,707	19,121	1.5536	0.0071	0.5	1.5398	1.5675
053	Major cardiovascular diseases	796,919	798,435	0.9981	0.0002	0.0	0.9977	0.9985
054	Diseases of heart	615,564	624,405	0.9858	0.0002	0.0	0.9854	0.9863
055	Acute rheumatic fever and chronic rheumatic heart diseases	2,446	2,980	0.8208	0.0089	1.1	0.8034	0.8382
056	Hypertensive heart disease	17,322	21,577	0.8028	0.0028	0.3	0.7973	0.8083
057	Hypertensive heart and renal disease	2,170	2,027	1.0705	0.0160	1.5	1.0392	1.1019
058	Ischemic heart diseases	466,459	466,935	0.9990	0.0002	0.0	0.9985	0.9994
059	Acute myocardial infarction	178,125	180,169	0.9887	0.0003	0.0	0.9880	0.9893
060	Other acute ischemic heart diseases	2,667	2,638	1.0110	0.0117	1.2	0.9880	1.0340
061	Other forms of chronic ischemic heart disease	285,667	284,128	1.0054	0.0004	0.0	1.0046	1.0062

See footnotes at end of table.

Estimated comparability ratios for 113 selected causes of death—Con.

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
062	Atherosclerotic cardiovascular disease, so described.	64,354	61,362	1.0488	0.0016	0.2	1.0456	1.0519
063	All other forms of chronic ischemic heart disease	221,313	222,766	0.9935	0.0004	0.0	0.9927	0.9942
064	Other heart diseases	127,167	130,886	0.9716	0.0010	0.1	0.9696	0.9736
065	Acute and subacute endocarditis.	552	554	0.9964	0.0137	1.4	0.9695	1.0233
066	Diseases of pericardium and acute myocarditis	489	475	1.0295	0.0160	1.6	0.9981	1.0608
067	Heart failure.	44,297	42,554	1.0410	0.0013	0.1	1.0384	1.0435
068	All other forms of heart disease	81,829	87,303	0.9373	0.0014	0.2	0.9345	0.9401
069	Essential (primary) hypertension and hypertensive renal disease. . . .	11,958	10,684	1.1192	0.0050	0.4	1.1094	1.1291
070	Cerebrovascular diseases.	137,264	129,640	1.0588	0.0008	0.1	1.0572	1.0604
071	Atherosclerosis	13,894	14,417	0.9637	0.0025	0.3	0.9588	0.9686
072	Other diseases of circulatory system	18,239	19,289	0.9456	0.0021	0.2	0.9414	0.9498
073	Aortic aneurysm and dissection.	12,216	12,201	1.0012	0.0010	0.1	0.9992	1.0032
074	Other diseases of arteries, arterioles and capillaries.	6,023	7,088	0.8497	0.0053	0.6	0.8394	0.8601
075	Other disorders of circulatory system	2,984	2,899	1.0293	0.0172	1.7	0.9956	1.0631
076	Influenza and pneumonia	50,526	72,371	0.6982	0.0018	0.3	0.6947	0.7016
077	Influenza.	572	567	1.0088	0.0073	0.7	0.9945	1.0231
078	Pneumonia	49,954	71,804	0.6957	0.0018	0.3	0.6922	0.6992
079	Other acute lower respiratory infections.	346	355	0.9746	0.0392	4.0	0.8978	1.0515
080	Acute bronchitis and bronchiolitis	265	355	0.7465	0.0264	3.5	0.6947	0.7983
081	Unspecified acute lower respiratory infection.
082	Chronic lower respiratory diseases	94,326	90,022	1.0478	0.0009	0.1	1.0460	1.0496
083	Bronchitis, chronic and unspecified	913	2,320	0.3935	0.0107	2.7	0.3726	0.4145
084	Emphysema.	14,369	14,774	0.9726	0.0031	0.3	0.9666	0.9786
085	Asthma	4,217	4,718	0.8938	0.0061	0.7	0.8819	0.9057
086	Other chronic lower respiratory diseases.	74,827	68,210	1.0970	0.0014	0.1	1.0943	1.0998
087	Pneumoconioses and chemical effects	860	845	1.0178	0.0099	1.0	0.9983	1.0372
088	Pneumonitis due to solids and liquids	10,183	9,104	1.1185	0.0048	0.4	1.1092	1.1279
089	Other diseases of respiratory system	16,656	14,269	1.1673	0.0052	0.4	1.1572	1.1774
090	Peptic ulcer	3,574	3,686	0.9696	0.0045	0.5	0.9608	0.9784
091	Diseases of appendix	209	202	1.0347	0.0242	2.3	0.9873	1.0820
092	Hernia	658	633	1.0395	0.0154	1.5	1.0094	1.0696
093	Chronic liver disease and cirrhosis.	21,688	20,920	1.0367	0.0027	0.3	1.0314	1.0420
094	Alcoholic liver disease.	10,147	9,965	1.0183	0.0050	0.5	1.0085	1.0281
095	Other chronic liver disease and cirrhosis	11,541	10,955	1.0535	0.0041	0.4	1.0454	1.0615
096	Cholelithiasis and other disorders of gallbladder	1,725	1,803	0.9567	0.0060	0.6	0.9450	0.9685
097	Nephritis, nephrotic syndrome and nephrosis.	24,939	20,242	1.2320	0.0044	0.4	1.2234	1.2407
098	Acute and rapidly progressive nephritic and nephrotic syndrome. . . .	161	249	0.6466	0.0342	5.3	0.5796	0.7136
099	Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified	468	1,213	0.3858	0.0144	3.7	0.3575	0.4141
100	Renal failure	24,290	18,758	1.2949	0.0050	0.4	1.2852	1.3047
101	Other disorders of kidney	20	22	0.9091	0.0867	9.5	0.7392	1.0790
102	Infections of kidney.	731	726	1.0069	0.0144	1.4	0.9786	1.0352
103	Hyperplasia of prostate.	326	327	0.9969	0.0159	1.6	0.9658	1.0280
104	Inflammatory diseases of female pelvic organs.	63	64	0.9844	0.0410	4.2	0.9040	1.0648
105	Pregnancy, childbirth and the puerperium.
106	Pregnancy with abortive outcome
107	Other complications of pregnancy, childbirth and the puerperium.
108	Certain conditions originating in the perinatal period	10,184	9,555	1.0658	0.0033	0.3	1.0593	1.0724
109	Congenital malformations, deformations and chromosomal abnormalities	5,950	7,025	0.8470	0.0055	0.6	0.8362	0.8577
110	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified.	16,940	17,732	0.9553	0.0034	0.4	0.9487	0.9620
111	All other diseases (Residual)	109,853	122,107	0.8996	0.0015	0.2	0.8968	0.9025
112	Accidents (unintentional injuries)	31,084	30,163	1.0305	0.0014	0.1	1.0278	1.0333
113	Transport accidents	17,547	17,586	0.9978	0.0006	0.1	0.9966	0.9990
114	Motor vehicle accidents	14,539	17,051	0.8527	0.0027	0.3	0.8473	0.8581
115	Other land transport accidents
116	Water, air and space, and other and unspecified transport accidents and their sequelae.	351	347	1.0115	0.0209	2.1	0.9706	1.0525
117	Nontransport accidents	13,537	12,577	1.0763	0.0035	0.3	1.0696	1.0831
118	Falls.	5,173	6,152	0.8409	0.0049	0.6	0.8313	0.8505
119	Accidental discharge of firearms	493	466	1.0579	0.0127	1.2	1.0331	1.0828
120	Accidental drowning and submersion.	283	284	0.9965	0.0127	1.3	0.9716	1.0213
121	Accidental exposure to smoke, fire and flames.	493	506	0.9743	0.0089	0.9	0.9568	0.9918
122	Accidental poisoning and exposure to noxious substances
123	Other and unspecified nontransport accidents and their sequelae.	6,698	4,721	1.4188	0.0123	0.9	1.3947	1.4428

See footnotes at end of table.

Estimated comparability ratios for 113 selected causes of death—Con.

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
124	Intentional self-harm (suicide)	18,352	18,422	0.9962	0.0005	0.0	0.9952	0.9972
125	Intentional self-harm (suicide) by discharge of firearms	14,157	14,183	0.9982	0.0007	0.1	0.9968	0.9996
126	Intentional self-harm (suicide) by other and unspecified means and their sequelae	4,195	4,239	0.9896	0.0023	0.2	0.9850	0.9942
127	Assault (homicide)	12,287	12,308	0.9983	0.0006	0.1	0.9972	0.9994
128	Assault (homicide) by discharge of firearms	8,718	8,745	0.9969	0.0008	0.1	0.9953	0.9985
	Assault (homicide) by other and unspecified means and their sequelae	3,569	3,563	1.0017	0.0024	0.2	0.9969	1.0064
129	Legal intervention
130	Events of undetermined intent
131	Discharge of firearms, undetermined intent
132	Other and unspecified events of undetermined intent and their sequelae
133	Operations of war and their sequelae
134	Complications of medical and surgical care
135	

* Figure does not meet standards of reliability or precision; see Technical notes.

0.0 Quantity more than zero but less than 0.05.

¹Based on the Ninth and Tenth Revision categories shown in table B.

²ICD-10 is *International Classification of Diseases*, Tenth Revision, and ICD-9 is *International Classification of Diseases*, Ninth Revision.

**STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
CERTIFICATE OF LIVE BIRTH**

139 -

BIRTH NUMBER

CHILD	1. CHILD'S NAME (First, Middle, Last, Suffix)		2. TIME OF BIRTH (24HR)	3. SEX	4. DATE OF BIRTH (Mo/Day/Yr)
	5. FACILITY NAME (If not institution, give street and number)		6. CITY, TOWN, OR LOCATION OF BIRTH		7. COUNTY OF BIRTH
MOTHER	8a. MOTHER'S CURRENT LEGAL NAME (First, Middle, Last, Suffix)			8b. DATE OF BIRTH (Mo/Day/Yr)	
	8c. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last, Suffix)			8d. BIRTHPLACE (State, Territory, or Foreign Country)	
	9a. RESIDENCE OF MOTHER - STATE	9b. COUNTY		9c. CITY, TOWN, OR LOCATION	
	9d. STREET AND NUMBER		9e. APT. NO.	9f. ZIP CODE	9g. INSIDE CITY LIMITS? <input type="checkbox"/> Yes <input type="checkbox"/> No
FATHER	10a. FATHER'S CURRENT LEGAL NAME (First, Middle, Last, Suffix)		10b. DATE OF BIRTH (Mo/Day/Yr)	10c. BIRTHPLACE (State, Territory, or Foreign Country)	
CERTIFIER	11. CERTIFIER'S NAME TITLE: <input type="checkbox"/> MD <input type="checkbox"/> DO <input type="checkbox"/> HOSPITAL ADMIN. <input type="checkbox"/> CNM/CM <input type="checkbox"/> OTHER MIDWIFE <input type="checkbox"/> OTHER (Specify) _____		12. DATE CERTIFIED ____/____/____ MM DD YYYY	13. DATE FILED BY REGISTRAR ____/____/____ MM DD YYYY	
	INFORMATION FOR ADMINISTRATIVE USE				
MOTHER	14. MOTHER'S MAILING ADDRESS <input type="checkbox"/> Same as residence, or: State: _____ City, Town, or Location: _____ Street & Number: _____ Apartment No.: _____ Zip Code: _____				
	15. MOTHER MARRIED? (At birth, conception, or any time between) <input type="checkbox"/> Yes <input type="checkbox"/> No IF NO, HAS PATERNITY ACKNOWLEDGMENT BEEN SIGNED IN THE HOSPITAL? <input type="checkbox"/> Yes <input type="checkbox"/> No		16. SOCIAL SECURITY NUMBER REQUESTED FOR CHILD? <input type="checkbox"/> Yes <input type="checkbox"/> No		17. FACILITY ID. (NPI)
	18. MOTHER'S SOCIAL SECURITY NUMBER:		19. FATHER'S SOCIAL SECURITY NUMBER:		
	INFORMATION FOR MEDICAL AND HEALTH PURPOSES ONLY				
MOTHER	20. MOTHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at the time of delivery) <input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9th - 12th grade, no diploma <input type="checkbox"/> High school graduate or GED completed <input type="checkbox"/> Some college credit, but no degree <input type="checkbox"/> Associate degree (e.g., AA, AS) <input type="checkbox"/> Bachelor's degree (e.g., BA, AB, BS) <input type="checkbox"/> Master's degree (e.g., MA, MS, MEng, MEd, MSW, MBA) <input type="checkbox"/> Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)		21. MOTHER OF HISPANIC ORIGIN? (Check the box that best describes whether the mother is Spanish/Hispanic/Latina. Check the "No" box if mother is not Spanish/Hispanic/Latina) <input type="checkbox"/> No, not Spanish/Hispanic/Latina <input type="checkbox"/> Yes, Mexican, Mexican American, Chicana <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latina (Specify) _____		22. MOTHER'S RACE (Check one or more races to indicate what the mother considers herself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian (Specify) _____ <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander (Specify) _____ <input type="checkbox"/> Other (Specify) _____
	23. FATHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at the time of delivery) <input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9th - 12th grade, no diploma <input type="checkbox"/> High school graduate or GED completed <input type="checkbox"/> Some college credit, but no degree <input type="checkbox"/> Associate degree (e.g., AA, AS) <input type="checkbox"/> Bachelor's degree (e.g., BA, AB, BS) <input type="checkbox"/> Master's degree (e.g., MA, MS, MEng, MEd, MSW, MBA) <input type="checkbox"/> Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)		24. FATHER OF HISPANIC ORIGIN? (Check the box that best describes whether the father is Spanish/Hispanic/Latino. Check the "No" box if father is not Spanish/Hispanic/Latino) <input type="checkbox"/> No, not Spanish/Hispanic/Latino <input type="checkbox"/> Yes, Mexican, Mexican American, Chicano <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latino (Specify) _____		25. FATHER'S RACE (Check one or more races to indicate what the father considers himself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian (Specify) _____ <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander (Specify) _____ <input type="checkbox"/> Other (Specify) _____
FATHER	26. PLACE WHERE BIRTH OCCURRED (Check one) <input type="checkbox"/> Hospital <input type="checkbox"/> Freestanding birthing center <input type="checkbox"/> Home birth: Planned to deliver at home? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Clinic/Doctor's office <input type="checkbox"/> Other (Specify) _____		27. ATTENDANT'S NAME, TITLE, AND NPI NAME _____ NPI _____ TITLE: <input type="checkbox"/> MD <input type="checkbox"/> DO <input type="checkbox"/> CNM/CM <input type="checkbox"/> OTHER MIDWIFE <input type="checkbox"/> Other (Specify) _____		28. MOTHER TRANSFERRED FOR MATERNAL MEDICAL OR FETAL INDICATIONS FOR DELIVERY? <input type="checkbox"/> Yes <input type="checkbox"/> No IF YES, ENTER NAME OF FACILITY MOTHER TRANSFERRED FROM: _____

**STATE
OFFICE
USE ONLY**

MOTHER	29a. DATE OF FIRST PRENATAL CARE VISIT MM / DD / YYYY <input type="checkbox"/> No Prenatal Care		29b. DATE OF LAST PRENATAL CARE VISIT MM / DD / YYYY		30. TOTAL NUMBER OF PRENATAL VISITS FOR THIS PREGNANCY _____ (If none, enter "0".)		
	31. MOTHER'S HEIGHT _____ (feet/inches)		32. MOTHER'S PREPREGNANCY WEIGHT _____ (pounds)		33. MOTHER'S WEIGHT AT DELIVERY _____ (pounds)		
	34. DID MOTHER GET WIC FOOD FOR HERSELF DURING THIS PREGNANCY? <input type="checkbox"/> Yes <input type="checkbox"/> No						
35. NUMBER OF PREVIOUS LIVE BIRTHS (Do not include this child) _____		36. NUMBER OF OTHER PREGNANCY OUTCOMES (Spontaneous or induced losses or ectopic pregnancies) Number _____ <input type="checkbox"/> None		37. CIGARETTE SMOKING BEFORE AND DURING PREGNANCY For each time period, enter either the number of cigarettes or the number of packs of cigarettes smoked. IF NONE, ENTER "0". Average number of cigarettes or packs of cigarettes smoked per day. <div> <div>Number of cigarettes</div> <div>Number of packs</div> </div> Three months before pregnancy _____ OR _____ First three months of pregnancy _____ OR _____ Second three months of pregnancy _____ OR _____ Last three months of pregnancy _____ OR _____		38. PRINCIPAL SOURCE OF PAYMENT FOR THIS DELIVERY: <input type="checkbox"/> Private Insurance <input type="checkbox"/> Medicaid <input type="checkbox"/> Self-pay <input type="checkbox"/> Other (Specify) _____	
35a. Now Living 35b. Now Dead Number _____ Number _____ <input type="checkbox"/> None <input type="checkbox"/> None							
35c. DATE OF LAST LIVE BIRTH MM / YYYY		36a. DATE OF LAST OTHER PREGNANCY OUTCOME MM / YYYY		39. DATE LAST NORMAL MENSES BEGAN MM / DD / YYYY		40. MOTHER'S MEDICAL RECORD NUMBER	
MEDICAL AND HEALTH INFORMATION	41. RISK FACTORS IN THIS PREGNANCY (Check all that apply) Diabetes <input type="checkbox"/> Prepregnancy (Diagnosis prior to this pregnancy) <input type="checkbox"/> Gestational (Diagnosis in this pregnancy) Hypertension <input type="checkbox"/> Prepregnancy (Chronic) <input type="checkbox"/> Gestational (PIH, preeclampsia, eclampsia) <input type="checkbox"/> Previous preterm birth <input type="checkbox"/> Other previous poor pregnancy outcome (Includes perinatal death, small-for-gestational age/intrauterine growth restricted birth) <input type="checkbox"/> Vaginal bleeding during this pregnancy prior to the onset of labor <input type="checkbox"/> Pregnancy resulted from infertility treatment <input type="checkbox"/> Mother had a previous cesarean delivery If yes, how many _____ <input type="checkbox"/> None of the above		44. ONSET OF LABOR (Check all that apply) <input type="checkbox"/> Premature Rupture of the Membranes (prolonged, ≥12 hrs.) <input type="checkbox"/> Precipitous Labor (<3 hrs.) <input type="checkbox"/> Prolonged Labor (≥ 20 hrs.) <input type="checkbox"/> None of the above		46. METHOD OF DELIVERY A. Was delivery with forceps attempted but unsuccessful? <input type="checkbox"/> Yes <input type="checkbox"/> No B. Was delivery with vacuum extraction attempted but unsuccessful? <input type="checkbox"/> Yes <input type="checkbox"/> No C. Fetal presentation at birth <input type="checkbox"/> Cephalic <input type="checkbox"/> Breech <input type="checkbox"/> Other D. Final route and method of delivery (Check one) <input type="checkbox"/> Vaginal/Spontaneous <input type="checkbox"/> Vaginal/Forceps <input type="checkbox"/> Vaginal/Vacuum <input type="checkbox"/> Cesarean If Cesarean, was a trial of labor attempted? <input type="checkbox"/> Yes <input type="checkbox"/> No		
	42. INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY (Check all that apply) <input type="checkbox"/> Gonorrhea <input type="checkbox"/> Syphilis <input type="checkbox"/> Herpes Simplex Virus (HSV) <input type="checkbox"/> Chlamydia <input type="checkbox"/> Hepatitis B <input type="checkbox"/> Hepatitis C <input type="checkbox"/> None of the above		45. CHARACTERISTICS OF LABOR AND DELIVERY (Check all that apply) <input type="checkbox"/> Induction of labor <input type="checkbox"/> Augmentation of labor <input type="checkbox"/> Non-vertex presentation <input type="checkbox"/> Steroids (glucocorticoids) for fetal lung maturation received by the mother prior to delivery <input type="checkbox"/> Antibiotics received by the mother during labor <input type="checkbox"/> Clinical chorioamnionitis diagnosed during labor or maternal temperature ≥ 38°C (100.4°F) <input type="checkbox"/> Moderate/heavy meconium staining of the amniotic fluid <input type="checkbox"/> Fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitative measures, further fetal assessment, or operative delivery <input type="checkbox"/> Epidural or spinal anesthesia during labor <input type="checkbox"/> None of the above		47. MATERNAL MORBIDITY (Check all that apply) (Complications associated with labor and delivery) <input type="checkbox"/> Maternal transfusion <input type="checkbox"/> Third or fourth degree perineal laceration <input type="checkbox"/> Ruptured uterus <input type="checkbox"/> Unplanned hysterectomy <input type="checkbox"/> Admission to intensive care unit <input type="checkbox"/> Unplanned operating room procedure following delivery <input type="checkbox"/> None of the above		
	43. OBSTETRIC PROCEDURES (Check all that apply) <input type="checkbox"/> Cervical cerclage <input type="checkbox"/> Tocolysis External cephalic version: <input type="checkbox"/> Successful <input type="checkbox"/> Failed <input type="checkbox"/> None of the above						
NEWBORN INFORMATION							
NEWBORN	48. NEWBORN MEDICAL RECORD NUMBER:		54. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply) <input type="checkbox"/> Assisted ventilation required immediately following delivery <input type="checkbox"/> Assisted ventilation required for more than six hours <input type="checkbox"/> NICU admission <input type="checkbox"/> Newborn given surfactant replacement therapy <input type="checkbox"/> Antibiotics received by the newborn for suspected neonatal sepsis <input type="checkbox"/> Seizure or serious neurologic dysfunction <input type="checkbox"/> Significant birth injury (skeletal fracture(s), peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention) <input type="checkbox"/> None of the above		55. CONGENITAL ANOMALIES OF THE NEWBORN (Check all that apply) <input type="checkbox"/> Anencephaly <input type="checkbox"/> Meningocele/Spina bifida <input type="checkbox"/> Cyanotic congenital heart disease <input type="checkbox"/> Congenital diaphragmatic hernia <input type="checkbox"/> Omphalocele <input type="checkbox"/> Gastroschisis <input type="checkbox"/> Limb reduction defect (excluding congenital amputation and dwarfing syndromes) <input type="checkbox"/> Cleft Lip with or without Cleft Palate <input type="checkbox"/> Cleft Palate alone <input type="checkbox"/> Down Syndrome <input type="checkbox"/> Karyotype confirmed <input type="checkbox"/> Karyotype pending <input type="checkbox"/> Suspected chromosomal disorder <input type="checkbox"/> Karyotype confirmed <input type="checkbox"/> Karyotype pending <input type="checkbox"/> Hypospadias <input type="checkbox"/> None of the anomalies listed above		
	49. BIRTHWEIGHT (grams preferred, specify unit) _____ <input type="checkbox"/> grams <input type="checkbox"/> lb/oz						
	50. OBSTETRIC ESTIMATE OF GESTATION: _____ (completed weeks)						
	51. APGAR SCORE: Score at 5 minutes: _____ If 5 minute score is less than 6, Score at 10 minutes: _____						
	52. PLURALITY - Single, Twin, Triplet, etc. (Specify) _____						
	53. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify) _____						
56. WAS INFANT TRANSFERRED WITHIN 24 HOURS OF DELIVERY? <input type="checkbox"/> Yes <input type="checkbox"/> No IF YES, NAME OF FACILITY INFANT TRANSFERRED TO: _____		57. IS INFANT LIVING AT TIME OF REPORT? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Infant transferred, status unknown		58. IS INFANT BEING BREASTFED? <input type="checkbox"/> Yes <input type="checkbox"/> No			
59. WHAT PROPHYLACTIC USED IN EYES? (Specify) _____		TIME USED (24-hour clock)					

NAME OF DECEDENT
For use by physician or institution

1. DECEDENT'S LEGAL NAME (Include AKAs, if any) (First, Middle, Last)				2. SEX		3. SOCIAL SECURITY NUMBER			
4a. AGE-Last Birthday (Years)		4b. UNDER 1 YEAR Months Days		4c. UNDER 1 DAY Hours Minutes		5. DATE OF BIRTH (MM/DD/YYYY)		6. BIRTHPLACE (City and State or Foreign Country)	
7a. RESIDENCE-STATE			7b. COUNTY			7c. CITY OR TOWN			
7d. STREET AND NUMBER				7e. APT. NO.		7f. ZIP CODE		7g. INSIDE CITY LIMITS? <input type="checkbox"/> Yes <input type="checkbox"/> No	
8. EVER IN US ARMED FORCES? <input type="checkbox"/> Yes <input type="checkbox"/> No		9. MARITAL STATUS AT TIME OF DEATH <input type="checkbox"/> Married <input type="checkbox"/> Married, but separated <input type="checkbox"/> Widowed <input type="checkbox"/> Divorced <input type="checkbox"/> Never Married <input type="checkbox"/> Unknown		10. SURVIVING SPOUSE'S NAME (If wife, give name prior to first marriage)					
11. FATHER'S NAME (First, Middle, Last)				12. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last)					
13a. INFORMANT'S NAME			13b. RELATIONSHIP TO DECEDENT		13c. MAILING ADDRESS (Street and Number, City, State, Zip Code)				
14. PLACE OF DEATH (Check only one: see instructions)									
IF DEATH OCCURRED IN A HOSPITAL: <input type="checkbox"/> Inpatient <input type="checkbox"/> Emergency Room/Outpatient <input type="checkbox"/> Dead on Arrival				IF DEATH OCCURRED SOMEWHERE OTHER THAN A HOSPITAL: <input type="checkbox"/> Hospice facility <input type="checkbox"/> Nursing home/Long term care facility <input type="checkbox"/> Decedent's home <input type="checkbox"/> Other (Specify) _____					
15. FACILITY NAME (If not institution, give street and number)				16. CITY OR TOWN, STATE AND ZIP CODE				17. COUNTY OF DEATH	
18. METHOD OF DISPOSITION <input type="checkbox"/> Burial <input type="checkbox"/> Cremation <input type="checkbox"/> Donation <input type="checkbox"/> Entombment <input type="checkbox"/> Removal from state <input type="checkbox"/> Other (Specify) _____				19. PLACE OF DISPOSITION (Name of cemetery, crematory, other place)					
20. LOCATION-CITY, TOWN, AND STATE				21. NAME AND ADDRESS OF FUNERAL FACILITY					
22. SIGNATURE OF FUNERAL SERVICE LICENSEE OR OTHER AGENT				23. LICENSE NUMBER (Of Licensee)					
23a. EMBALMER (Signature)				23b. EMBALMER LICENSE NUMBER		23c. LICENSE NUMBER (Of Facility)			
ITEMS 24-28 MUST BE COMPLETED BY PERSON WHO PRONOUNCES OR CERTIFIES DEATH				24. DATE PRONOUNCED DEAD (MM/DD/YYYY)		25. TIME PRONOUNCED DEAD			
26. SIGNATURE OF PERSON PRONOUNCING DEATH (Only when applicable)				27. LICENSE NUMBER		28. DATE SIGNED (MM/DD/YYYY)			
29. ACTUAL OR PRESUMED DATE OF DEATH (Spell Month)				30. ACTUAL OR PRESUMED TIME OF DEATH		31. WAS CORONER OR MEDICAL EXAMINER CONTACTED? <input type="checkbox"/> Yes <input type="checkbox"/> No			
CAUSE OF DEATH (See instructions and examples)									
32. PART I. Enter the <u>chain of events</u> -diseases, injuries, or complications-that directly caused the death. DO NOT enter terminal events such as cardiac arrest, respiratory arrest, or ventricular fibrillation without showing the etiology. DO NOT ABBREVIATE. Enter only one cause on a line. Add additional lines if necessary. IMMEDIATE CAUSE (Final disease or condition resulting in death) → a. _____ Due to (or as a consequence of): _____ Sequentially list conditions, if any, leading to the cause listed on line a. Enter the UNDERLYING CAUSE (disease or injury that initiated the events resulting in death) LAST b. _____ Due to (or as a consequence of): _____ c. _____ Due to (or as a consequence of): _____ d. _____									
PART II. Enter other significant conditions contributing to death but not resulting in the underlying cause given in PART I.						33. WAS AN AUTOPSY PERFORMED? <input type="checkbox"/> Yes <input type="checkbox"/> No			
35. DID TOBACCO USE CONTRIBUTE TO DEATH? <input type="checkbox"/> Yes <input type="checkbox"/> Probably <input type="checkbox"/> No <input type="checkbox"/> Unknown						36. IF FEMALE: <input type="checkbox"/> Not pregnant within past year <input type="checkbox"/> Pregnant at time of death <input type="checkbox"/> Not pregnant, but pregnant within 42 days of death <input type="checkbox"/> Not pregnant, but pregnant 43 days to one year before death <input type="checkbox"/> Unknown if pregnant within the past year			
37. MANNER OF DEATH <input type="checkbox"/> Natural <input type="checkbox"/> Homicide <input type="checkbox"/> Accident <input type="checkbox"/> Pending investigation <input type="checkbox"/> Suicide <input type="checkbox"/> Could not be determined									
38. DATE OF INJURY (Spell Month)		39. TIME OF INJURY		40. PLACE OF INJURY (e.g., Decedent's home, construction site, restaurant, wooded area)			41. INJURY AT WORK? <input type="checkbox"/> Yes <input type="checkbox"/> No		
42. LOCATION OF INJURY: State: _____ City or Town: _____ County: _____				Street & Number: _____ Apartment Number: _____ Zip Code: _____					
43. DESCRIBE HOW INJURY OCCURRED:				44. IF TRANSPORTATION INJURY, SPECIFY: <input type="checkbox"/> Driver/Operator <input type="checkbox"/> Pedestrian <input type="checkbox"/> Passenger <input type="checkbox"/> Other (Specify) _____					
45. CERTIFIER (Check only one) <input type="checkbox"/> Certifying physician-To the best of my knowledge, death occurred due to the cause(s) and manner stated. <input type="checkbox"/> Pronouncing and Certifying physician-To the best of my knowledge, death occurred at the time, date, and place, and due to the cause(s) and manner stated. <input type="checkbox"/> Coroner/Medical Examiner-On the basis of examination and /or investigation, in my opinion, death occurred at the time, date, and place, and due to the cause(s) and manner stated. Signature of certifier: _____									
46. NAME, ADDRESS, AND ZIP CODE OF PERSON COMPLETING CAUSE OF DEATH (Item 32)						46a. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER			
47. TITLE OF CERTIFIER		48. LICENSE NUMBER		49. DATE CERTIFIED (MM/DD/YYYY)		50. FOR REGISTRAR ONLY-DATE FILED (MM/DD/YYYY)			
51. DECEDENT'S EDUCATION-Check the box that best describes the highest degree or level of school completed at the time of death. <input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9th-12th grade; no diploma <input type="checkbox"/> High school graduate or GED completed <input type="checkbox"/> Some college credit, but no degree <input type="checkbox"/> Associate degree (e.g., AA, AS) <input type="checkbox"/> Bachelor's degree (e.g., BA, AB, BS) <input type="checkbox"/> Master's degree (e.g., MA, MS, MEng, MEd, MSW, MBA) <input type="checkbox"/> Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)			52. DECEDENT OF HISPANIC ORIGIN?-Check the box that best describes whether the decedent is Spanish/Hispanic/Latino/Latina. Check the "No" box if decedent is not Spanish/Hispanic/Latino/Latina. <input type="checkbox"/> No, not Spanish/Hispanic/Latino/Latina <input type="checkbox"/> Yes, Mexican, Mexican American, Chicano/Chicana <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latino/Latina (Specify) _____			53. DECEDENT'S RACE-(Check one or more races to indicate what the decedent considered himself or herself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian (Specify) _____ <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander (Specify) _____ <input type="checkbox"/> Other (Specify) _____			
54. DECEDENT'S USUAL OCCUPATION (Indicate type of work done during most of working life. DO NOT USE THE TERM "RETIRED.")									
55. KIND OF BUSINESS/INDUSTRY									

BRTP NO.



REPORT OF INDUCED TERMINATION OF PREGNANCY

STATE FILE NUMBER

TYPE/PRINT
IN
PERMANENT
BLACK INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

1. FACILITY NAME (if not clinic or hospital, give address)		2. CITY, TOWN OR LOCATION OF PREGNANCY TERMINATION		3. COUNTY OF PREGNANCY TERMINATION	
4. PATIENT IDENTIFICATION NUMBER (Do Not Enter Patient's Name)		5. AGE LAST BIRTHDAY		6. MARRIED? <input type="checkbox"/> YES <input type="checkbox"/> NO	
7. DATE OF PREGNANCY TERMINATION (Month, Day, Year)		8a. RESIDENCE-STATE		8b. COUNTY	
8c. CITY, TOWN OR LOCATION		8d. INSIDE CITY LIMITS? <input type="checkbox"/> YES <input type="checkbox"/> NO		8e. ZIP CODE	
9. OF HISPANIC ORIGIN? (Spanish, Puerto Rican, Cuban, Mexican, etc.) <input type="checkbox"/> Yes <input type="checkbox"/> No		10. RACE (Specify race) <input type="checkbox"/> White <input type="checkbox"/> Black <input type="checkbox"/> Other (Specify)		11. EDUCATION (Specify grade completed) Elementary/Secondary (0-12) <input type="checkbox"/> College (1-4 or 5+) <input type="checkbox"/>	
12. DATE LAST MENSTRUATION (Month, Day, Year)		13. DATE OF CONCEPTION (Month, Day, Year)			
14. CLINICAL ESTIMATE OF GESTATION (Weeks)		15. PREVIOUS PREGNANCIES (Complete each section)			
		LIVE BIRTHS		OTHER TERMINATIONS	
		15a. Now Living Number <input type="checkbox"/> None		15b. Now Dead Number <input type="checkbox"/> None	
		15c. Spontaneous Number <input type="checkbox"/> None		15d. Induced (Do not include this termination) Number <input type="checkbox"/> None	
16. TERMINATION PROCEDURES					
16a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one)		TYPE OF TERMINATION PROCEDURES		16b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply)	
1 <input type="checkbox"/> Suction Curettage				1 <input type="checkbox"/>	
2 <input type="checkbox"/> Sharp Curettage				2 <input type="checkbox"/>	
3 <input type="checkbox"/> Dilation and Evacuation (D & E)				3 <input type="checkbox"/>	
4 <input type="checkbox"/> Intra-Uterine Saline Instillation				4 <input type="checkbox"/>	
5 <input type="checkbox"/> Intra-Uterine Prostaglandin Instillation				5 <input type="checkbox"/>	
6 <input type="checkbox"/> Hysterotomy/Hysterectomy				6 <input type="checkbox"/>	
7 <input type="checkbox"/> Medical (Nonsurgical), Specify Medication(s)				7 <input type="checkbox"/>	
8 <input type="checkbox"/> Other (Specify)				8 <input type="checkbox"/>	
		None		0 <input type="checkbox"/>	
17-18. CONSENT REQUIREMENTS (Pursuant to Chapter 41, Title 44, of the Code of Laws of South Carolina, 1976, as amended)					
17a. WAS INFORMED WRITTEN CONSENT OBTAINED FROM THE PATIENT? <input type="checkbox"/> Yes <input type="checkbox"/> No		17c. IF PATIENT HAS BEEN COURT ADJUDGED MENTALLY INCOMPETENT, INFORMED WRITTEN CONSENT OBTAINED FROM: (check one) 1 <input type="checkbox"/> SPOUSE 2 <input type="checkbox"/> PARENT 3 <input type="checkbox"/> LEGAL GUARDIAN 4 <input type="checkbox"/> NONE OF THE ABOVE			
17b. IF NO, INFORMED WRITTEN CONSENT WAS NOT OBTAINED DUE TO: (check one) 1 <input type="checkbox"/> MEDICAL EMERGENCY 2 <input type="checkbox"/> INCEST 3 <input type="checkbox"/> NOT CAPABLE/MENTALLY INCOMPETENT 4 <input type="checkbox"/> NONE OF THE ABOVE					
18a. IF PATIENT IS UNDER 17 YEARS OF AGE, ADDITIONAL INFORMED WRITTEN CONSENT OBTAINED FROM: (check one) 1 <input type="checkbox"/> PARENT 2 <input type="checkbox"/> LEGAL GUARDIAN 3 <input type="checkbox"/> GRANDPARENT 4 <input type="checkbox"/> PERSON IN LOCO PARENTIS 5 <input type="checkbox"/> NONE OF THE ABOVE		18b. IF PATIENT IS UNDER 17 YEARS OF AGE AND ADDITIONAL INFORMED WRITTEN CONSENT WAS NOT OBTAINED, CHECK REASON BELOW: (check one) 1 <input type="checkbox"/> EMANCIPATED MINOR 2 <input type="checkbox"/> COURT ORDER 3 <input type="checkbox"/> MEDICAL EMERGENCY 4 <input type="checkbox"/> INCEST 5 <input type="checkbox"/> NONE OF THE ABOVE			
19. NAME OF PERSON COMPLETING FORM (Type/Print)		TITLE			
20. DATE REPORT COMPLETED (Month, Day, Year)		FOR STATE OFFICE USE ONLY 21. DATE REPORT RECEIVED			

ITEM 17 MUST →
BE COMPLETED
FOR EACH
PATIENT,
REGARDLESS OF
AGE.

ITEM 18 MUST →
BE COMPLETED
FOR EACH
PATIENT UNDER 17
YEARS OF AGE.

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
REPORT OF FETAL DEATH

STATE FILE NUMBER

1. FACILITY NAME (If not institution, give street and number)				
2. CITY, TOWN, OR LOCATION OF DELIVERY		3. COUNTY OF DELIVERY		4. DATE OF DELIVERY (Month, Day, Year)
5. SEX OF FETUS				
6a. MOTHER'S NAME First Middle Last		6b. MAIDEN SURNAME		7. DATE OF BIRTH (Month, Day, Year)
8a. RESIDENCE-STATE	8b. COUNTY	8c. CITY, TOWN, OR LOCATION		8d. STREET AND NUMBER
9e. INSIDE CITY LIMITS? Yes <input type="checkbox"/> No <input type="checkbox"/>		9f. ZIP CODE	9. FATHER'S NAME First Middle Last	
10. DATE OF BIRTH (Month, Day, Year)				
11. OF HISPANIC ORIGIN?		12. RACE — American Indian, Black, White, etc. (Specify below)		13. EDUCATION (Specify only highest grade completed)
11a. MOTHER YES <input type="checkbox"/> NO <input type="checkbox"/> If yes indicate <input type="checkbox"/> Mexican <input type="checkbox"/> Cuban <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Of Spanish origin not listed.		11b. FATHER YES <input type="checkbox"/> NO <input type="checkbox"/> If yes indicate <input type="checkbox"/> Mexican <input type="checkbox"/> Cuban <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Of Spanish origin not listed.		12a. MOTHER 12b. FATHER
13a. MOTHER 13b. FATHER		14. OCCUPATION AND BUSINESS/INDUSTRY (Worked during last year)		
14a. MOTHER 14b. FATHER		14c. MOTHER 14d. FATHER		
15. PREGNANCY HISTORY (Complete each section)		16. MOTHER MARRIED? (At delivery, conception, or any time between) (Yes or no)		17. DATE LAST NORMAL MENSTRUATION BEGAN (Month, Day, Year)
15a. Now <input type="checkbox"/> No <input type="checkbox"/> 15b. Now Dead <input type="checkbox"/> No <input type="checkbox"/> 15c. DATE OF LAST MENSTRUATION (Month, Day, Year)		15d. DATE OF LAST MENSTRUATION (Month, Day, Year)		15e. DATE OF LAST MENSTRUATION (Month, Day, Year)
15f. DATE OF LAST MENSTRUATION (Month, Day, Year)		15g. DATE OF LAST MENSTRUATION (Month, Day, Year)		15h. DATE OF LAST MENSTRUATION (Month, Day, Year)
15i. DATE OF LAST MENSTRUATION (Month, Day, Year)		15j. DATE OF LAST MENSTRUATION (Month, Day, Year)		15k. DATE OF LAST MENSTRUATION (Month, Day, Year)
15l. DATE OF LAST MENSTRUATION (Month, Day, Year)		15m. DATE OF LAST MENSTRUATION (Month, Day, Year)		15n. DATE OF LAST MENSTRUATION (Month, Day, Year)
15o. DATE OF LAST MENSTRUATION (Month, Day, Year)		15p. DATE OF LAST MENSTRUATION (Month, Day, Year)		15q. DATE OF LAST MENSTRUATION (Month, Day, Year)
15r. DATE OF LAST MENSTRUATION (Month, Day, Year)		15s. DATE OF LAST MENSTRUATION (Month, Day, Year)		15t. DATE OF LAST MENSTRUATION (Month, Day, Year)
15u. DATE OF LAST MENSTRUATION (Month, Day, Year)		15v. DATE OF LAST MENSTRUATION (Month, Day, Year)		15w. DATE OF LAST MENSTRUATION (Month, Day, Year)
15x. DATE OF LAST MENSTRUATION (Month, Day, Year)		15y. DATE OF LAST MENSTRUATION (Month, Day, Year)		15z. DATE OF LAST MENSTRUATION (Month, Day, Year)
15aa. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ab. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ac. DATE OF LAST MENSTRUATION (Month, Day, Year)
15ad. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ae. DATE OF LAST MENSTRUATION (Month, Day, Year)		15af. DATE OF LAST MENSTRUATION (Month, Day, Year)
15ag. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ah. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ai. DATE OF LAST MENSTRUATION (Month, Day, Year)
15aj. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ak. DATE OF LAST MENSTRUATION (Month, Day, Year)		15al. DATE OF LAST MENSTRUATION (Month, Day, Year)
15am. DATE OF LAST MENSTRUATION (Month, Day, Year)		15an. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ao. DATE OF LAST MENSTRUATION (Month, Day, Year)
15ap. DATE OF LAST MENSTRUATION (Month, Day, Year)		15aq. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ar. DATE OF LAST MENSTRUATION (Month, Day, Year)
15as. DATE OF LAST MENSTRUATION (Month, Day, Year)		15at. DATE OF LAST MENSTRUATION (Month, Day, Year)		15au. DATE OF LAST MENSTRUATION (Month, Day, Year)
15av. DATE OF LAST MENSTRUATION (Month, Day, Year)		15aw. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ax. DATE OF LAST MENSTRUATION (Month, Day, Year)
15ay. DATE OF LAST MENSTRUATION (Month, Day, Year)		15az. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ba. DATE OF LAST MENSTRUATION (Month, Day, Year)
15ba. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bb. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bc. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bd. DATE OF LAST MENSTRUATION (Month, Day, Year)		15be. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bd. DATE OF LAST MENSTRUATION (Month, Day, Year)
15be. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bf. DATE OF LAST MENSTRUATION (Month, Day, Year)		15be. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bf. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bg. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bf. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bg. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bh. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bg. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bh. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bi. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bh. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bi. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bj. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bi. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bj. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bj. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bl. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bl. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bm. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bm. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bn. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bn. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bo. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bo. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bp. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bp. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bq. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bq. DATE OF LAST MENSTRUATION (Month, Day, Year)		15br. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15br. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bs. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bs. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bt. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bt. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bu. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bu. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bv. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bv. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bw. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bw. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bx. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bx. DATE OF LAST MENSTRUATION (Month, Day, Year)		15by. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15by. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bz. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15bz. DATE OF LAST MENSTRUATION (Month, Day, Year)		15c0. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15c0. DATE OF LAST MENSTRUATION (Month, Day, Year)		15c1. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15c1. DATE OF LAST MENSTRUATION (Month, Day, Year)		15c2. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15c2. DATE OF LAST MENSTRUATION (Month, Day, Year)		15c3. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15c3. DATE OF LAST MENSTRUATION (Month, Day, Year)		15c4. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15c4. DATE OF LAST MENSTRUATION (Month, Day, Year)		15c5. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15c5. DATE OF LAST MENSTRUATION (Month, Day, Year)		15c6. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15c6. DATE OF LAST MENSTRUATION (Month, Day, Year)		15c7. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15c7. DATE OF LAST MENSTRUATION (Month, Day, Year)		15c8. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15c8. DATE OF LAST MENSTRUATION (Month, Day, Year)		15c9. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15c9. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ca. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15ca. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cb. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cb. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cc. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cc. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cd. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cd. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ce. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15ce. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cf. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cf. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cg. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cg. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ch. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15ch. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ci. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15ci. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cj. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cj. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ck. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15ck. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cl. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cl. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cm. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cm. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cn. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cn. DATE OF LAST MENSTRUATION (Month, Day, Year)		15co. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15co. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cp. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cp. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cq. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cq. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cr. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cr. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cs. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cs. DATE OF LAST MENSTRUATION (Month, Day, Year)		15ct. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15ct. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cu. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cu. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cv. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cv. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cw. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cw. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cx. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cx. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cy. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cy. DATE OF LAST MENSTRUATION (Month, Day, Year)		15cz. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15cz. DATE OF LAST MENSTRUATION (Month, Day, Year)		15d0. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15d0. DATE OF LAST MENSTRUATION (Month, Day, Year)		15d1. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15d1. DATE OF LAST MENSTRUATION (Month, Day, Year)		15d2. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15d2. DATE OF LAST MENSTRUATION (Month, Day, Year)		15d3. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15d3. DATE OF LAST MENSTRUATION (Month, Day, Year)		15d4. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15d4. DATE OF LAST MENSTRUATION (Month, Day, Year)		15d5. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15d5. DATE OF LAST MENSTRUATION (Month, Day, Year)		15d6. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15d6. DATE OF LAST MENSTRUATION (Month, Day, Year)		15d7. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15d7. DATE OF LAST MENSTRUATION (Month, Day, Year)		15d8. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15d8. DATE OF LAST MENSTRUATION (Month, Day, Year)		15d9. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15d9. DATE OF LAST MENSTRUATION (Month, Day, Year)		15da. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15da. DATE OF LAST MENSTRUATION (Month, Day, Year)		15db. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15db. DATE OF LAST MENSTRUATION (Month, Day, Year)		15dc. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15dc. DATE OF LAST MENSTRUATION (Month, Day, Year)		15dd. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15dd. DATE OF LAST MENSTRUATION (Month, Day, Year)		15de. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)
15de. DATE OF LAST MENSTRUATION (Month, Day, Year)		15de. DATE OF LAST MENSTRUATION (Month, Day, Year)		15bk. DATE OF LAST MENSTRUATION (Month, Day, Year)

23a. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)		25. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)		27. CONGENITAL ANOMALIES OF FETUS (Check all that apply)	
Anemia (Hct. < 30/Hgb. < 10) 01 <input type="checkbox"/> Cardiac disease 02 <input type="checkbox"/> Acute or chronic lung disease 03 <input type="checkbox"/> Diabetes 04 <input type="checkbox"/> Genital herpes 05 <input type="checkbox"/> Hydramnios/Oligohydramnios 06 <input type="checkbox"/> Hemoglobinopathy 07 <input type="checkbox"/> Hypertension, chronic 08 <input type="checkbox"/> Hypertension, pregnancy-associated 09 <input type="checkbox"/> Eclampsia 10 <input type="checkbox"/> Incompetent cervix 11 <input type="checkbox"/> Previous infant 4000 + grams 12 <input type="checkbox"/> Previous preterm or small-for-gestational-age infant 13 <input type="checkbox"/> Renal disease 14 <input type="checkbox"/> Rh sensitization 15 <input type="checkbox"/> Uterine bleeding 16 <input type="checkbox"/> None 00 <input type="checkbox"/> Other 17 <input type="checkbox"/> (Specify)		Febrile (>100 °F. or 38 °C.) 01 <input type="checkbox"/> Meconium, moderate/heavy 02 <input type="checkbox"/> Premature rupture of membrane (> 12 hours) 03 <input type="checkbox"/> Abruptio placenta 04 <input type="checkbox"/> Placenta previa 05 <input type="checkbox"/> Other excessive bleeding 06 <input type="checkbox"/> Seizures during labor 07 <input type="checkbox"/> Precipitous labor (< 3 hours) 08 <input type="checkbox"/> Prolonged labor (> 20 hours) 09 <input type="checkbox"/> Dysfunctional labor 10 <input type="checkbox"/> Breech/Malpresentation 11 <input type="checkbox"/> Cephalopelvic disproportion 12 <input type="checkbox"/> Cord prolapse 13 <input type="checkbox"/> Anesthetic complications 14 <input type="checkbox"/> Fetal distress 15 <input type="checkbox"/> None 00 <input type="checkbox"/> Other 16 <input type="checkbox"/> (Specify)		Anencephalus 01 <input type="checkbox"/> Spina bifida/Meningocele 02 <input type="checkbox"/> Hydrocephalus 03 <input type="checkbox"/> Microcephalus 04 <input type="checkbox"/> Other central nervous system anomalies (Specify) 05 <input type="checkbox"/> Heart malformations (Specify) 06 <input type="checkbox"/> Other circulatory anomalies (Specify) 07 <input type="checkbox"/> Respiratory anomalies (Specify) 08 <input type="checkbox"/> Rectal atresia/stenosis 09 <input type="checkbox"/> Tracheo esophageal fistula/Esoophageal atresia 10 <input type="checkbox"/> Omphalocele/Gastroschisis 11 <input type="checkbox"/> Other gastrointestinal anomalies (Specify) 12 <input type="checkbox"/> Malformed genitalia 13 <input type="checkbox"/> Renal agenesis 14 <input type="checkbox"/> Other urogenital anomalies (Specify) 15 <input type="checkbox"/> Cleft lip/palate 16 <input type="checkbox"/> Polydactyly/Syndactyly/Adactyly 17 <input type="checkbox"/> Club foot 18 <input type="checkbox"/> Diaphragmatic hernia 19 <input type="checkbox"/> Other musculoskeletal/integumental anomalies (Specify) 20 <input type="checkbox"/> Down's syndrome 21 <input type="checkbox"/> Other chromosomal anomalies (Specify) 22 <input type="checkbox"/> None 00 <input type="checkbox"/> Other (Specify) 23 <input type="checkbox"/>	
23b. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)		26. METHOD OF DELIVERY (Check all that apply)			
Tobacco use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/> Average number cigarettes per day Alcohol use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/> Average number drinks per week Weight gained during pregnancy lbs.		Vaginal 01 <input type="checkbox"/> Vaginal birth after previous C-section 02 <input type="checkbox"/> Primary C-section 03 <input type="checkbox"/> Repeat C-section 04 <input type="checkbox"/> Forceps 05 <input type="checkbox"/> Vacuum 06 <input type="checkbox"/> Hysterotomy/Hysterectomy 07 <input type="checkbox"/>			
24. OBSTETRIC PROCEDURES (Check all that apply)					
Amniocentesis 01 <input type="checkbox"/> Electronic fetal monitoring 02 <input type="checkbox"/> Induction of labor 03 <input type="checkbox"/> Stimulation of labor 04 <input type="checkbox"/> Tocolysis 05 <input type="checkbox"/> Ultrasound 06 <input type="checkbox"/> None 00 <input type="checkbox"/> Other 07 <input type="checkbox"/> (Specify)					

28. PART I. Fetal or maternal condition directly causing fetal death.		Enter only one cause per line for a, b, and c.		Specify Fetal or Maternal	
a. _____		DUE TO (OR AS A CONSEQUENCE OF):		Specify Fetal or Maternal	
b. _____		DUE TO (OR AS A CONSEQUENCE OF):		Specify Fetal or Maternal	
c. _____					
PART II. Other significant conditions of fetus or mother contributing to fetal death but not resulting in the underlying cause given in Part I.				29. FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY UNKNOWN (Specify)	
				30. AUTOPSY (Specify Yes or No)	

31. ATTENDANT'S NAME AND TITLE (Type/Print)		32. NAME AND TITLE OF PERSON COMPLETING REPORT (Type/Print)	
Name _____		Name _____	
<input type="checkbox"/> M.D. <input type="checkbox"/> C.N.M.			
<input type="checkbox"/> Other (Specify) _____		Title _____	
33. DATE REPORT COMPLETED		34. DATE RECEIVED BY HEALTH DEPARTMENT	

LICENSE AND CERTIFICATE FOR MARRIAGE
STATE OF SOUTH CAROLINA

LICENSE NUMBER		COUNTY			
GROOM-NAME	(FIRST)	(MIDDLE)	(LAST)	BIRTHDATE (MONTH, DAY, YEAR)	AGE
(1)				(2a)	(2b)
BIRTHPLACE (State of foreign country)		RACE	RESIDENCE (Street and Number)		
(3)		(4)	(5a)		
CITY, TOWN OR LOCATION		COUNTY	STATE	NO. OF THIS MARRIAGE (1st. 2nd, etc.)	
(5b)		(5c)	(5d)	(6)	
BRIDE-NAME	(FIRST)	(MIDDLE)	(LAST)	BIRTHDATE (MONTH, DAY, YEAR)	AGE
(7)				(8a)	(8b)
BIRTHPLACE (State of foreign country)		RACE	RESIDENCE (Street and Number)		
(9)		(10)	(11a)		
CITY, TOWN OR LOCATION		COUNTY	STATE	NO. OF THIS MARRIAGE (1st. 2nd, etc.)	
(11b)		(11c)	(11d)	(12)	
MAIDEN NAME OF BRIDE (If Different From Above)					
(13)					

Application for a license was filed with this court at _____ M., on the _____ day of _____, _____. These are, therefore, to authorize any person qualified to perform marriage ceremonies to perform the marriage ceremony for the persons above named and for the so doing this shall be sufficient warrant. Given under my hand and seal at _____ M., this the _____ day of _____, A.D. _____.

Signature of Issuing Officer	Title of Issuing Officer
GROOM-Signature	BRIDE-Signature
(14)	(15)
I certify that the above named persons were married on	Place of Marriage
(16) (MONTH) (DAY) (YEAR)	(17) (CITY) (COUNTY) SOUTH CAROLINA
OFFICIANT-Signature	OFFICIANT-Title
(18a)	(18b)
OFFICIANT-Mailing Address	
(18c)	

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
DIVISION OF VITAL RECORDS
Columbia, South Carolina

REPORT OF DIVORCE OR ANNULMENT OF MARRIAGE

State File No.

ADDRESS	1 HUSBAND-NAME (first) (middle) (last)			2 DATE OF BIRTH			3 STATE OF BIRTH		
	4 RESIDENCE (state) (county) (city)			5 NUMBER OF THIS MARRIAGE			6 RACE (specify)		
	7 WIFE-MAIDEN NAME (first) (middle) (last)			8 DATE OF BIRTH			9 STATE OF BIRTH		
	10 RESIDENCE (state) (county) (city)			11 NUMBER OF THIS MARRIAGE			12 RACE (specify)		
ATTORNEY FOR PLAINTIFF	13 PLACE OF THIS MARRIAGE (state) (county)			14 DATE OF MARRIAGE (month) (day) (year)			15 NUMBER OF CHILDREN UNDER 18		
	16 PLAINTIFF (specify)		17 DECREE GRANTED TO (specify)		18 WAS DIVORCE CONTESTED (specify yes or no)			19 LEGAL GROUNDS	
	20 DATE DECREE SIGNED (month) (day) (year)			21 TYPE OF DECREE absolute divorce or annulment (specify)					
	22 MAIDEN NAME RESUMED BY DECREE			23 SUPPLEMENTAL ORDER (if any) (month-day-year)					
	24 22a <input type="checkbox"/> Yes <input type="checkbox"/> No			25 22b					
	26 COUNTY			27 DOCKET NUMBER					
28 I CERTIFY THAT THE ABOVE IS CORRECT ACCORDING TO THE RECORDS OF THIS COURT FILED ON: signature of clerk of court month day year									
29									

HUSBAND - SOCIAL SECURITY #

26

WIFE - SOCIAL SECURITY #

27